

АЛАБАМА

СЕРИЯ 700

Brass ball valves, reduced port thread ISO 7:2000

TECHNICAL SPECIFICATION

BODY:	BRASS CW617N FORGED, SANDBLASTED AND NICKEL-PLATED
BALL:	CW617N FORGED AND HARD CHROMED
THREADS:	ISO 7:2000
LEVERS:	UNI-EN 1706 ALUMINIUM EPOXY ENAMELLED IRON LEVER EPOXY-PAINTING
BALL SEALS:	2 PTFE
SPINDLE:	BRASS CW614N (BLOW OUT PROOF)
SPINDLE SEALS:	2 O-RING NBR
TEMPERATURE RANGE:	-20°C + 120°C
WORKING PRESSURE:	FROM PN 64 TO PN 16 BAR (ACCORDING TO THE TABLE) WOG 400 - WSP 125

10

Краны шаровые полупроходные, резьбы по ISO 7:2000

ТЕХНИЧЕСКИЕ ДАННЫЕ


КОРПУС:	ЛАТУНЬ CW617N КОВАНАЯ, ПЕСКОСТРУЕННЫЙ, НИКЕЛЕРОВАННЫЙ
ШАР:	ЛАТУНЬ CW617N КОВАНАЯ, ПОЛИРОВАННЫЙ, ХРОМИРОВАННЫЙ
РЕЗЬБЫ:	ISO 7:2000
ОРГАНЫ УПРАВЛЕНИЯ:	РЫЧАГ ИЛИ БАБОЧКА ИЗ АЛЮМИНИЯ UNI-EN 1706, ПОКРЫТИЕ - ЭПОКСИДНАЯ ЭМАЛЬ
УПЛОТНЕНИЯ ШАРА:	РЫЧАГ ИЗ ШТАМПОВАННОЙ СТАЛИ, ПОКРЫТИЕ - ЭПОКСИДНАЯ ЭМАЛЬ 2 СЕДЛА ИЗ ФТОРОПЛАСТА-4 (PTFE)
ШТОК:	ЛАТУНЬ CW614N (ВЗРЫВОБЕЗАПАСНОЕ ИСПОЛНЕНИЕ)
УПЛОТНЕНИЯ ШТОКА:	2 КОЛЬЦА ИЗ БНК (NBR)
ДИАПАЗОН ТЕМПЕРАТУР:	-20°C + 120°C
РАБОЧЕЕ ДАВЛЕНИЕ:	ОТ 16 ДО 64 БАР (СОГЛАСНО ТАБЛИЦЕ) WOG 400 - WSP 125

UCRAINA CROAZIA RUSSIA



700

Female/female, aluminium handle
 Внутренняя/внутренняя резьба, алюминиевый рычаг



КОД COD.	РАЗМ. MISURA/SIZE	ДУ DN	НД PN	КОРОБ. BOX	КАРТ.ЯЩИК CART.	€
070004	1/2"	12	64	24	96	
070006	3/4"	15	40	14	56	
070008	1"	20	40	10	40	
070010	1.1/4"	25	25	4	16	
070012	1.1/2"	32	25	3	12	
070016	2"	40	25	2	8	
070020	2.1/2"	50	16	-	5	
070024	3"	65	16	-	3	
070032	4"	80	16	-	2	

701

Female/female, steel handle
 Внутренняя/внутренняя резьба, стальной рычаг



КОД COD.	РАЗМ. MISURA/SIZE	ДУ DN	НД PN	КОРОБ. BOX	КАРТ.ЯЩИК CART.	€
070104	1/2"	12	64	24	96	
070106	3/4"	15	40	14	56	
070108	1"	20	40	10	40	
070110	1.1/4"	25	25	4	16	
070112	1.1/2"	32	25	3	12	
070116	2"	40	25	2	8	
070120	2.1/2"	50	16	-	5	
070124	3"	65	16	-	3	
070132	4"	80	16	-	2	

702

Female/female, "T" handle
 Внутренняя/внутренняя резьба, «бабочка»




КОД COD.	РАЗМ. MISURA/SIZE	ДУ DN	НД PN	КОРОБ. BOX	КАРТ.ЯЩИК CART.	€
070204	1/2"	12	64	24	96	
070206	3/4"	15	40	20	80	
070208	1"	20	40	10	40	
070210	1.1/4"	25	25	4	16	

703

Male/female, aluminium handle
 Наружная/внутренняя резьба, алюминиевый рычаг



КОД COD.	РАЗМ. MISURA/SIZE	ДУ DN	НД PN	КОРОБ. BOX	КАРТ.ЯЩИК CART.	€
070304	1/2"	12	64	24	96	
070306	3/4"	15	40	14	80	
070308	1"	20	40	10	40	
070310	1.1/4"	25	25	4	16	
070312	1.1/2"	32	25	3	12	
070316	2"	40	25	2	8	

704


Male/female, steel handle
Наружная/внутренняя резьба, стальной рычаг

КОД COD.	РАЗМ. MISURA/SIZE	ДУ DN	НД PN	КОРОБ. BOX	КАРТ.ЯЩИК CART.	€
070404	1/2"	12	64	24	96	
070406	3/4"	15	40	14	56	
070408	1"	20	40	10	40	
070410	1.1/4"	25	25	4	16	
070412	1.1/2"	32	25	3	12	
070416	2"	40	25	2	8	

705


Male/female, "T" handle
Наружная/внутренняя резьба, «бабочка»

КОД COD.	РАЗМ. MISURA/SIZE	ДУ DN	НД PN	КОРОБ. BOX	КАРТ.ЯЩИК CART.	€
070504	1/2"	12	64	24	96	
070506	3/4"	15	40	14	56	
070508	1"	20	40	10	40	
070510	1.1/4"	25	25	4	16	

650


*Handle extension for thermal isolation **
Удлинитель ручки*

КОД COD.	РАЗМ. MISURA/SIZE	КОРОБ. BOX	КАРТ.ЯЩИК CART.	€
065004	1/2"-3/4"	30	120	
065008	1"	10	40	
065010	1.1/4"-1.1/2" -2"	10	40	
055020	2.1/2"	8	32	
055024	3"-4"	5	20	

* Adattabile solo per leva/farfalla alluminio - Подходит только для алюминиевого рычага