

Cim PV131

Group:
Radiator valves

Family:
"PV130" series

description:
Thermostatic angle valve for copper or plastic pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
3/8"	1/2"	10	120	Nickel	2.5
3/8"	24-19	10	120	Nickel	2.5
3/8"	3/4 EK	10	120	Nickel	2.5
1/2"	1/2"	10	120	Nickel	2.5
1/2"	24-19	10	120	Nickel	2.5
1/2"	3/4 EK	10	120	Nickel	2.5

Cim PV135



Group:
Radiator valves

Family:
"PV130" series

description:
Thermostatic straight valve, copper or plastic pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
3/8"	1/2"	10	120	Nickel	1.85
3/8"	24-19	10	120	Nickel	1.85
3/8"	3/4 EK	10	120	Nickel	1.85
1/2"	1/2"	10	120	Nickel	1.85
1/2"	24-19	10	120	Nickel	1.85
1/2"	3/4 EK	10	120	Nickel	1.85

Cim PV133



Group:
Radiator valves

Family:
"PV130" series

description:
Thermostatic angle valve, iron pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
3/8"	3/8" F	10	120	Nickel	2.5
1/2"	1/2" F	10	120	Nickel	2.5
3/4"	3/4" F	10	120	Nickel	2.5

Cim PV137



Group:
Radiator valves

Family:
"PV130" series

description:
Thermostatic straight valve, iron pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	Kv (Fully Open)
3/8"	3/8" F	10	120	1.85
1/2"	1/2" F	10	120	1.85
3/4"	3/4" F	10	120	1.85

Cim PV121



Group:
Radiator valves

Family:
"PV120" series

description:
Thermostatic angle valve for copper or plastic pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
3/8"	1/2"	10	120	Nickel	2.7
3/8"	24-19	10	120	Nickel	2.7
3/8"	3/4 EK	10	120	Nickel	2.7
1/2"	1/2"	10	120	Nickel	2.7
1/2"	24-19	10	120	Nickel	2.7
1/2"	3/4 EK	10	120	Nickel	2.7

Cim PV125



Group:
Radiator valves

Family:
"PV120" series

description:
Thermostatic straight valve for copper or plastic pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
3/8"	1/2"	10	120	Nickel	1.31
1/2"	24-19	10	120	Nickel	1.31
1/2"	3/4 EK	10	120	Nickel	1.31
3/8"	24-19	10	120	Nickel	1.31
3/8"	3/4 EK	10	120	Nickel	1.31
1/2"	1/2"	10	120	Nickel	1.31

Cim. PV123



Group:
Radiator valves

Family:
"PV120" series

description:
Thermostatic angle valve for iron pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
3/4"	3/4" F	10	120	Nickel	2.7
3/8"	3/8" F	10	120	Nickel	2.7
1/2"	1/2" F	10	120	Nickel	2.7

Cim. PV127



Group:
Radiator valves

Family:
"PV120" series

description:
Thermostatic straight valve, iron pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
1/2"	1/2" F	10	120	Nickel	1.31
3/4"	3/4" F	10	120	Nickel	1.31
3/8"	3/8" F	10	120	Nickel	1.31

Cim. PV101



Group:
Radiator valves

Family:
"PV100" series

description:
Angle valve for copper or plastic pipe, 50 mm distance connections.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
3/8"	1/2"	10	120	Nickel	2.7
1/2"	1/2"	10	120	Nickel	2.7
1/2"	24-19	10	120	Nickel	2.7
1/2"	3/4 EK	10	120	Nickel	2.7
3/8"	24-19	10	120	Nickel	2.7
3/8"	3/4 EK	10	120	Nickel	2.7

Cim. VP105



Group:
Radiator valves

Family:
"PV100" series

description:
Straight valve for copper or plastic pipe, 50 mm distance connections.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
1/2"	24-19	10	120	Nickel	1.31
1/2"	3/4 EK	10	120	Nickel	1.31
3/8"	1/2"	10	120	Nickel	1.31
3/8"	24-19	10	120	Nickel	1.31
3/8"	3/4 EK	10	120	Nickel	1.31
1/2"	1/2"	10	120	Nickel	1.31

Cim. PV103



Group:
Radiator valves

Family:
"PV100" series

description:
Angle valve for iron pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
3/4"	3/4" F	10	120	Nickel	2.7
1"	1" F	10	120	Nickel	2.7
3/8"	3/8" F	10	120	Nickel	2.7
1/2"	1/2" F	10	120	Nickel	2.7

Cim. PV107



Group:
Radiator valves

Family:
"PV100" series

description:
Straight valve for iron pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
3/8"	3/8" F	10	120	Nickel	1.31
1/2"	1/2" F	10	120	Nickel	1.31
3/4"	3/4" F	10	120	Nickel	1.31
1"	1" F	10	120	Nickel	1.31

Cim. PV112



Group:
Radiator valves

Family:
"PV110" series

description:
Angle lockshield for copper or plastic pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)	KvPos1	KvPos2	KvPos3
1/2"	1/2"	10	120	Nickel	2.7	0.51	1.69	2.2
1/2"	24-19	10	120	Nickel	2.7	0.51	1.69	2.2
3/8"	1/2"	10	120	Nickel	2.7	0.51	1.69	2.2
3/8"	24-19	10	120	Nickel	2.7	0.51	1.69	2.2

Cim. PV116



Group:
Radiator valves

Family:
"PV110" series

description:
Straight lockshield for copper or plastic pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)	KvPos1	KvPos2	KvPos3
1/2"	1/2"	10	120	Nickel	1.31	0.44	1.04	1.28
1/2"	24-19	10	120	Nickel	1.31	0.44	1.04	1.28
3/8"	1/2"	10	120	Nickel	1.31	0.44	1.04	1.28
3/8"	24-19	10	120	Nickel	1.31	0.44	1.04	1.28

Cim. PV114



Group:
Radiator valves

Family:
"PV110" series

description:
Angle lockshield for iron pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)	KvPos1	KvPos2	KvPos3
3/8"	3/8" F	10	120	Nickel	2.7	0.51	1.69	2.2
1/2"	1/2" F	10	120	Nickel	2.7	0.51	1.69	2.2

Cim. PV118



Group:
Radiator valves

Family:
"PV110" series

description:
Straight lockshield for iron pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)	KvPos1	KvPos2	KvPos3
3/8"	3/8" F	10	120	Nickel	1.31	0.44	1.04	1.28
1/2"	1/2" F	10	120	Nickel	1.31	0.44	1.04	1.28

Cim. PV761Q



Group:
Radiator valves

Family:
"Top coassiale" series

description:
Thermostatic coaxial valve dx/sx for copper or plastic pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
3/8"	3/4" EK	10	120	Nickel	1.7
3/8"	3/4" EK	10	120	Nickel	1.7
1/2"	3/4" EK	10	120	Nickel	1.7
1/2"	24-19	10	120	Nickel	1.7
1/2"	24-19	10	120	Nickel	1.7
1/2"	3/4" EK	10	120	Nickel	1.7
3/8"	24-19	10	120	Nickel	1.7
3/8"	24-19	10	120	Nickel	1.7

Cim. PV763Q



Group:
Radiator valves

Family:
"Top coassiale" series

description:
Thermostatic coaxial valve dx/sx for iron pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
1/2"	1/2" F	10	120	Nickel	1.7
3/8"	3/8" F	10	120	Nickel	1.7
3/8"	3/8" F	10	120	Nickel	1.7
1/2"	1/2" F	10	120	Nickel	1.7

Cim. PV742Q



Group:
Radiator valves

Family:
"Top coassiale" series

description:
Coaxial lockshield sx/dx for copper or plastic pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
3/8"	3/4" EK	10	120	Nickel	1.31
1/2"	24-19	10	120	Nickel	1.31
1/2"	3/4" EK	10	120	Nickel	1.31
3/8"	24-19	10	120	Nickel	1.31
3/8"	3/4" EK	10	120	Nickel	1.31
1/2"	24-19	10	120	Nickel	1.31
1/2"	3/4" EK	10	120	Nickel	1.31
3/8"	24-19	10	120	Nickel	1.31

Cim. PV631Q



Group:
Radiator valves

Family:
"PV631Q" series

description:
Thermostatic reverse valve for copper or plastic pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
3/8"	24-19	10	120	Nickel	2.5
3/8"	3/4" EK	10	120	Nickel	2.5
1/2"	24-19	10	120	Nickel	2.5
1/2"	3/4" EK	10	120	Nickel	2.5

Cim. PV633Q



Group:
Radiator valves

Family:
"PV633Q" series

description:
Thermostatic reverse valve for iron pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
1/2"	1/2" F	10	120	Nickel	2.5
3/8"	3/8" F	10	120	Nickel	2.5

Cim. PV611Q



Group:
Radiator valves

Family:
"PV611Q" series

description:
Thermostatic reverse valve for copper or plastic pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
1/2"	3/4" EK	10	120	Nickel	2.5
3/8"	24-19	10	120	Nickel	2.5
3/8"	3/4" EK	10	120	Nickel	2.5
1/2"	24-19	10	120	Nickel	2.5

Cim. PV613Q



Group:
Radiator valves

Family:
"PV613Q" series

description:
Thermostatic reverse valve for iron pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
3/8"	3/8" F	10	120	Nickel	2.5
1/2"	1/2" F	10	120	Nickel	2.5

Cim. PV421Q



Group:
Radiator valves

Family:
" PV421Q " series

description:
Thermostatic mono/bitube angle valve with by-pass and lockshield for copper or plastic pipe. Distance between connections 50 mm.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
1/2"	3/4" EK	1	20	Nickel	Bitube 1.4, Monotube 2.2
1/2"	24-19 EK	1	20	Nickel	Bitube 1.4, Monotube 2.2

Cim. PV425Q



Group:

Radiator valves

Family:

"PV425Q" series

description:

Thermostatic mono/bitube straight valve with by-pass and lockshield for copper or plastic pipe. Distance between connections 50 mm.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
1/2"	3/4" EK	1	20	Nickel	Bitube 1.4, Monotube 2.2
1/2"	24-19 EK	1	20	Nickel	Bitube 1.4, Monotube 2.2

Cim. PV321



Group:

Design valves for radiators

Family:

"PV321" series

description:

Thermostatic angle valve for copper or plastic pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
3/8"	24-19	1	0	Chrome	2.5
1/2"	24-19	1	0	Chrome	2.5

Cim. PV325



Group:
Design valves for radiators

Family:
"PV325" series

description:
Thermostatic straight valve,copper or plastic pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
3/8"	24-19	1	0	Chrome	1.85
1/2"	24-19	1	0	Chrome	1.85

Cim. PV323



Group:
Design valves for radiators

Family:
"PV323" series

description:
Thermostatic angle valve, iron pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
3/8"	3/8" F	1	0	Chrome	2.5
1/2"	1/2" F	1	0	Chrome	2.5

Cim. PV327



Group:
Design valves for radiators

Family:
"PV327" series

description:
Thermostatic straight valve, iron pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
3/8"	3/8" F	1	0	Chrome	1.85
1/2"	1/2" F	1	0	Chrome	1.85

Cim. PV301



Group:
Design valves for radiators

Family:
"PV301" series

description:
Angle valve for copper or plastic pipe, 50 mm distance connections.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
3/8"	24-19	1	0	Chrome	2.7
1/2"	24-19	1	0	Chrome	2.7

Cim. PV305



Group:
Design valves for radiators

Family:
"PV305" series

description:
Straight valve for copper or plastic pipe, 50 mm distance connections.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)	KvPos1	KvPos2	KvPos3
3/8"	24-19	1	0	Chrome	1.31	0.44	1.04	1.28
1/2"	24-19	1	0	Chrome	1.31	0.44	1.04	1.28

Cim. PV302



Group:
Design valves for radiators

Family:
"PV302" series

description:
Angle lockshield for copper or plastic pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)	KvPos1	KvPos2	KvPos3
3/8"	24-19	1	0	Chrome	2.7	0.51	1.69	2.2
1/2"	24-19	1	0	Chrome	2.7	0.51	1.69	2.2

Cim. PV306



Group:
Design valves for radiators

Family:
"PV306" series

description:
Straight lockshield for copper or plastic pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)	KvPos1	KvPos2	KvPos3
3/8"	24-19	1	0	Chrome	1.31	0.44	1.04	1.28
1/2"	24-19	1	0	Chrome	1.31	0.44	1.04	1.28

Cim. PV671



Group:
Design valves for radiators

Family:
"PV671" series

description:
Angle valve for copper or plastic pipe, 50 mm distance connections.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
3/4"	24-19	1	0	Bronze	2.7
1/2"	24-19	1	0	Bronze	2.7

Cim PV675



Group:
Design valves for radiators

Family:
"PV675" series

description:
Straight valve for copper or plastic pipe, 50 mm distance connections.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
1/2"	24-19	1	0	Bronze	1.31
3/4"	24-19	1	0	Bronze	1.31

Cim PV673



Group:
Design valves for radiators

Family:
"PV675" series

description:
Angle valve for iron pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
1/2"	1/2" F	1	0	Bronze	2.7
3/4"	3/4" F	1	0	Bronze	2.7

Cim. PV677



Group:
Design valves for radiators

Family:
"PV677" series

description:
Straight valve for iron pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
1/2"	1/2" F	1	0	Bronze	1.31
3/4"	3/4" F	1	0	Bronze	1.31

Cim. PV672



Group:
Design valves for radiators

Family:
"PV672" series

description:
Angle lockshield for copper or plastic pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)	KvPos1	KvPos2	KvPos3
3/4"	24-19	1	0	Bronze	2.7	0.51	1.69	2.2
1/2"	24-19	1	0	Bronze	2.7	0.51	1.69	2.2

Cim. PV676



Group:
Design valves for radiators

Family:
"PV676" series

description:
Straight lockshield for copper or plastic pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)	KvPos1	KvPos2	KvPos3
1/2"	24-19	1	0	Bronze	1.31	0.44	1.04	1.28
3/4"	24-19	1	0	Bronze	1.31	0.44	1.04	1.28

Cim. PV674



Group:
Design valves for radiators

Family:
"PV674" series

description:
Angle lockshield for iron pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)	KvPos1	KvPos2	KvPos3
1/2"	1/2" F	1	0	Bronze	2.7	0.51	1.69	2.2
3/4"	3/4" F	1	0	Bronze	2.7	0.51	1.69	2.2

Cim. PV678



Group:
Design valves for radiators

Family:
"PV678" series

description:
Straight lockshield for iron pipe.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)	KvPos1	KvPos2	KvPos3
1/2"	1/2" F	1	0	Bronze	1.31	0.44	1.04	1.28
3/4"	3/4" F	1	0	Bronze	1.31	0.44	1.04	1.28

Cim. PV671L



Group:
Design valves for radiators

Family:
"PV671L" series

description:
Angle valve for copper or plastic pipe, 50 mm distance connections.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
1/2"	24-19	1	0	Bronze	2.7
3/4"	24-19	1	0	Bronze	2.7

Cim. PV675L



Group:
Design valves for radiators

Family:
"PV675L" series

description:
Angle valve for copper or plastic pipe, 50 mm distance connections.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
3/4"	24-19	1	0	Bronze	1.31
1/2"	24-19	1	0	Bronze	1.31

Cim. PV673L



Group:
Design valves for radiators

Family:
"PV673L " series

description:
Angle valve for copper or plastic pipe, 50 mm distance connections.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
1/2"	1/2" F	1	0	Bronze	2.7
3/4"	3/4" F	1	0	Bronze	2.7

Cim. PV677L



Group:
Design valves for radiators

Family:
"PV677L" series

description:
Angle valve for copper or plastic pipe, 50 mm distance connections.

SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
1/2"	1/2" F	1	0	Bronze	1.31
3/4"	3/4" F	1	0	Bronze	1.31

Cim. PV425



Group:

Design valves for radiators

Family:

"PV425" series

description:

Thermostatic mono/bitube straight valve with by-pass and lockshield for copper or plastic pipe. Distance between connections 50 mm.

CODW	SIZE	CONNECTIONS	Q.CONF.	Q.BOX	FINISH	Kv (Fully Open)
PV42500B	1/2"	24-19	1	0	Chrome	Bitube 1.4, Monotube 2.2
PV42510B	1/2"	3/4" EK	1	0	Chrome	Bitube 1.4, Monotube 2.22