




CLICK ON A SEGMENT
OR SCROLL DOWN



PRICE LIST CONTINENTAL EUROPE

Expect... **AVR**

EXPECT SUPREME PRODUCTS



AVK is a global leader within valves, hydrants, fittings and accessories for water supply, gas supply, wastewater treatment and fire protection.

AVK International A/S benefits from modern production facilities and a large distribution center which enable us to deliver within a short period of time.

A complete product range, fast delivery, superior quality products, competitive prices and top service are some of the benefits to expect when dealing with AVK International A/S.

Inhouse R&D

In our Development Department in Denmark, ideas and suggestions for new products are gathered, and existing products are updated continuously.

We use FEA (Finite Element Analysis) to optimise the strength and geometry of our components and CFD (Computational Fluid Dynamics) analyses to validate different product designs prior to creating physical prototypes, enabling us to predict consequences in cases where it is impossible to create full scale tests on physical products.

We make our own test and production equipment, and in our flow lab, we conduct thorough prototype and life cycle tests prior to release for production. New product types are generally field tested in co-operation with end users before final launch.

Production

Production takes place in several countries in Europe and Asia as well as in the US and Saudi Arabia. AVK International A/S manufactures valves and accessories for water, gas and wastewater applications as well as valves and hydrants for fire protection - all according to the DIN standard.

Stock control and distribution to end users are handled through a global network of sales companies and dealers. This network services the end-user, allowing AVK to monitor market changes and keep abreast of customer requirements.

Quality certifications

AVK's quality management system is certified according to ISO 9001, and in 2018, we also obtained the ISO/TS 9001 certification.

ISO/TS 29001 is an industry-specific standard for the oil and gas industry based on ISO 9001, but with stricter requirements for control measures and risk management, in that key issues such as staff training, traceability of materials and obtained test results must be documented.

Moreover, we are certified to ISO 14001, the international standard for environmental management, and ISO 45001, the international Occupational Health and Safety Standard.


Third party certification

Authorities such as DVGW (Germany), KIWA (Netherlands) and UL & FM (the US) offer certification of finished valves, and these are also recognized and accepted by other countries that do not have their own certification schemes.

By obtaining and maintaining the most widely accepted certification, we show our customers that AVK valves always meet the highest quality and safety standards.

AVK focuses on the environment

AVK products are part of vital infrastructures, which play an important role for the local environment all over the world. AVK also focuses on the environment in all its internal processes. The AVK Group has outlined a number of strict objectives for its manufacturing companies regarding energy and water consumption. Our suppliers also need to comply with a number of standards in order to be a certified supplier of the AVK Group, as it is vital for AVK to achieve sustainability throughout the supply chain.



AVK's four main segments:



Water supply

Gate valves and accessories, butterfly valves, swing check valves, air valves, control valves, hydrants, couplings, fittings etc.



Gas supply

Gate valves and accessories, ball valves, couplings and repair clamps.



Wastewater treatment

Gate valves, knife gate valves, ball and swing check valves, butterfly valves, air valves, penstocks etc.



Fire protection

Fire hydrants, monitors, gate valves, post indicators, butterfly valves etc.

TERMS AND CONDITIONS OF SALE AND DELIVERY

§1 Offers and orders:

Offers from AVK International A/S (AVK) shall be subject to confirmation unless a written acceptance has been given to the contrary. Orders shall only be binding on us if at the receipt of a final, specified order we have the product at our disposal or can provide this at the prices and on the conditions with which we have calculated and on which we have based the offer - even though the purchaser may not be cognizant of such conditions. Moreover, the order shall be confirmed in writing by AVK.

§2 Terms of payment:

Unless otherwise agreed in writing AVK international A/S' terms of payment shall be as follows: Invoice date + 30 days net. Interest at a rate of 1,25% per commenced month will be charged on all overdue invoices. Interest will be added monthly. AVK International A/S will charge a fee of DKK 100 per payment reminder in case of overdue invoices.

§3 Prices:

The price of the products shall be AVK quoted price or, where no price has been quoted (or the quoted price is no longer valid) the price listed in AVK's published pricelist current at the date of acceptance of the order.

AVK reserves the right by giving notice to the buyer at any time before dispatch to increase the price of the products to reflect any increase in the cost to AVK which is due to factor beyond the control of AVK (such as, without limitations, any foreign exchange fluctuation, currency regulation, alteration of duties, significant increase in cost of labour, materials or other cost of manufacture) any change in delivery data, quantities or specifications for the products which is requested by the buyer, or any delay caused by any instruction of the buyer or failure of the buyer to give AVK adequate information or instructions.

The prices are exclusive of any import duties, VAT, levies, taxes and other charges which may be imposed on the goods.

§4 Delivery and transport:

All times of delivery shall as far as possible be in accordance with the customer's desires. The

times of delivery have been fixed to the best of our judgement, but AVK undertakes no obligations as regards a punctual observance of the time of delivery confirmed or desired.

Delivery will be effected ex works (EXW) unless otherwise agreed in writing.

AVK can at the customer's request arrange the transportation at the customer's expense and risk to any destination which can be reached by rail, sea, road or air.

§5 Cancellation and return:

An order can only be cancelled by written agreement between AVK and the customer. Moreover, AVK reserves the right to debit the customer with all costs which AVK may incur owing to the customer's wish to cancel the order. Returns cannot be allowed later than 3 months after delivery.

The customer cannot expect to be credited for more than 70 % of the value debited. All returns shall show the original invoice number and date of delivery.

No return shall ever be allowed of special products, products which have been specially manufactured for the customer in question or products in which any specifications have been changed. The return of products to AVK shall be at the customer's expense and risk.

§6 Packaging:

The packaging is not returnable if it was included in the price, specially produced for the product supplied, or if it is disposable.

Packaging which was debited separately may only be returned upon previous agreement and no later than 3 months after the time of delivery.

§7 Liability for defects:

Only documented defects in the design, workmanship or material of the product supplied or faulty performance of work shall be considered defects.

The purchaser shall immediately after delivery carry out a reasonable examination of the product.

The purchaser cannot adduce defects which could have been established at such an examination unless the purchaser proves that AVK has received a written complaint no later than 8 days after delivery was effected.

The purchaser cannot adduce defects which could not have been established at an examination as the one mentioned above unless AVK has received a written complaint within 1 year after delivery was effected.

The purchaser shall have no other rights in connection with defects than a claim for a rectification of the defects as soon as possible in the form of repair, replacement delivery or subsequent delivery. A replacement delivery by AVK shall be conditional upon the purchaser returning the defective parts.

AVK shall in no case be liable for any trading loss, loss of time, loss of profit or any similar consequential losses owing to the defects.

§8 Product liability:

AVK shall not be liable for any pollution of or through air, ground or water and for any damage caused to things being used for purposes of trade.

AVK shall not be liable for damage to any real or personal property occurring while the product sold is in the purchaser's possession.

Nor shall AVK be liable for any damage to products produced by the purchaser or to products in which the product sold forms part, including real property, or to products for the production, treatment or processing of which the product is used. AVK shall not be liable for any damage to things in cases where the product sold is used for, built into or forms part of another finished product which is used for the operation of an aircraft or in off-shore installations.

Moreover, AVK' liability for any damage to real or personal property cannot exceed DKK 1,000,000.- for each cause of damage for which AVK can be held liable.

TERMS AND CONDITIONS OF SALE AND DELIVERY

AVK shall not be liable for any trading loss, loss of time, loss of profit, lost earnings or any other consequential losses.

To the extent that any product liability may be imposed on AVK towards any third party, the purchaser shall be liable to indemnify AVK to the same extent as AVK' liability is limited according to the above. However, these limitations in AVK' liability shall not apply if the damage can be ascribed as a gross negligence to a person for which AVK is responsible.

If a third party should advance claims against AVK or the purchaser for damages pursuant to this clause 8 or if one of the parties should have reason to believe that a claim may be advanced, this party shall immediately inform the other party to this effect.

§9 Escape clause (Force majeure):

The following circumstances shall mean an exemption from liability if they prevent AVK from performing a contract or make the performance unreasonably burdensome: fire, explosion, Act of God, epidemic, war, riot or civil commotion, unrest, martial law, mobilisation or similar military measures, seizures, currency restrictions, import and export prohibition, strike, lockout or other circumstances of a similar nature beyond the control of AVK, be it with AVK or with AVK' suppliers.

§10 Venue and law:

Any dispute which may arise between AVK and the customer shall be settled finally and binding on both parties by the Maritime and Commercial Court in Denmark pursuant to Danish law - unless a written acceptance has been given to the contrary.

When one or several of the above conditions are reversed totally or partly by a legal decision or by an amendment in legislation, this does not mean that the Terms and Conditions of Sale and Delivery shall be cancelled as a whole, but that they are amended according to the legal decision and/or to the amendment of law.

**We assume no responsibility for any printing errors.
The prices are valid until 2021.12.31 or until a new price list is available.**

All prices are based on full pallet deliveries

Delivery-code: A = max. 2 weeks
 B = max. 8 weeks
 C = > 8 weeks

TABLE OF CONTENTS



	Series 02, Flanged gate valves, long DIN F5 and BS	13		Series 01, Gate valves with socket ends	28		Series 41, Accessories for swing check valves	44
	Series 06, Flanged gate valves, short DIN F4	16		Series 33, Gate valves with tyton ends	28		Series 641, Single door swing check valves	45
	Series 15, Flanged gate valves prepared for actuator	20		Series 32, Gate valves with spigot ends	29		Series 874, Tilting disc, resilient seat check valve	46
	S. 21, Flanged gate valves, BS-standard	20		Series 12, Gate valves with spigot/flange ends	29		Series 875, Tilting disc, slanted metal seat check valve	46
	Series 18, Combi-valves	21		Series 06, Gate valves with grooved ends	30		Series 876, Nozzle check valves	47
	Series 20, Flanged gate valves, long DIN F5, enamel	22		Series 636, Supa Maxi™ gate valves	30		Series 903, Silent check valves	47
	Series 26, Flanged gate valves, short DIN F4, enamel	23		Series 638, Gate valves with Supa Maxi™/PE end	30		Series 854, Ball float valves	48
	Series 50, Flanged gate valves, GOST	23		Series 46, Gate valves with steel spigot ends	31		Series 701, Air valves	48
	Series 55, Flanged gate valves, resilient seated, DN450-600	23		Series 756, Double eccentric butterfly valves	31		Series 851, Air valves	50
	Series 36, Gate valves with PE ends	24		Series 75, Centric butterfly valves with fixed liner	38		Series 859, Diaphragm control valves	51
	Series 38, Gate valves with PE end/flange	27		Series 820, Centric butterfly valves with loose liner	40		Series 872, Needle control valves	59
	Series 01, Supa Plus™ gate valves	27		Series 41, Swing check valves	43		Series 910, Y-strainers	60

TABLE OF CONTENTS


























	Series 09, Above-ground fire hydrants	61		Series 100, Supa Lock™ tapping saddles	74		Series 79, Gaskets	91
	Series 35, Underground fire hydrants	61		Series 106, Supa Lock™ blind plugs, connectors, fittings with PRK and screw couplings	75		Series 05, Combi-flanges	92
	Series 78-G, Fountains	63		Series 107, Supa Lock™ push-in fittings, fittings with PE pipe end	76		Series 265, Fabricated dismantling joints	96
	Series 84, Above-ground hydrants	63		Series 109, Supa Lock™ fittings	77		Series 873, Dismantling joints, cast iron	97
	Series 29, Underground fire hydrants	66		Series 343, Supa Lock™ ball valves, brass	79		Series 601, Supa® straight couplings	98
	Series 03, Service connection valves	66		Series 04, Surface boxes, floating	80		Series 602, Supa® step couplings	99
	Series 11, Service connection angle valves	68		Series 04, Surface boxes, universal	81		Series 603, Supa® flange adaptors	99
	Series 16, Service connection valves, POM	68		Series 80, Synthetic surface boxes	81		Series 621, Supa Plus™ couplings	100
	Series 16, Service connection valves, brass	70		Series 04, Extension spindles	88		Series 623, Supa Plus™ flange adaptors	100
	Series 36, Service connection valves with PE ends	71		Series 08, Handwheels	90		Series 624, Supa Plus™ end caps	101
	Series 103, Supa Lock™ service connection valves	72		Series 04, T-keys	91		Series 258, fabricated couplings	101
	Series 103, Supa Lock™ service connection angle valves	73		Series 04, Stem caps/transitions	91		Series 260, Fabricated flange adaptors	102

TABLE OF CONTENTS





























								
	Series 631, Supa Maxi™ straight couplings	102		Series 8001, Hydro Stop universal encapsulation collars	118		Series 02, Flanged gate valves, long DIN F5	127
	Series 632, Supa Maxi™ step couplings	103		Series 8002, Hydro Fast dedicated encapsulation collars	121		Series 06, Flanged gate valves, short DIN F4	127
	Series 633, Supa Maxi™ flange adaptors	103		Series 8003, Hydro Smart dedicated encapsulation collars	124		Series 15, Flanged gate valves, prepared for actuator	129
	Series 634, Supa Maxi™ end caps	104					Series 715, Flanged gate valves with pneumatic actuator	130
	Series 635, Supa Maxi™ transition couplings	105					Series 36, Gate valves with PE-ends	131
	Series 745, Repico couplings	106					Series 820, Centric butterfly valves with loose liner	131
	Series 05, Support bushes	109					Series 41, Swing check valves	132
	Series 748, Stainless steel repair clamps	110					Series 53, Ball check valves	134
	Series 10, Tapping saddles	114					Series 702, Knife gate valves	135
	Series 740, Tapping saddle heads	115					Series 772, Penstocks	137
	Series 727, Tapping saddles	116					Series 701, Air valves	138
	Series 730, Stirrup for tapping saddles	118					Series 16, Service connection valves, POM	139

TABLE OF CONTENTS






















								
	Series 36, Service connection valves with PE-ends	139		Series 02, Flanged gate valves, long DIN F5	145		Series 633, Supa Maxi™ flange adaptors	155
	Series 745, Repico copulings	140		Series 06, Flanged gate valves, short DIN F4	145		Series 634, Supa Maxi™ end caps	155
	Series 631, Supa Maxi™ straight couplings	143		Series 15, Flanged gate valves, prepared for actuator	146		Series 79, Gaskets	156
	Series 633, Supa Maxi™ flange adaptors	143		Series 36, Gate valves with PE ends	147		GOST gas valves	156
				Series 38, Gate valves with PE end/flange	148			
				Series 46, Gate valves with steel spigot ends	148			
				Series 85, PE ball valves	150			
				Series 03, Service connection valves	150			
				Series 36, Service connection valves with PE ends	150			
				Series 80, Synthetic surface boxes	151			
				Series 631, Supa Maxi™ straight couplings	154			
				Series 632, Supa Maxi™ step couplings	155			

TABLE OF CONTENTS



Series 06, Flanged gate valves, short DIN F4 161



Series 08, Handweels 169



Series 06, Gate valves with grooved ends 161



Series 34, Post indicators 170



Series 145, Flanged gate valves, AWWA 161



Series 04, Accessories for valves 171



Series 45, Flanged gate valves, AWWA 162



Series 04-F, Extension spindles 171



Series 36, Gate valves with PE ends 163



Series 20, Mounting kit for micro switch 171



Series 55, Flanged gate valves, DN450-600 163



Series 96, Micro and limit switches 171



Series 75, Centric butterfly valves with fixed liner 166



Series 815, Centric butterfly valves with grooved ends 167



Series 5190, Swing check valves 167



Series 27, Dry barrel fire hydrants, AWWA 168



Series 24, Wet barrel fire hydrants, AWWA 169



Series 04-C, Surface boxes 169

**02/20-021**

Flanged gate valve
Face-to-face dimension
according to EN 558 Table 2
Basic Series 3
Ductile Iron
EPDM rubber
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
02-050-20-014649	50	PN10/16	10	14	B	363.00
02-065-20-014649	65	PN10/16	12	11	B	509.00
02-080-20-014649	80	PN10/16	15	14	B	509.00
02-100-20-014649	100	PN10/16	17	12	A	600.00
02-125-20-014649	125	PN10/16	23	9	B	928.00
02-150-20-014649	150	PN10/16	32	8	B	1,034.00
02-200-20-004649	200	PN10	51	6	B	1,887.00
02-200-20-014649	200	PN16	51	6	B	1,794.00
02-250-20-004649	250	PN10	85	3	C	2,067.00
02-250-20-014649	250	PN16	82	3	C	2,067.00
02-300-20-004647	300	PN10	118	4	C	2,934.00
02-300-20-014647	300	PN16	118	4	B	2,934.00

02/60-0035

Flanged gate valve
Face-to-face dimension
according to EN 558 Table 2
Basic Series 15
Ductile Iron
EPDM drinking water
approved
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
02-040-60-014649	40	PN10/16	7.4	15	A	361.00
02-050-60-014649	50	PN10/16	9.7	14	A	378.00
02-065-60-014649	65	PN10/16	15	11	A	526.00
02-080-60-014649	80	PN10/16	19	14	A	526.00
02-100-60-014649	100	PN10/16	25	12	A	620.00
02-125-60-014649	125	PN10/16	24	9	A	1,067.00
02-150-60-014649	150	PN10/16	49	8	A	1,067.00
02-200-60-004649	200	PN10	54	6	A	1,859.00
02-200-60-014649	200	PN16	54	6	A	1,952.00
02-250-60-004649	250	PN10	88	3	A	3,040.00
02-250-60-014649	250	PN16	110	3	A	3,194.00
02-300-60-004647	300	PN10	126	2	A	4,307.00
02-300-60-014647	300	PN16	126	2	A	4,525.00
02-350-60-006 (1)	350	PN10	320	2	C	8,980.00
02-350-60-016 (1)	350	PN16	320	2	C	9,425.00
02-400-60-006	400	PN10	342	2	A	12,072.00
02-400-60-016	400	PN16	342	2	B	12,676.00
02-450-60-006 (2)	450	PN10	360	1	C	13,075.00
02-450-60-016 (2)	450	PN16	360	1	C	13,687.00
02-500-60-006 (2)	500	PN10	417	1	C	18,163.00
02-500-60-016 (2)	500	PN16	417	1	C	19,015.00

(1) Valve having an increased bore (400 mm)

(2) Valve having a reduced bore (400 mm)

02/67-030

Flanged gate valve, PN25,
Bronze wedge nut
Face-to-face dimension
according to EN 558 Table 2
Basic Series 15
Ductile Iron
EPDM drinking water
approved
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
02-050-67-076	50	PN25	12	20	B	686.00
02-065-67-076	65	PN25	15	17	B	864.00
02-080-67-076	80	PN25	19	14	B	864.00
02-100-67-076	100	PN25	25	9	A	952.00
02-125-67-076	125	PN25	33	9	B	1,478.00
02-150-67-076	150	PN25	49	8	A	1,453.00
02-200-67-076	200	PN25	70	6	B	2,146.00
02-250-67-076	250	PN25	110	4	B	3,302.00
02-300-67-076	300	PN25	160	2	B	4,681.00

**02/68-030**

Flanged gate valve, PN25, replaceable stem sealing, bronze wedge nut

Face-to-face dimension according to EN 558 Table 2 Basic Series 15

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
02-050-68-07605	50	PN25	12	20	C	710.00
02-065-68-07605	65	PN25	15	18	C	962.00
02-080-68-07605	80	PN25	19	14	C	986.00
02-100-68-07605	100	PN25	25	12	C	1,067.00
02-125-68-07605	125	PN25	33	9	C	1,527.00
02-150-68-07605	150	PN25	49	8	C	1,673.00
02-200-68-07605	200	PN25	70	6	C	2,540.00
02-250-68-07605	250	PN25	110	4	B	3,852.00
02-300-68-07605	300	PN25	160	2	C	5,426.00

02/75-006

Flanged gate valve with replaceable stem sealing, stem cap and dust caps

Face-to-face dimension according to EN 558 Table 2 Basic Series 15

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Open



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
02-040-75-514649003	40	PN10/16	8.2	12		477.00
02-050-75-514649003	50	PN10/16	9.0	20		477.00
02-065-75-514649003	60/65	PN10/16	12	17		665.00
02-080-75-514649003	80	PN10/16	16	14		687.00
02-080-75-534649003 ⁽¹⁾	80	DIN1882	16	14		687.00
02-100-75-514649003	100	PN10/16	19	12		789.00
02-125-75-514649003	125	PN10/16	24	9		1,345.00
02-150-75-514649003	150	PN10/16	34	8		1,418.00
02-200-75-504649003	200	PN10	54	6		2,475.00
02-200-75-514649003	200	PN16	54	6		2,547.00
02-250-75-504649003	250	PN10	88	3		3,834.00
02-250-75-514649003	250	PN16	88	3		3,984.00
02-300-75-504647003	300	PN10	127	2		5,396.00
02-300-75-514647003	300	PN16	127	2		5,542.00
02-350-75-504640003 ⁽²⁾	350	PN10	320	2		11,714.00
02-350-75-514640003 ⁽²⁾	350	PN16	320	2		11,714.00
02-400-75-50464	400	PN10	342	2		15,316.00
02-400-75-51464	400	PN16	342	2		15,316.00
02-450-75-50464 ⁽³⁾	450	PN10	360	1		16,790.00
02-450-75-51464 ⁽³⁾	450	PN16	360	1		16,790.00
02-500-75-50464 ⁽³⁾	500	PN10	417	1		22,366.00
02-500-75-51464 ⁽³⁾	500	PN16	417	1		22,366.00

⁽¹⁾ DN80 with 4 holes acc. to DIN 1882

⁽²⁾ Valve having an increased bore (400 mm)

⁽³⁾ Valve having a reduced bore (400 mm), Not NF approved



02/63-013

Flanged gate valve with AISI 316 stem and 300 µm coating
 Face-to-face dimension according to EN 558 Table 2 Basic Series 15
 Ductile Iron
 EPDM rubber
 Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901
 Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
02-040-63-01410902	40	PN10/16	8.3	15	B	358.00
02-050-63-01410902	50	PN10/16	9.7	14	B	374.00
02-065-63-01410902	65	PN10/16	12	11	B	521.00
02-080-63-01410902	80	PN10/16	16	14	B	521.00
02-100-63-01410902	100	PN10/16	18	12	B	614.00
02-125-63-01410902	125	PN10/16	24	9	B	1,057.00
02-150-63-01410902	150	PN10/16	34	8	B	1,057.00
02-200-63-00410902	200	PN10	54	6	B	1,841.00
02-200-63-01410902	200	PN16	54	6	B	1,934.00
02-300-63-004107021	300	PN10	126	2	B	4,269.00
02-300-63-014107021	300	PN16	126	2	B	4,483.00
02-350-63-00410002 ⁽¹⁾	350	PN10	320	2	B	8,898.00
02-350-63-01410002 ⁽¹⁾	350	PN16	320	2	B	9,338.00
02-400-63-00410002	400	PN10	342	2	B	11,961.00
02-400-63-01410002	400	PN16	342	2	B	12,558.00
02-450-63-00410002 ⁽²⁾	450	PN10	360	1	B	12,954.00
02-450-63-01410002 ⁽²⁾	450	PN16	360	1	B	13,561.00
02-500-63-00410002 ⁽²⁾	500	PN10	417	1	B	17,995.00
02-500-63-01410002 ⁽²⁾	500	PN16	417	1	B	18,840.00

⁽¹⁾ Valve having an increased bore (400 mm)

⁽²⁾ Valve having a reduced bore (400 mm)

02/94-001

Flanged gate valve with 300 µm coating and duplex stem
 Face-to-face dimension according to EN 558 Table 2 Basic Series 15
 Ductile Iron
 EPDM rubber
 Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901
 Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight / kg	Units/ pallet	Deliv. code	Gross Price EUR
02-040-94-01410902	40	PN10/16	7,44	15	B	391.00
02-050-94-01410902	50	PN10/16	9,7	14	B	408.00
02-065-94-01410902	65	PN10/16	12	11	B	568.00
02-080-94-01410902	80	PN10/16	16	14	B	568.00
02-100-94-01410902	100	PN10/16	18	12	B	669.00
02-125-94-01410902	125	PN10/16	24	9	B	1,152.00
02-150-94-01410902	150	PN10/16	49	8	B	1,152.00
02-200-94-00410902	200	PN10	54	6	B	2,007.00
02-200-94-01410902	200	PN16	54	6	B	2,108.00
02-250-94-00410902	250	PN10	88	4	B	3,282.00
02-250-94-01410902	250	PN16	88	4	B	3,449.00
02-300-94-00410702	300	PN10	126	2	B	4,653.00
02-300-94-01410702	300	PN16	126	2	B	4,887.00
02-350-94-00410002	350	PN10	320	2	B	9,699.00
02-350-94-01410002	350	PN16	320	2	B	10,178.00
02-400-94-00410002	400	PN10	330	2	B	13,037.00
02-400-94-01410002	400	PN16	330	2	B	13,688.00
02-450-94-00410002	450	PN10	360	1	B	14,120.00
02-450-94-01410002	450	PN16	360	1	B	14,782.00
02-500-94-00410002	500	PN10	417	1	B	19,615.00
02-500-94-01410002	500	PN16	417	1	B	20,536.00

Notice: Duplex stem

**06/30-0035**

Flanged gate valve
Face-to-face dimension
according to EN 558 Table 2
Basic Series 14
Ductile Iron
EPDM drinking water
approved
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
06-040-30-0146499	40	PN10/16	7.8	25	A	348.00
06-050-30-0146499	50	PN10/16	9.0	21	A	363.00
06-065-30-0146499	65	PN10/16	11	16	A	509.00
06-080-30-0146499	80	PN10/16	14	20	A	509.00
06-100-30-0146499	100	PN10/16	17	15	A	600.00
06-125-30-0146499	125	PN10/16	22	15	A	1,034.00
06-150-30-0146499	150	PN10/16	31	10	A	1,034.00
06-200-30-0046499	200	PN10	48	10	A	1,794.00
06-200-30-0146499	200	PN16	48	10	A	1,887.00
06-250-30-0046499	250	PN10	78	7	A	2,936.00
06-250-30-0146499	250	PN16	78	7	A	3,083.00
06-300-30-0046487	300	PN10	111	6	A	4,163.00
06-300-30-0146487	300	PN16	111	6	A	4,372.00
06-350-30-006	350	PN10	220	2	A	8,956.00
06-350-30-016	350	PN16	220	2	A	9,399.00
06-400-30-006	400	PN10	240	2	A	12,587.00
06-400-30-016	400	PN16	240	2	A	12,587.00
06-450-30-006 ⁽¹⁾	450	PN10	487	1	A	17,250.00
06-450-30-016 ⁽¹⁾	450	PN16	487	1	B	17,250.00
06-500-30-006 ⁽¹⁾	500	PN10	559	1	A	21,117.00
06-500-30-0060011 ⁽²⁾	500	PN10	559	1	A	23,227.00
06-500-30-016 ⁽¹⁾	500	PN16	559	1	A	22,414.00
06-500-30-0160011 ⁽²⁾	500	PN16	559	1	B	24,200.00
06-600-30-006 ⁽¹⁾	600	PN10	762	1	A	27,591.00
06-600-30-0060011 ⁽²⁾	600	PN10	762	1	B	29,716.00
06-600-30-016 ⁽¹⁾	600	PN16	762	1	A	27,591.00
06-600-30-0160011 ⁽²⁾	600	PN16	762	1	B	29,716.00

⁽¹⁾ With F14 top flange. Ø round stem w/keyway

⁽²⁾ With F14 top flange and by-pass. Ø round stem w/keyway

06/30-029

Flanged gate valve
Face-to-face dimension
according to EN 558 Table 2
Series 14 / DIN 3202 - F4
Ductile Iron
EPDM rubber
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved
Clockwise to Close
Bevelgear with handwheel:
753-900-20-10011
With stemcap:
753-900-20-10050
Spurgear with handwheel:
753-900-40-10011
With stemcap:
753-900-40-10050



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
06-700-30-00464	700	PN10	1403	1	A	56,544.00
06-700-30-01464	700	PN16	1447	1	C	62,500.00
06-800-30-00464	800	PN10	1467	1	A	61,402.00
06-800-30-01464	800	PN16	1543	1	C	75,642.00
06-900-30-00464	900	PN10	3098	1	A	101,638.00
06-900-30-01464	900	PN16	3131	1	A	105,582.00
06-1000-30-09043164	1000	PN10	3141	1	A	103,092.00
06-1000-30-09143164	1000	PN16	3203	1	A	106,015.00

**06/30-030**

Flanged gate valve with by-pass

Face-to-face dimension according to EN 558 Table 2 Series 14 / DIN 3202 - F4

Ductile Iron

EPDM rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close

Bevelgear with handwheel:

753-900-20-10011

With stemcap:

753-900-20-10050

Spurgear with handwheel:

753-900-40-10011

With stemcap:

753-900-40-10050



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
06-700-30-0046411	700	PN10	1415	1		57,855.00
06-700-30-0146411	700	PN16	1458	1		67,777.00
06-800-30-0046411	800	PN10	1496	1	C	62,714.00
06-800-30-0146411	800	PN16	1554	1		73,412.00
06-900-30-0046411	900	PN10	3111	1		102,949.00
06-900-30-0146411	900	PN16	3144	1		106,893.00
06-1000-30-090431641	1000	PN10	3144	1	C	104,403.00
06-1000-30-091431641	1000	PN16	3207	1	C	107,328.00

126/99-001

By-pass gate valve DN80 for AVK series 06 gate valves DN700, DN900 and DN1000

Ductile Iron

EPDM rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	Units/ pallet	Deliv. code	Gross Price EUR
126-1000-99-1039464	16	C	571.00

06/34-0035

Flanged gate valve with 1.4404/316L stem

Face-to-face dimension according to EN 558 Table 2 Basic Series 14

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
06-040-34-0146499	40	PN10/16	7.8	25	B	369.00
06-050-34-0146499	50	PN10/16	8.5	21	B	419.00
06-065-34-0146499	65	PN10/16	11	16	B	575.00
06-080-34-0146499	80	PN10/16	14	20	B	594.00
06-100-34-0146499	100	PN10/16	17	15	B	697.00
06-125-34-0146499	125	PN10/16	22	15	B	1,219.00
06-150-34-0146499	150	PN10/16	31	10	B	1,219.00
06-200-34-0046499	200	PN10	48	10	B	2,175.00
06-200-34-0146499	200	PN16	48	10	B	2,270.00
06-250-34-0046499	250	PN10	75	7	B	3,158.00
06-250-34-0146499	250	PN16	75		B	3,548.00
06-300-34-0046487	300	PN10	111	6	B	4,706.00
06-300-34-0146487	300	PN16	111	6	B	5,018.00
06-350-34-006	350	PN10	220	2	B	9,817.00
06-350-34-016	350	PN16	220	2	C	10,138.00
06-400-34-006	400	PN10	240	2	B	13,090.00
06-400-34-016	400	PN16	240	2	C	13,526.00
06-450-34-006 ⁽¹⁾	450	PN10	487	1	B	20,805.00
06-450-34-016 ⁽¹⁾	450	PN16	487	1	C	20,805.00
06-500-34-006 ⁽¹⁾	500	PN10	559	1	B	25,251.00
06-500-34-0060011 ⁽²⁾	500	PN10	559	1	C	27,112.00
06-500-34-016 ⁽¹⁾	500	PN16	519	1	C	24,883.00
06-500-34-0160011 ⁽²⁾	500	PN16	559	1	C	27,112.00
06-600-34-006 ⁽¹⁾	600	PN10	762	1	C	32,177.00
06-600-34-0060011 ⁽²⁾	600	PN10	762	1	C	33,952.00
06-600-34-016 ⁽¹⁾	600	PN16	762	1	C	31,707.00
06-600-34-0160011 ⁽²⁾	600	PN16	762	1	C	33,952.00

⁽¹⁾ With F14 top flange. Ø round stem w/keyway

⁽²⁾ With F14 top flange and by-pass

**06/39-011**

Flanged gate valve with duplex stem
Face-to-face dimension according to EN 558 Table 2 Basic Series 14
Ductile Iron
EPDM rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close
Notice: Duplex stem



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
06-050-39-0146499	50	PN10/16	8,5	21	A	460.00
06-100-39-0146499	100	PN10/16	17	15	B	768.00
06-125-39-0146499	125	PN10/16	22	15	B	1,341.00
06-150-39-0146499	150	PN10/16	31	10	B	1,341.00
06-200-39-0046499	200	PN10	48	10	B	2,392.00
06-200-39-0146499	200	PN16	48	10	B	2,498.00
06-250-39-0046499	250	PN10	78	8	B	3,904.00
06-250-39-0146499	250	PN16	102	8	B	3,904.00
06-300-39-0046487	300	PN10	111	6	B	5,177.00
06-300-39-0146487	300	PN16	111	6	B	5,521.00
06-400-39-006	400	PN10	240	2	B	14,399.00
06-400-39-016	400	PN16	240	2	B	14,879.00
06-450-39-006 ⁽¹⁾	450	PN10	487	1	C	22,886.00
06-450-39-016 ⁽¹⁾	450	PN16	487	1	C	22,886.00
06-500-39-0046411 ⁽²⁾	500	PN10	559	1	B	29,822.00
06-500-39-0146411 ⁽²⁾	500	PN16	559	1	B	29,822.00
06-600-39-0046411 ⁽²⁾	600	PN10	785	1	B	37,348.00
06-600-39-0146411 ⁽²⁾	600	PN16	785	1	B	37,348.00

⁽¹⁾ With F14 top flange. Ø round stem w/keyway

⁽²⁾ With F14 top flange and by-pass. Ø round stem w/keyway

06/35-003

Flanged gate valve with position indicator
Face-to-face dimension according to EN 558 Table 2 Basic Series 14
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
06-050-35-016	50	PN10/16	13	28	A	512.00
06-065-35-016	65	PN10/16	16	20	B	659.00
06-080-35-016	80	PN10/16	20	18	A	684.00
06-100-35-016	100	PN10/16	27	16	A	868.00
06-125-35-016	125	PN10/16	36	10	B	1,377.00
06-150-35-016	150	PN10/16	51	5	A	1,377.00
06-200-35-006	200	PN10	71	3	B	2,427.00
06-200-35-016	200	PN16	71	3	B	2,522.00
06-250-35-006	250	PN10	102	2	B	3,970.00
06-250-35-016	250	PN16	113	2	B	4,122.00
06-300-35-006	300	PN10	110	6	B	5,630.00
06-300-35-016	300	PN16	110	2	B	5,848.00
06-350-35-006	350	PN10	220	2	B	12,457.00
06-350-35-016	350	PN16	220	2	C	13,102.00
06-400-35-006	400	PN10	240	2	B	15,851.00
06-400-35-016	400	PN16	240	2	C	16,227.00

**06/44-0035**

Flanged gate valve for seawater applications - Bronze wedge nut and 1.4404/316L stem
Face-to-face dimension according to EN 558 Table 2 Basic Series 14
Ductile Iron
EPDM rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
06-040-44-0144299	40	PN10/16	7.8	42	B	454.00
06-050-44-0144299	50	PN10/16	9.0	30	B	471.00
06-065-44-0144299	65	PN10/16	11	25	B	662.00
06-080-44-0144299	80	PN10/16	14	10	B	662.00
06-100-44-0144299	100	PN10/16	17	20	B	780.00
06-125-44-0144299	125	PN10/16	22	15	B	1,344.00
06-150-44-0144299	150	PN10/16	31	10	B	1,344.00
06-200-44-0044299	200	PN10	48	8	A	2,333.00
06-200-44-0144299	200	PN16	48	8	B	2,455.00
06-250-44-0044299	250	PN10	78	7	B	4,009.00
06-250-44-0144299	250	PN16	78	7	B	4,206.00
06-300-44-0044287	300	PN10	111	6	B	5,411.00
06-300-44-0144287	300	PN16	110	6	B	5,686.00
06-350-44-00442	350	PN10	220	2	B	11,643.00
06-350-44-01442	350	PN16	220	2	B	12,219.00
06-400-44-00442	400	PN10	240	2	B	15,694.00
06-400-44-01442	400	PN16	240	2	B	16,479.00
06-450-44-00442 (1)	450	PN10	559	1	B	22,433.00
06-450-44-01442 (1)	450	PN16	559	1	C	22,433.00
06-500-44-00442 (1)	500	PN10	559	1	C	27,530.00
06-500-44-01442 (1)	500	PN16	559	1	B	27,530.00
06-600-44-00442 (1)	600	PN10	762	1	C	35,891.00
06-600-44-01442 (1)	600	PN16	762	1	C	35,891.00

(1) With F14 top flange. Ø round stem w/keyway

06/44-006

Flanged gate valve for seawater applications - Bronze wedge nut and 1.4404/316L stem
Face-to-face dimension according to EN 558 Table 2 Basic Series 14
Ductile Iron
NBR rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
06-050-44-0134299	50	PN10/16	9.0	30	B	446.00
06-065-44-0134299	65	PN10/16	11	25	B	590.00
06-080-44-0134299	80	PN10/16	14	20	B	594.00
06-100-44-0134299	100	PN10/16	17	20	B	694.00
06-125-44-0134299	125	PN10/16	22	15	B	1,015.00
06-150-44-0134299	150	PN10/16	31	10	B	1,190.00
06-200-44-0034299	200	PN10	49	8	B	1,680.00
06-200-44-0134299	200	PN16	48	8	B	1,680.00
06-250-44-0034299	250	PN10	78	7	B	2,496.00
06-300-44-0034287	300	PN10	110	6	B	5,295.00
06-350-44-00342	350	PN10	220	2	B	11,631.00
06-350-44-01342	350	PN16	220	2	B	11,631.00
06-400-44-00342	400	PN10	240	1	B	15,678.00
06-400-44-01342	400	PN16	240	1	B	15,678.00

06/75-0035

Flanged gate valve
Replaceable stem sealing
Face-to-face dimension according to EN 558 Table 2 Basic Series 14
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
06-040-75-0146499	40	PN10/16	7.8	42	B	444.00
06-050-75-0146499	50	PN10/16	9.0	30	B	444.00
06-065-75-0146499	65	PN10/16	11	25	B	654.00
06-080-75-0146499	80	PN10/16	14	20	B	613.00
06-100-75-0146499	100	PN10/16	17	15	B	716.00
06-125-75-0146499	125	PN10/16	22	15	A	1,223.00
06-150-75-0146499	150	PN10/16	31	10	B	1,250.00
06-200-75-0046499	200	PN10	48	10	B	2,251.00
06-200-75-0146499	200	PN16	48	10	B	1,548.00
06-250-75-0046499	250	PN10	79	7	B	3,485.00
06-250-75-0146499	250	PN16	79	7	B	3,633.00
06-300-75-006	300	PN10	149	6	C	4,906.00
06-300-75-0146487	300	PN16	111	6	C	4,096.00
06-350-75-006	350	PN10	220	3	C	10,652.00
06-350-75-016	350	PN16	220	3	B	11,254.00
06-400-75-006	400	PN10	240	2	B	13,925.00
06-400-75-016	400	PN16	240	1	C	14,529.00

**15/42-0035**

Flanged gate valve prepared for actuator

Face-to-face dimension according to EN 558 Table 2 Basic Series 14

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Actuator Flange	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
15-040-40-016	40	PN10/16	F10	13	36	B	1,054.00
15-050-40-016	50	PN10/16	F10	14	30	A	1,071.00
15-065-42-016 (1)	65	PN10/16	F10	17	25	B	844.00
15-080-42-01464099	80	PN10/16	F10	15	20	A	844.00
15-100-42-01464099	100	PN10/16	F10	18	20	A	969.00
15-125-42-01464099	125	PN10/16	F10	22	15	B	1,874.00
15-150-42-01464099	150	PN10/16	F10	31	10	A	1,500.00
15-200-42-00464099	200	PN10	F10	49	10	A	2,418.00
15-200-42-01464099	200	PN16	F10	49	10	A	2,418.00
15-250-42-006 (1)	250	PN10	F14	113	8	A	3,768.00
15-250-42-016 (1)	250	PN16	F14	113	8	B	3,768.00
15-300-42-006 (1)	300	PN10	F14	160	6	A	5,198.00
15-300-42-016 (1)	300	PN16	F14	160	6	A	5,198.00
15-350-40-006	350	PN10	F14	223	2	B	14,949.00
15-350-40-016	350	PN16	F14	223	2	B	15,493.00
15-400-40-006	400	PN10	F14	243	2	A	15,092.00
15-400-40-016	400	PN16	F14	243	2	B	15,092.00

(1) Type BS glandflange

15/72-0035

Flanged gate valve prepared for actuator

Face-to-face dimension according to EN 558 Table 2 Basic Series 15

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Actuator Flange	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
15-040-70-016	40	PN10/16	F10	14		C	1,098.00
15-050-70-016	50	PN10/16	F10	15	30	B	1,107.00
15-080-72-01464099	80	PN10/16	F10	17	14	B	863.00
15-100-72-01464099	100	PN10/16	F10	19	12	B	988.00
15-125-72-01464099	125	PN10/16	F10	25	9	B	1,452.00
15-150-72-01464099	150	PN10/16	F10	34	8	B	1,544.00
15-200-72-00464099	200	PN10	F10	53	6	B	2,485.00
15-200-72-01464099	200	PN16	F10	53	6	B	2,485.00
15-250-72-006 (1)	250	PN10	F14	121	4	C	3,877.00
15-250-72-016 (1)	250	PN16	F14	121	4	C	3,877.00
15-300-72-006 (1)	300	PN10	F14	171	2	C	5,349.00
15-300-72-016 (1)	300	PN16	F14	171	2	C	5,349.00
15-350-72-006 (2)	350	PN10	F14	332	2	C	11,709.00
15-350-72-016 (2)	350	PN16	F14	332	2	C	11,709.00
15-400-72-006 (1)	400	PN10	F14	353	2	C	15,092.00
15-400-72-016 (1)	400	PN16	F14	353	2	C	15,092.00
15-450-72-006 (3)	450	PN10	F14	372	1	C	15,017.00
15-450-72-016 (3)	450	PN16	F14	372	1	C	15,447.00
15-500-72-006 (3)	500	PN10	F14	430	1	C	22,830.00
15-500-72-016 (3)	500	PN16	F14	430	1	C	23,184.00

(1) Type BS bonnet / glandflange

(2) Valve having an increased bore (400 mm). Type BS bonnet / glandflange

(3) Valve having a reduced bore (400 mm). Type BS bonnet / glandflange

21/60-004

Flanged gate valve to BS EN 1074-2 / BS 5163

Face-to-face dimension according to EN 558 Table 2 Basic Series 3

Ductile Iron

EPDM rubber wedge, WRAS appr.

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
21-050-60-074	50	PN25	17		C	505.00
21-080-60-074	80	PN25	18		C	542.00
21-100-60-074	100	PN25	29		C	825.00
21-150-60-074	150	PN25	51		C	1,223.00
21-200-60-074	200	PN25	81		C	1,862.00
21-250-60-074	250	PN25	140		C	2,785.00
21-300-60-074	300	PN25	188		C	5,318.00
21-400-60-074	400	PN25	320		C	7,117.00



21/60-031

Flanged gate valve BS EN 1074-2 / BS 5163
 Face-to-face dimension according to EN 558 Table 2 Basic Series 3
 Ductile Iron
 EPDM rubber wedge, WRAS appr.
 Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901
 Clockwise to Open



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
21-050-60-174	50	PN25	17		C	574.00
21-080-60-174	80	PN25	18		C	546.00
21-100-60-174	100	PN25	28		C	830.00
21-150-60-174	150	PN25	53		C	1,260.00
21-200-60-174	200	PN25	86		C	1,891.00
21-250-60-174	250	PN25	140		C	2,947.00
21-300-60-174	300	PN25	188		C	5,424.00
21-400-60-174	400	PN25	320		C	7,169.00

18/11-001

Flexible combi-cross DN 100-400 with blind flange on centre part
 Ductile Iron
 EPDM drinking water approved
 Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
 Clockwise to Close



AVK ref. no.	Flange drilling	Conn.1 mm	Conn.2 mm	Conn.3 mm	Conn.4 mm	Units/ pallet	Deliv. code	Gross Price EUR
18-100-11-222204164	PN10/16	100	100	100	100	2	B	4,027.00
18-100-11-222804164	PN10/16	100	100	100	BL. CAP	2	B	3,502.00
18-150-11-333304164	PN10/16	150	150	150	150	2	B	5,679.00
18-150-11-333804164	PN10/16	150	150	150	BL. CAP	2	B	4,850.00
18-200-11-444404064	PN10	200	200	200	200	1	B	7,667.00
18-200-11-444404164	PN16	200	200	200	200	1	B	7,711.00
18-200-11-444804064	PN10	200	200	200	BL. CAP	1	B	6,510.00
18-200-11-444804164	PN16	200	200	200	BL. CAP	1	B	6,531.00
18-250-11-555504064	PN10	250	250	250	250	1	B	14,544.00
18-250-11-555504164	PN16	250	250	250	250	1	B	14,408.00
18-250-11-555804064	PN10	250	250	250	BL. CAP	1	B	12,330.00
18-250-11-555804164	PN16	250	250	250	BL. CAP	1	B	12,227.00
18-300-11-636804064	PN10	300	150	300	BL. CAP	1	B	12,385.00
18-300-11-666604064	PN10	300	300	300	300	1	B	16,813.00
18-300-11-666604164	PN16	300	300	300	300	1	B	16,346.00
18-300-11-666804064	PN10	300	300	300	BL. CAP	1	B	14,275.00
18-300-11-666804164	PN16	300	300	300	BL. CAP	1	B	14,994.00
18-400-11-777704064	PN10	400	400	400	400	1	B	41,054.00
18-400-11-777704164	PN16	400	400	400	400	1	B	41,024.00
18-400-11-777804064	PN10	400	400	400	BL. CAP	1	B	35,300.00
18-400-11-777804164	PN16	400	400	400	BL. CAP	1	B	35,303.00

18/70-005

Combi-cross 4 outlet flanged with DN100 center outlet with blind flange
 Ductile Iron
 EPDM drinking water approved
 Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
 Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
18-100-70-01600210	100	PN10/16	119	2	B	4,401.00
18-150-70-01600210	150	PN10/16	190	2	B	6,935.00
18-200-70-00600210	200	PN10	316	1	B	10,892.00
18-200-70-01600210	200	PN16	316	1	C	10,988.00
18-250-70-00600210	250	PN10	520	1	C	14,015.00
18-250-70-01600210	250	PN16	520	1	C	14,439.00
18-300-70-00600210	300	PN10	690	1	C	20,057.00
18-300-70-01600210	300	PN16	690	1	C	20,057.00

18/80-005

Combi-cross 3 outlet flanged with DN100 center outlet with blind flange
 Ductile Iron
 EPDM drinking water approved
 Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
 Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
18-100-80-01600210	100	PN10/16	90	2	C	4,071.00
18-150-80-01600210	150	PN10/16	165		B	6,084.00
18-200-80-00600210	200	PN10	280	1	B	8,942.00
18-200-80-01600210	200	PN16	280	1	B	9,037.00
18-250-80-00600210	250	PN10	450	1	B	11,900.00
18-250-80-01600210	250	PN16	450	1	C	11,113.00
18-300-80-00600210	300	PN10	620	1	B	17,857.00
18-300-80-01600210	300	PN16	620	1	C	18,078.00

**18/70-006**

Combi-cross 4 outlet flanged with DN80 center outlet with blind flange without service valves

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
18-100-70-01400310	100	PN10/16	119	2	C	4,405.00
18-150-70-01400310	150	PN10/16	188	1	C	7,021.00
18-200-70-00400310	200	PN10	315	1	B	10,563.00
18-200-70-01400310	200	PN16	315	1	C	10,563.00
18-250-70-00400310	250	PN10	518	1	B	12,953.00
18-250-70-01400310	250	PN16	518	1	B	13,020.00
18-300-70-00400310	300	PN10	688	1	B	17,280.00
18-300-70-01400310	300	PN16	688		B	17,417.00

18/80-006

Combi-cross 3 outlet flanged with DN80 center outlet with blind flange

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
18-100-80-01400310	100	PN10/16	90	2	C	4,309.00
18-150-80-01400310	150	PN10/16	163	2	B	6,031.00
18-200-80-00400310	200	PN10	278	1	B	8,042.00
18-200-80-01400310	200	PN16	278	1	B	8,042.00
18-250-80-00400310	250	PN10	448	1	B	11,180.00
18-250-80-01400310	250	PN16	448	1	B	11,180.00
18-300-80-00400310	300	PN10	618	1	B	14,660.00
18-300-80-01400310	300	PN16	618	1	B	14,777.00

18/89-001

Extension piece for AVK combi-cross

Ductile Iron



AVK ref. no.	DN/DN	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
18-150-89000	100 - 150	1.7		C	100.00
18-200-89000	200 - 200	2.4	100	B	109.00

20/30-0035

Flanged gate valve with internal enamel

Face-to-face dimension according to EN 558 Table 2 Basic Series 15

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating to DIN 3476 part 1 and EN 14901 externally, enamel to DEV internally

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
20-040-30-01470099	40	PN10/16	8.5	24	C	525.00
20-050-30-01470099	50	PN10/16	9.7	20	C	543.00
20-065-30-01470099	65	PN10/16	12	17	C	739.00
20-080-30-01470099	80	PN10/16	16	14	C	767.00
20-100-30-01470099	100	PN10/16	18	12	C	918.00
20-125-30-01470099	125	PN10/16	24	9	C	1,477.00
20-150-30-01470099	150	PN10/16	34	8	C	1,562.00
20-200-30-00470099	200	PN10	54	6	B	2,731.00
20-200-30-01470099	200	PN16	54	6	B	2,856.00
20-250-30-007	250	PN10	110	4	B	4,380.00
20-250-30-017	250	PN16	110	4	B	4,581.00
20-300-30-007	300	PN10	160	2	A	6,240.00
20-300-30-017	300	PN16	160	2	B	6,462.00
20-350-30-007 ⁽¹⁾	350	PN10	320	2	B	12,776.00
20-350-30-017 ⁽¹⁾	350	PN16	320	2	C	13,232.00
20-400-30-007	400	PN10	342	2	A	15,981.00
20-400-30-017	400	PN16	342	2	C	16,364.00

⁽¹⁾ Valve having an increased bore (400 mm)

**26/00-0095**

Flanged gate valve with internal enamel
Face-to-face dimension according to EN 558 Table 2 Basic Series 14
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating to DIN 3476 part 1 and EN 14901 externally, enamel to DEV internally
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
26-040-00-0147099	40	PN10/16	7.8	42	B	494.00
26-050-00-0147099	50	PN10/16	9.0	30	B	515.00
26-065-00-0147099	65	PN10/16	11	25	A	692.00
26-080-00-0147099	80	PN10/16	14	20	B	718.00
26-100-00-0147099	100	PN10/16	17	20	B	861.00
26-125-00-0147099	125	PN10/16	22	15	B	1,376.00
26-150-00-0147099	150	PN10/16	31	14	B	1,453.00
26-200-00-0047099	200	PN10	48	10	C	2,565.00
26-200-00-0147099	200	PN16	48	10	C	2,660.00
26-250-00-007	250	PN10	102	8	B	4,149.00
26-250-00-017	250	PN16	102	8	B	4,298.00
26-300-00-007	300	PN10	110	6	B	5,858.00
26-300-00-017	300	PN16	110	6	B	6,064.00
26-350-00-017	350	PN16	220	2	B	11,012.00
26-400-00-017	400	PN16	240	1	C	14,325.00

50/60-003

Flanged gate valve
Face-to-face dimension according to GOST
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
50-080-60-014649	80	PN10/16	15	20	A	582.00
50-200-60-004649	200	PN10	51	6	A	2,042.00
50-200-60-014649	200	PN16	51	6	C	2,137.00

50/60-015

Flanged gate valve to GOST
Face-to-face dimension according to GOST
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
50-080-60-034649	80	PN10/16	15	20	A	635.00

55/30-003

Flanged gate valve with by-pass
Face-to-face dimension according to EN 558 Table 2 Basic Series 15
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
55-450-30-006001	450	PN10	663	1	C	19,481.00
55-450-30-016001	450	PN16	663	1	C	19,197.00
55-500-30-006001	500	PN10	693	1	B	24,450.00
55-500-30-016001	500	PN16	693	1	B	24,450.00
55-600-30-006001	600	PN10	858	1	B	31,290.00
55-600-30-016001	600	PN16	858	1	B	31,290.00

**55/30-005**

Flanged gate valve
Face-to-face dimension
according to EN 558 Table 2
Basic Series 15
Ductile Iron
EPDM drinking water
approved
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
55-450-30-006	450	PN10	633	1	C	18,087.00
55-450-30-014	450	PN16	633	1	C	17,254.00
55-500-30-006	500	PN10	663	1	B	22,233.00
55-500-30-014	500	PN16	663	1	B	22,233.00
55-600-30-006	600	PN10	828	1	B	29,060.00
55-600-30-014	600	PN16	828	1	B	29,060.00

36/80-116

Gate valve with PE ends,
PE100 PN16 SDR11
black/blue pipes
Ductile Iron
EPDM drinking water
approved
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved
Clockwise to Close



AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
36-075-80-163	65	75	PN16	12	7	A	745.00
36-090-80-16306499	80	90	PN16	12	6	A	912.00
36-110-80-16306499	100	110	PN16	17	5	A	1,070.00
36-125-80-16306499	125	125	PN16	26	4	B	1,491.00
36-140-80-16306499	125	140	PN16	26	4	A	2,052.00
36-160-80-16306499	150	160	PN16	36	2	A	2,052.00
36-180-80-16306499	150	180	PN16	36	2	A	2,314.00
36-200-80-16306499	200	200	PN16	65	2	B	3,449.00
36-225-80-16306499	200	225	PN16	72	2	B	4,035.00
36-250-80-163	250	250	PN16	118	2	B	5,779.00
36-280-80-163	250	280	PN16	126	2	B	6,195.00
36-315-80-163	300	315	PN16	189	1	B	10,058.00
36-355-80-163	300	355	PN16	230	1	B	22,020.00
36-400-80-163	400	400	PN16	376	1	B	25,018.00
36-450-80-163	400	450	PN16	446	1	B	25,423.00
36-500-80-163	400	500	PN16	514	1	B	27,566.00
36-560-80-163 ⁽¹⁾	500	560	PN16	1013	1	B	42,557.00
36-630-80-163 ⁽¹⁾	500	630	PN16	1134	1	B	46,028.00

⁽¹⁾ With F14 top flange. Ø round stem w/keyway

36/79-116

Gate valve with PE ends,
PE100 PN16 SDR11
black/blue pipes and duplex
stem
Ductile Iron
EPDM drinking water
approved
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved
Clockwise to Close

Notice: Duplex stem



AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
36-075-79-163064	65	75	PN16	12	7	A	806.00
36-090-79-16306499	80	90	PN16	12	6	C	985.00
36-110-79-16306499	100	110	PN16	17	5	B	1,154.00
36-125-79-16306499	125	125	PN16	23	4	A	1,610.00
36-140-79-16306499	125	140	PN16	26	4	A	2,215.00
36-160-79-16306499	150	160	PN16	36	2	B	2,215.00
36-180-79-16306499	150	180	PN16	36	2	B	2,498.00
36-200-79-16306499	200	200	PN16	65	2	B	3,724.00
36-225-79-16306499	200	225	PN16	72	2	C	4,358.00
36-250-79-163064	250	250	PN16	118	2	B	6,241.00
36-280-79-163064	250	280	PN16	126	2	B	6,689.00
36-315-79-163064	300	315	PN16	189	1	B	10,863.00
36-355-79-163064	300	355	PN16	230	1	B	23,780.00
36-400-79-163064	400	400	PN16	376	1	B	27,018.00
36-450-79-163064	400	450	PN16	446	1	B	27,457.00
36-500-79-163064	400	500	PN16	514	1	B	29,771.00
36-560-79-163064 ⁽¹⁾	500	560	PN16	1013	1	B	45,962.00
36-630-79-163064 ⁽¹⁾	500	630	PN16	1134	1	B	49,710.00

⁽¹⁾ With F14 top flange. Ø round stem w/keyway

**36/80-126**

Gate valve with PE ends
PE100 PN10 SDR17
black/blue pipes
Ductile Iron
EPDM drinking water
approved
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved
Clockwise to Close



AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
36-075-80-263	65	75	PN10	12	7	A	745.00
36-090-80-26306499	80	90	PN10	12	6	A	931.00
36-110-80-26306499	100	110	PN10	17	5	A	1,088.00
36-125-80-26306499	125	125	PN10	26	4	C	1,511.00
36-160-80-26306499	150	160	PN10	36	2	A	2,071.00
36-180-80-26306499	150	180	PN10	36	2	A	2,333.00
36-200-80-26306499	200	200	PN10	63	2	B	3,466.00
36-225-80-26306499	200	225	PN10	72	2	A	4,055.00
36-250-80-263	250	250	PN10	118	2	B	5,796.00
36-280-80-263	250	280	PN10	126	2	B	6,195.00
36-315-80-263	300	315	PN10	189	1	B	10,058.00
36-355-80-263	300	355	PN10	230	1	B	21,886.00
36-400-80-263	400	400	PN10	376	1	B	24,848.00
36-450-80-263	400	450	PN10	424	1	A	24,466.00
36-500-80-263	400	500	PN10	486	1	A	26,413.00
36-560-80-263 ⁽¹⁾	500	560	PN10	958	1	A	41,016.00
36-630-80-263 ⁽¹⁾	500	630	PN10	1063	1	A	44,438.00

⁽¹⁾ With F14 top flange. Ø round stem w/keyway

36/79-126

Gate valve with PE ends,
PE100 PN10 SDR17
black/blue pipes and duplex
stem
Ductile Iron
EPDM drinking water
approved
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved
Clockwise to Close
Notice: Duplex stem



AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
36-075-79-263064	65	75	PN10	12	7	A	806.00
36-090-79-26306499	80	90	PN10	20	6	A	1,005.00
36-110-79-26306499	100	110	PN10	17	5	A	1,176.00
36-125-79-26306499	125	125	PN10	23	4	A	1,632.00
36-160-79-26306499	150	160	PN10	37	2	A	2,238.00
36-180-79-26306499	150	180	PN10	37	2	A	2,520.00
36-200-79-26306499	200	200	PN10	65	2	A	3,745.00
36-225-79-26306499	200	225	PN10	73	2	B	4,379.00
36-250-79-263064	250	250	PN10	118	2	B	6,259.00
36-280-79-263064	250	280	PN10	126	2	B	6,689.00
36-315-79-263064	300	315	PN10	189	1	B	10,863.00
36-355-79-263064	300	355	PN10	230	1	B	23,636.00
36-400-79-263064	400	400	PN10	376	1	B	26,836.00
36-450-79-263064	400	450	PN10	424	1	B	26,422.00
36-500-79-263064	400	500	PN10	486	1	B	28,527.00
36-560-79-263064 ⁽¹⁾	500	560	PN10	958	1	B	44,298.00
36-630-79-263064 ⁽¹⁾	500	630	PN10	1063	1	B	47,993.00

⁽¹⁾ With F14 top flange. Ø round stem w/keyway

36/80-137

Gate valve with "SafeTech"
PE ends PE100-RC PN10
SDR17 and stem cap
Ductile Iron
EPDM drinking water
approved
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved
Clockwise to Close



AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
36-075-80-1838	65	75	PN10	12	7	A	672.00
36-090-80-18386499	80	90	PN10	12	6	A	717.00
36-110-80-18386499	100	110	PN10	17	5	A	937.00
36-125-80-18386499	125	125	PN10	26	4	A	1,101.00
36-160-80-18386499	150	160	PN10	36	4	A	1,397.00
36-200-80-18386499	200	200	PN10	63	2	A	2,561.00
36-225-80-18386499	200	225	PN10	72	2	A	2,561.00
36-250-80-1838	250	250	PN10	118	2	A	4,551.00
36-315-80-1838	300	315	PN10	140	1	A	6,065.00
36-400-80-1838	400	400	PN10	376	1	A	18,346.00

**36/79-137**

Gate valve with "SafeTech"
PE ends PE100-RC PN10
SDR17, stem cap, and duplex
stem
Ductile Iron
EPDM drinking water
approved
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved
Clockwise to Close



Notice: Duplex stem

AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
36-075-79-183864	65	75	PN10	13	7	A	726.00
36-090-79-18386499	80	90	PN10	13	6	A	774.00
36-110-79-18386499	100	110	PN10	18	5	A	1,012.00
36-125-79-18386499	125	125	PN10	27	4	A	1,190.00
36-160-79-18386499	150	160	PN10	37	2	A	1,508.00
36-180-79-18386499	150	180	PN10	37	2	A	2,148.00
36-200-79-18386499	200	200	PN10	64	2	A	2,766.00
36-225-79-18386499	200	225	PN10	73	2	A	2,766.00
36-250-79-183864	250	250	PN10	119	2	A	4,914.00
36-280-79-183864	250	280	PN10	127	2	A	5,361.00
36-315-79-183864	300	315	PN10	190	1	A	6,552.00
36-355-79-183864	300	355	PN10	231	1	A	17,831.00
36-400-79-183864	400	400	PN10	377	1	A	19,812.00

36/80-147

Gate valve with "SafeTech"
PE ends PE100-RC PN16
SDR11 and stem cap
Ductile Iron
EPDM drinking water
approved
Fusion bonded epoxy coating
to DIN 3476 part 1 and EN
14901 externally, enamel to
DEV internally
Clockwise to Close



AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
36-075-80-1938	65	75	PN16	12	7	B	611.00
36-090-80-19386499	80	90	PN16	12	6	B	701.00
36-110-80-19386499	100	110	PN16	17	5	B	937.00
36-125-80-19386499	125	125	PN16	26	4	B	1,156.00
36-160-80-19386499	150	160	PN16	36	4	B	1,567.00
36-200-80-19386499	200	200	PN16	63	2	B	2,448.00
36-225-80-19386499	200	225	PN16	72	2	B	2,910.00
36-250-80-1938	250	250	PN16	118	2	B	2,910.00
36-315-80-1938	300	315	PN16	140	1	B	6,852.00
36-400-80-1938	400	400	PN16	376	1	B	15,473.00

36/79-147

Gate valve with "SafeTech"
PE ends PE100-RC PN16
SDR11, stem cap, and duplex
stem
Ductile Iron
EPDM drinking water
approved
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved
Clockwise to Close



Notice: Duplex stem

AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
36-075-79-193864	65	75	PN16	13	7	B	660.00
36-090-79-19386499	80	90	PN16	13	6	B	757.00
36-110-79-19386499	100	110	PN16	18	5	B	1,012.00
36-125-79-19386499	125	125	PN16	27	4	B	1,250.00
36-160-79-19386499	150	160	PN16	37	2	B	1,692.00
36-180-79-19386499	150	180	PN16	38	2	B	2,406.00
36-200-79-19386499	200	200	PN16	64	2	B	2,643.00
36-225-79-19386499	200	225	PN16	73	2	B	3,143.00
36-250-79-193864	250	250	PN16	119	2	B	3,141.00
36-280-79-193864	250	280	PN16	127	2	B	5,848.00
36-315-79-193864	300	315	PN16	141	1	B	7,400.00
36-355-79-193864	300	355	PN16	231	1	B	19,659.00
36-400-79-193864	400	400	PN16	377	1	B	16,710.00

36/15-001

Valve foundation for series 36
gate valves with PE ends
Steel



AVK ref. no.	DN/DN	L8 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
36-032-15000	25 - 40	240 - 240	1.0	80	A	83.00
36-063-15000	50 - 100	450 - 450	1.5	30	A	167.00

**38/80-116**

Gate valve with flange/PE end, PE100 PN16 SDR11 black/blue pipe
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to close



AVK ref. no.	DN mm	D mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
38-063-80-163	50	63	PN10/16	11	8	B	600.00
38-075-80-163	65	75	PN10/16	16	7	B	852.00
38-090-80-16306499	80	90	PN10/16	13	5	B	1,252.00
38-110-80-16306499	100	110	PN10/16	17	3	B	1,630.00
38-125-80-16306499	125	125	PN10/16	23	6	B	2,132.00
38-160-80-16306499	150	160	PN10/16	35	5	B	2,257.00
38-180-80-16306499	150	180	PN10/16	35	5	B	2,547.00
38-200-80-16306499	200	200	PN10	61		B	3,796.00
38-225-80-16306499	200	225	PN10	63	3	B	4,444.00

38/80-126

Gate valve with flange/PE end, PE100 PN10 SDR17 black/blue pipe
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close



AVK ref. no.	DN mm	D mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
38-063-80-263	50	63	PN10/16	11	11	B	600.00
38-090-80-26306499	80	90	PN10/16	14	5	B	1,252.00
38-110-80-26306499	100	110	PN10/16	17	8	A	1,630.00
38-125-80-26306499	125	125	PN10/16	23	6	B	2,132.00
38-160-80-26306499	150	160	PN10/16	35	5	B	2,257.00
38-180-80-26306499	150	180	PN10/16	35	5	B	2,547.00
38-225-80-26306499	200	225	PN10	63	3	B	4,444.00

01/70-035

Gate valve with Supa Plus™ tensile couplings for uPVC and PE pipes
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
01-050-70-016	40	50	PN16	11	16	A	509.00
01-063-70-016	50	63	PN16	12	30	A	568.00
01-075-70-016	65	75	PN16	13	30	A	624.00
01-090-70-0146499	80	90	PN16	15	12	A	731.00
01-110-70-0146499	100	110	PN16	19	12	A	844.00
01-125-70-0146499	125	125	PN16	24	10	C	1,142.00
01-140-70-0146499	125	140	PN16	26	10	A	1,158.00
01-160-70-0146499	150	160	PN16	33	8	A	1,373.00
01-180-70-0146499	150	180	PN16	36	6	C	1,671.00
01-200-70-0146499	200	200	PN16	53	5	A	2,363.00
01-225-70-0146499	200	225	PN16	61	4	B	3,711.00
01-250-70-016	250	250	PN16	103	2	A	4,822.00
01-280-70-016	250	280	PN16	106	1	C	5,016.00
01-315-70-016	300	315	PN16	143	2	A	6,047.00

01/74-010

Gate valve with Supa Plus™ tensile couplings for uPVC and PE pipes and duplex stem
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close

Notice: Duplex stem



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
01-050-74-01464	40	50	PN16	11	16	A	550.00
01-063-74-01464	50	63	PN16	12	30	A	614.00
01-075-74-01464	65	75	PN16	13	30	A	673.00
01-090-74-0146499	80	90	PN16	15	12	A	790.00
01-110-74-0146499	80	110	PN16	19	12	A	911.00
01-125-74-0146499	125	125	PN16	24	10	A	1,234.00
01-140-74-0146499	125	140	PN16	26	10	A	1,252.00
01-160-74-0146499	150	160	PN16	33	8	A	1,483.00
01-180-74-0146499	150	180	PN16	36	6	A	1,804.00
01-200-74-0146499	200	200	PN16	53	5	A	2,553.00
01-225-74-0146499	225	225	PN16	61	4	A	4,008.00
01-250-74-01464	250	250	PN16	103	1	A	5,417.00
01-280-74-01464	280	280	PN16	106	2	A	5,207.00
01-315-74-01464	300	315	PN16	143	2	A	6,531.00

**01/80-0035**

Socket gate valve for uPVC pipes

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
01-050-80-014	40	50	PN16	7.0	24	A	408.00
01-063-80-014	50	63	PN16	8.0	22	A	484.00
01-075-80-014	65	75	PN16	9.0	17	A	542.00
01-090-80-0146499	80	90	PN16	12	14	A	550.00
01-110-80-0146499	100	110	PN16	15	13	A	653.00
01-125-80-0146499	125	125	PN16	19	10	A	1,100.00
01-160-80-0146499	150	160	PN16	29	7	A	1,100.00
01-200-80-0146499	200	200	PN16	47	6	A	1,811.00
01-225-80-0146499	200	225	PN16	50	5	A	2,426.00
01-250-80-014	250	250	PN16	80	4	A	3,543.00
01-280-80-014	250	280	PN16	95	4	C	3,671.00
01-315-80-014	300	315	PN16	123	2	A	5,842.00
01-400-80-014	400	400	PN16	246	2	A	9,881.00

33/00-011

Gate valve with tyton socket ends for cast iron pipes to ISO 2531

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating to DIN 3476 part 1 and EN 14901 externally, enamel to DEV internally

Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
33-080-00-0147099	80	98	PN16	13		C	2,550.00
33-100-00-0147099	100	118	PN16	16		C	2,799.00
33-150-00-0147099	150	170	PN16	29		C	4,038.00
33-200-00-0147099	200	222	PN16	49	6	C	2,518.00
33-250-00-01770	250	274	PN16	110	2	C	3,698.00
33-300-00-01770	300	326	PN16	175	2	C	6,414.00

33/10-010

Gate valve with tyton socket ends for cast iron pipes to ISO 2531

Ductile Iron

EPDM rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
33-080-10-0146499	80	98	PN16	13	16	C	635.00
33-100-10-0146499	100	118	PN16	16	9	C	823.00
33-150-10-0146499	150	170	PN16	29	9	C	1,251.00
33-200-10-0146499	200	222	PN16	49	6	C	2,352.00
33-250-10-016	250	274	PN16	110	2	C	4,836.00
33-300-10-016	300	326	PN16	175	2	C	5,842.00

33/50-011

Socket/spigot end gate valve for BLS system to DIN 28603 for cast iron pipes

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901

Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
33-080-50-017	80	98	PN16	17	12	C	754.00
33-100-50-017	100	118	PN16	22	12	B	898.00
33-125-50-017	125	144	PN16	31	8	C	1,432.00
33-150-50-017	150	170	PN16	40	6	B	1,665.00
33-200-50-017	200	222	PN16	62	6	C	2,492.00
33-250-50-017	250	274	PN16	97	1	C	4,277.00
33-300-50-017	300	326	PN16	129	1	C	5,223.00

33/53-020

Lock clamp kit for socket/spigot end gate valve for BLS system



AVK ref. no.	DN mm	Units/ pallet	Deliv. code	Gross Price EUR
33-080-53-000	80		C	30.00
33-100-53-000	100		C	33.00
33-125-53-000	125		C	36.00
33-150-53-000	150		C	38.00
33-200-53-000	200		C	60.00
33-250-53-000	250		C	107.00
33-300-53-000	300		C	151.00

**32/40-010**

Gate valve with long spigot ends for cast iron pipes to ISO 2531 class 18

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901

Clockwise to Close



AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
32-080-40-016	80	98	PN16	16	20	C	679.00
32-100-40-016	100	118	PN16	24	15	C	879.00
32-150-40-016	150	170	PN16	45	6	C	1,552.00
32-200-40-016	200	222	PN16	76	6	C	2,669.00
32-250-40-016	250	274	PN16	121	4	C	4,070.00
32-300-40-016	300	326	PN16	186	2	C	5,458.00

32/70-003

Gate valve with short spigot ends for cast iron pipes to ISO 2531

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
32-050-70-016	50	66	PN16	7.6	24	B	437.00
32-060-70-016	60	77	PN16	8.7	23	A	523.00
32-065-70-016	65	82	PN16	11	20	B	523.00
32-080-70-0146499	80	98	PN16	11	16	B	603.00
32-100-70-0146499	100	118	PN16	13	14	B	792.00
32-125-70-0146499	125	144	PN16	17	12	B	1,219.00
32-150-70-0146499	150	170	PN16	26	9	B	1,385.00
32-200-70-0146499	200	222	PN16	44	6	B	2,388.00
32-250-70-016	250	274	PN16	110	4	C	3,688.00
32-300-70-016	300	326	PN16	186	2	C	4,948.00

12/51-005

Gate valve with flanged/spigot end

Face-to-face dimension according to EN 558 Table 2 Basic Series 15

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	D mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
12-065-51-017	65	82	PN10/16	17	15	C	526.00
12-080-51-0146499	80	98	PN10/16	14	10	C	596.00
12-100-51-0146499	100	118	PN10/16	16	10	C	790.00
12-125-51-0146499	125	144	PN10/16	21	10	C	1,229.00
12-150-51-0146499	150	170	PN10/16	30	6	C	1,385.00
12-200-51-0046499	200	222	PN10	50	5	B	2,365.00
12-200-51-0146499	200	222	PN16	50	5	B	2,453.00
12-250-51-007	250	274	PN10	120	3	C	3,632.00
12-250-51-017	250	274	PN16	120	3	C	3,774.00
12-300-51-007	300	326	PN10	174	2	C	4,969.00
12-300-51-017	300	326	PN16	174	2	C	4,969.00

12/51-008

Gate valve with flanged/spigot end with stem cap

Face-to-face dimension according to EN 558 Table 2 Basic Series 15

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	D mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
12-050-51-817	50	66	PN10/16	12		C	450.00
12-065-51-817	65	82	PN10/16	17	15	C	543.00
12-080-51-817	80	98	PN10/16	21	10	C	615.00
12-100-51-817	100	118	PN10/16	27	10	C	809.00
12-125-51-817	125	144	PN10/16	37	10	C	1,246.00
12-150-51-817	150	170	PN10/16	53	6	C	1,403.00
12-200-51-817	200	222	PN16	77	5	C	2,472.00
12-250-51-817	250	274	PN16	120	3	C	3,806.00
12-300-51-817	300	326	PN16	174	2	C	5,000.00

**12/51-015**

Gate valve with flanged/spigot end
DIN 1882 drilling
Face-to-face dimension according to EN 558 Table 2
Basic Series 15
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close



AVK ref. no.	DN mm	D mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
12-080-51-037	80	98	DIN1882	21	12	C	636.00
12-100-51-037	100	118	DIN1882	27		C	841.00

06/38-003

Gate valve with grooved ends according to AWWA C 606
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close



AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
06-050-38-096	50	60	PN16	8.0	30	C	370.00
06-080-38-096	80	89	PN16	13	20	B	519.00
06-100-38-096	100	114	PN16	18	16	B	612.00
06-150-38-096	150	168	PN16	39	12	B	1,050.00
06-200-38-096	200	219	PN16	55	8	B	1,922.00
06-250-38-096	250	273	PN16	83	8	C	3,093.00
06-300-38-096	300	324	PN16	115	6	C	4,341.00

636/00-001

Supa Maxi™ gate valve with universal and tensile coupling ends
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close



AVK ref. no.	DN mm	Seal range SR1 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
636-080-00-040064	80	82-106	15	10	B	1,237.00
636-100-00-040064	100	104-133	19	7	B	1,548.00
636-125-00-040064	125	132-159	23	6	B	1,965.00
636-150-00-040064	150	159-188	31	6	B	2,247.00
636-200-00-040064	200	193-227	52	4	B	3,872.00
636-205-00-040064	200	224-257	58	2	B	7,846.00
636-250-00-040064	250	266-301	92	2	B	9,476.00
636-300-00-040064	300	314-356	129	1	B	11,861.00

638/00-116

Gate valve with Supa Maxi™/PE end, SDR11
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close



AVK ref. no.	DN mm	D mm	Product PN Class	Seal range SR1 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
638-090-00-066416099	80	90	PN16	82-106	14			955.00
638-110-00-066416099	100	110	PN16	104-133	20			1,204.00
638-125-00-066416099	125	125	PN16	104-133	24			1,397.00
638-160-00-066416099	150	160	PN16	158-188	37			1,809.00
638-200-00-066416099	200	200	PN16	193-227	68			3,089.00
638-250-00-0664160	250	250	PN16	266-301	118			5,653.00
638-315-00-0664160	300	315	PN16	314-356	173			7,850.00

638/00-126

Gate valve with Supa Maxi™/PE end, SDR17
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close



AVK ref. no.	DN mm	D mm	Product PN Class	Seal range SR1 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
638-090-00-066426099	80	90	PN10	82-106	14			948.00
638-110-00-066426099	100	110	PN10	104-133	20			1,192.00
638-125-00-066426099	125	125	PN10	104-133	24			1,364.00
638-160-00-066426099	150	160	PN10	159-188	37			1,738.00
638-200-00-066426099	200	200	PN10	193-227	68			3,027.00
638-250-00-0664260	250	250	PN10	266-301	118			5,561.00
638-315-00-0664260	300	315	PN10	314-356	173			7,707.00

**46/75-010**

Gate valve with long spigot ends

Cast steel

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901

Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
46-050-75-01405	50	PN16	13	12		
46-080-75-01405	80	PN16	16	10		2,398.00
46-100-75-01405	100	PN16	21	8		2,747.00
46-150-75-01405	150	PN16	38	6		4,217.00
46-200-75-01405	200	PN16	63	4		7,113.00
46-250-75-01405	250	PN16	86	3		8,926.00
46-300-75-01405	300	PN16	126	2		12,383.00
46-400-75-01405	400	PN16	199	1		29,847.00
46-500-75-01405	500	PN16	526	1		52,460.00
46-600-75-01405	600	PN16	750	1		66,830.00

756/100-104

Double eccentric butterfly valve to EN 593 w. integral seat and IP67 gearbox w. handwheel

Face-to-face dimension according to EN 558 Table 2 Basic Series 14

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
756-0150-1-14000	150	PN10/16	37	4	B	2,913.00
756-0200-1-04	200	PN10	51	4	A	4,648.00
756-0200-1-14	200	PN16	51	4	B	4,828.00
756-0250-1-04	250	PN10	71	3	A	5,220.00
756-0250-1-14	250	PN16	71	2	B	5,826.00
756-0300-1-04	300	PN10	100	2	A	7,153.00
756-0300-1-14	300	PN16	106	2	B	7,907.00
756-0350-1-04	350	PN10	128	2	A	8,485.00
756-0350-1-14	350	PN16	134	2	B	10,144.00
756-0400-1-04	400	PN10	166	1	A	9,268.00
756-0400-1-14	400	PN16	166	1	B	11,111.00
756-0450-1-04	450	PN10	211	1	A	12,143.00
756-0450-1-14	450	PN16	219	1	B	15,572.00
756-0500-1-04	500	PN10	206	1	A	14,094.00
756-0500-1-14	500	PN16	282	1	B	17,961.00
756-0600-1-04	600	PN10	285	1	A	18,251.00
756-0600-1-14	600	PN16	426	1	B	24,181.00

756/100-671

Double eccentric butterfly valve to EN 593 w. integral seat and IP67 gearbox w. handwheel

Face to face to EN 558 Table 2 Series 14 (DN 700-2000) / DIN3202-F4 (DN>2000)

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901. GSK approved up to DN1200

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
756-0700-1-04	700	PN10	444	1	A	30,029.00
756-0700-1-14	700	PN16	517	1	B	35,067.00
756-0800-1-04	800	PN10	592	1	A	34,213.00
756-0800-1-14	800	PN16	663	1	B	41,928.00
756-1000-1-04	1000	PN10	974	1	C	58,899.00
756-1200-1-04	1200	PN10	1442	1	C	79,440.00
756-1200-1-14	1200	PN16	1678	1	C	75,880.00
756-1400-1-04	1400	PN10	2150	1	C	111,628.00
756-1400-1-14	1400	PN16	2472	1	C	130,031.00
756-1500-1-04	1500	PN10	2606	1	C	132,264.00
756-1500-1-14	1500	PN16	3001	1	C	162,424.00
756-1600-1-04	1600	PN10	3187	1	C	172,233.00
756-1600-1-14	1600	PN16	3468	1	C	180,189.00
756-1800-1-04	1800	PN10	3794	1	C	189,324.00
756-1800-1-14	1800	PN16	4217	1	C	212,150.00
756-2000-1-04	2000	PN10	5287	1	C	285,365.00
756-2000-1-14	2000	PN16	5755	1	C	280,994.00
756-2200-1-04	2200	PN10 DIN	6534	1	C	316,405.00
756-2200-1-14	2200	PN16 DIN	8760	1	C	375,398.00
756-2400-1-14	2400	PN16 DIN	11520	1	C	371,011.00
756-2800-1-04000 ⁽¹⁾	2800	PN10	13150	1	C	464,396.00

⁽¹⁾ Uni-directional

**756/100-771**

Double eccentric butterfly valve to EN 593 w. integral seat and IP67 gearbox w. handwheel - PN 25

Face-to-face dimension according to EN 558 Table 2 Basic Series 14

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
756-0150-1-74000	150	PN25	38	4	C	2,762.00
756-0200-1-74000	200	PN25	57	2	C	5,577.00
756-0250-1-74000	250	PN25	92	3	C	6,933.00
756-0300-1-74000	300	PN25	117	2	C	8,504.00
756-0350-1-74000	350	PN25	151	2	C	10,472.00
756-0400-1-74000	400	PN25	190	1	C	12,192.00
756-0450-1-74000	450	PN25	258	1	C	17,830.00
756-0500-1-74000	500	PN25	306	1	C	19,858.00
756-0600-1-74000	600	PN25	484	1	C	30,798.00
756-0700-1-74000	700	PN25	661	1	C	49,141.00
756-0800-1-74000	800	PN25	870	1	C	64,312.00
756-0900-1-74000	900	PN25	1127	1	C	74,750.00
756-1000-1-74000	1000	PN25	1424	1	C	90,554.00
756-1200-1-74000	1200	PN25	2306	1	C	144,616.00

756/100-020

Double eccentric butterfly valve to EN 593 w. stainless steel seat and IP67 gearbox w/handwheel

Face-to-face dimension according to EN 558 Table 2 Basic Series 14

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
756-0150-1-1400009	150	PN10/16	37	4	B	3,172.00
756-0200-1-0400009	200	PN10	51	4	A	6,293.00
756-0200-1-1400009	200	PN16	51	4	A	6,983.00
756-0250-1-0400009	250	PN10	71	3	A	7,816.00
756-0250-1-1400009	250	PN16	71	3	A	8,212.00
756-0300-1-0400009	300	PN10	71	2	A	10,674.00
756-0300-1-1400009	300	PN16	71	1	A	11,208.00
756-0350-1-0400009	350	PN10	128	2	A	13,939.00
756-0350-1-1400009	350	PN16	128	2	A	14,634.00
756-0400-1-0400009	400	PN10	166	1	A	14,905.00
756-0400-1-1400009	400	PN16	166	1	A	15,652.00
756-0450-1-0400009	450	PN10	211	1	C	18,464.00
756-0450-1-1400009	450	PN16	219	1	A	19,392.00
756-0500-1-0400009	500	PN10	206	1	A	20,877.00
756-0500-1-1400009	500	PN16	282	1	A	21,924.00
756-0600-1-0400009	600	PN10	206	1	A	26,032.00
756-0600-1-1400009	600	PN16	425	1	C	27,334.00

756/100-672

Double eccentric butterfly valve to EN 593 w. stainless steel seat and IP67 gearbox w. handwheel

Face to face to EN 558 Table 2 Series 14 (DN 700-2000) / DIN3202-F4 (DN>2000)

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901. GSK approved up to DN1200

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
756-0700-1-0400009	700	PN10	444	1	A	33,263.00
756-0700-1-1400009	700	PN16	517	1	A	38,298.00
756-0800-1-0400009	800	PN10	669	1	A	37,946.00
756-0800-1-1400009	800	PN16	663	1	A	45,660.00
756-0900-1-0400009	900	PN10	745	1	C	53,385.00
756-0900-1-1400009	900	PN16	874	1	C	61,907.00
756-1000-1-0400009	1000	PN10	974	1	C	63,945.00
756-1000-1-1400009	1000	PN16	1113	1	C	73,754.00
756-1200-1-0400009	1200	PN10	1442	1	C	85,287.00
756-1200-1-1400009	1200	PN16	1678	1	C	109,926.00
756-1400-1-0400009	1400	PN10	2150	1	C	120,655.00
756-1400-1-1400009	1400	PN16	2472	1	C	139,059.00
756-1500-1-0400009	1500	PN10	2606	1	C	142,734.00
756-1500-1-1400009	1500	PN16	3001	1	C	172,892.00
756-1600-1-0400009	1600	PN10	3187	1	C	184,901.00
756-1600-1-1400009	1600	PN16	3468	1	C	192,859.00
756-1800-1-0400009	1800	PN10	3794	1	C	203,971.00
756-1800-1-1400009	1800	PN16	4217	1	C	226,800.00
756-2000-1-0400009	2000	PN10	5287	1	C	305,537.00
756-2000-1-1400009	2000	PN16	5235	1	C	293,964.00
756-2200-1-0400009	2200	PN10 DIN	6534	1	C	341,078.00
756-2200-1-1400009	2200	PN16 DIN	8760	1	C	400,073.00
756-2400-1-0400009	2400	PN10 DIN	9380	1	C	384,811.00
756-2400-1-1400009	2400	PN16 DIN	11520	1	C	396,721.00



756/100-772

Double eccentric butterfly valve to EN 593 w. stainless steel seat and IP67 gearbox w. handwheel - PN 25

Face-to-face dimension according to EN 558 Table 2 Basic Series 14

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
756-0150-1-7400009	150	PN25	38	4	C	3,519.00
756-0200-1-7400009	200	PN25	57	4	C	6,297.00
756-0250-1-7400009	250	PN25	92	3	C	7,980.00
756-0300-1-7400009	300	PN25	117	2	C	10,020.00
756-0350-1-7400009	350	PN25	151	2	C	12,327.00
756-0400-1-7400009	400	PN25	190	1	C	14,063.00
756-0450-1-7400009	450	PN25	258	1	C	19,885.00
756-0500-1-7400009	500	PN25	306	1	C	22,315.00
756-0600-1-7400009	600	PN25	484	1	C	34,324.00
756-0700-1-7400009	700	PN25	665	1	C	53,405.00
756-0800-1-7400009	800	PN25	873	1	C	69,237.00
756-0900-1-7400009	900	PN25	1129	1	C	81,149.00
756-1000-1-7400009	1000	PN25	1426	1	C	97,112.00
756-1200-1-7400009	1200	PN25	2308	1	C	150,462.00

756/102-142

Double eccentric butterfly valve to EN 593 w. integral seat and ISO-input IP67 gearbox

Face-to-face dimension according to EN 558 Table 2 Basic Series 14

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
756-0150-1-14002	150	PN10/16	38	4	B	4,266.00
756-0200-1-04002	200	PN10	40	4	A	5,736.00
756-0200-1-14002	200	PN16	51	4	A	5,816.00
756-0250-1-04002	250	PN10	58	3	A	6,516.00
756-0250-1-14002	250	PN16	68	3	A	6,796.00
756-0300-1-04002	300	PN10	83	2	A	8,114.00
756-0300-1-14002	300	PN16	83	1	A	8,858.00
756-0350-1-04002	350	PN10	110	2	A	9,065.00
756-0350-1-14002	350	PN16	110	2	A	10,635.00
756-0400-1-04002	400	PN10	142	1	A	10,197.00
756-0400-1-14002	400	PN16	166	1	A	12,008.00
756-0450-1-04002	450	PN10	184	1	A	12,522.00
756-0450-1-14002	450	PN16	184	1	A	15,182.00
756-0500-1-04002	500	PN10	240	1	A	14,934.00
756-0500-1-14002	500	PN16	240	1	A	18,740.00
756-0600-1-04002	600	PN10	410	1	A	19,024.00
756-0600-1-14002	600	PN16	410	1	A	24,849.00

756/102-IS1

Double eccentric butterfly valve to EN 593 w. integral seat and ISO-input IP67 gearbox

Face to face to EN 558 Table 2 Series 14 (DN 700-2000) / DIN3202-F4 (DN>2000)

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901. GSK approved up to DN1200

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
756-0700-1-04002	700	PN10	469	1	A	31,377.00
756-0700-1-14002	700	PN16	551	1	A	44,130.00
756-0800-1-04002	800	PN10	632	1	B	45,477.00
756-0800-1-14002	800	PN16	697	1	A	50,651.00
756-1000-1-14002	1000	PN16	1131	1	A	85,877.00
756-1200-1-14002	1200	PN16	1745	1	A	116,344.00
756-1400-1-04002	1400	PN10	2228	1	C	127,384.00
756-1400-1-14002	1400	PN16	2474	1	C	142,290.00
756-1500-1-04002	1500	PN10	2684	1	C	147,619.00
756-1500-1-14002	1500	PN16	3003	1	C	174,683.00
756-1600-1-04002	1600	PN10	3189	1	C	184,092.00
756-1600-1-14002	1600	PN16	3470	1	C	193,572.00
756-1800-1-04002	1800	PN10	3796	1	C	202,710.00
756-1800-1-14002	1800	PN16	4363	1	C	218,977.00
756-2000-1-04002	2000	PN10	5327	1	C	292,189.00
756-2000-1-14002	2000	PN16	6035	1	C	297,590.00
756-2200-1-04002	2200	PN10 DIN	6652	1	C	323,231.00
756-2200-1-14002	2200	PN16 DIN	8752	1	C	385,523.00
756-2400-1-04002	2400	PN10 DIN	9350	1	C	369,224.00
756-2400-1-14002	2400	PN16 DIN	11550	1	C	382,821.00

**756/102-IS3**

Double eccentric butterfly valve to EN 593 w. integral seat and ISO-input IP67 gearbox - PN 25

Face-to-face dimension according to EN 558 Table 2 Basic Series 14

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
756-0150-1-74002	150	PN25	39			4,358.00
756-0200-1-74002	200	PN25	56	4	C	7,274.00
756-0250-1-74002	250	PN25	93	3	C	10,262.00
756-0300-1-74002	300	PN25	117	2	C	11,880.00
756-0350-1-74002	350	PN25	152	2	C	12,702.00
756-0400-1-74002	400	PN25	191	1	C	14,421.00
756-0450-1-74002	450	PN25	277	1	C	21,186.00
756-0500-1-74002	500	PN25	325	1	C	23,215.00
756-0600-1-74002	600	PN25	501	1	C	30,709.00
756-0700-1-74002	700	PN25	672	1	C	53,526.00
756-0800-1-74002	800	PN25	975	1	C	79,417.00
756-0900-1-74002	900	PN25	1232	1	C	84,705.00
756-1000-1-74002	1000	PN25	1529	1	C	100,506.00
756-1200-1-74002	1200	PN25	2297	1	C	158,000.00

756/102-021

Double eccentric butterfly valve to EN 593 w. stainless steel seat and ISO-input IP67 gearbox

Face-to-face dimension according to EN 558 Table 2 Basic Series 14

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
756-0150-1-1400209	150	PN10/16	38	4	B	4,524.00
756-0200-1-0400209	200	PN10	51	4	A	7,018.00
756-0200-1-1400209	200	PN16	51	4	A	7,257.00
756-0250-1-0400209	250	PN10	71	3	A	8,047.00
756-0250-1-1400209	250	PN16	71	3	A	8,817.00
756-0300-1-0400209	300	PN10	102	2	A	10,607.00
756-0300-1-1400209	300	PN16	114	1	A	11,605.00
756-0350-1-0400209	350	PN10	130	2	A	13,538.00
756-0350-1-1400209	350	PN16	142	2	A	14,032.00
756-0400-1-0400209	400	PN10	179	1	A	14,315.00
756-0400-1-1400209	400	PN16	166	1	A	16,512.00
756-0450-1-0400209	450	PN10	216	1	A	17,152.00
756-0450-1-1400209	450	PN16	242	1	A	21,097.00
756-0500-1-0400209	500	PN10	206	1	A	19,189.00
756-0500-1-1400209	500	PN16	282	1	A	23,590.00
756-0600-1-0400209	600	PN10	308	1	A	23,671.00
756-0600-1-1400209	600	PN16	438	1	A	30,342.00

756/102-IS2

Double eccentric butterfly valve to EN 593 w. stainless steel seat and ISO-input IP67 gearbox


Face to face to EN 558 Table 2 Series 14 (DN 700-2000) / DIN3202-F4 (DN>2000)

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901. GSK approved up to DN1200

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
756-0700-1-0400209	700	PN10	469	1	A	34,610.00
756-0700-1-1400209	700	PN16	538	1	A	47,365.00
756-0800-1-0400209	800	PN10	632	1	A	49,210.00
756-0800-1-1400209	800	PN16	697	1	A	54,381.00
756-0900-1-0400209	900	PN10	780	1	C	62,685.00
756-0900-1-1400209	900	PN16	885	1	C	73,517.00
756-1000-1-0400209	1000	PN10	996	1	C	69,711.00
756-1000-1-1400209	1000	PN16	1131	1	C	90,921.00
756-1200-1-0400209	1200	PN10	1541	1	A	102,453.00
756-1200-1-1400209	1200	PN16	1745	1	A	122,189.00
756-1400-1-0400209	1400	PN10	2228	1	C	136,412.00
756-1400-1-1400209	1400	PN16	2474	1	C	151,322.00
756-1500-1-0400209	1500	PN10	2684	1	C	158,089.00
756-1500-1-1400209	1500	PN16	3003	1	C	185,153.00
756-1600-1-0400209	1600	PN10	3189	1	C	196,762.00
756-1600-1-1400209	1600	PN16	3470	1	C	206,244.00
756-1800-1-0400209	1800	PN10	3796	1	C	217,354.00
756-1800-1-1400209	1800	PN16	4363	1	C	233,623.00
756-2000-1-0400209	2000	PN10	5327	1	C	312,363.00
756-2000-1-1400209	2000	PN16	6035	1	C	315,418.00
756-2200-1-0400209	2200	PN10 DIN	6652	1	C	347,905.00
756-2200-1-1400209	2200	PN16 DIN	8752	1	C	410,195.00
756-2400-1-0400209	2400	PN10 DIN	9360	1	C	394,934.00
756-2400-1-1400209	2400	PN16 DIN	11550	1	C	408,530.00



756/102-ISA

Double eccentric butterfly valve to EN 593 w. stainless steel seat and ISO-input IP67 gearbox - PN 25

Face-to-face dimension according to EN 558 Table 2 Basic Series 14

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
756-0150-1-7400209	150	PN25	39	4	C	4,429.00
756-0200-1-7400209	200	PN25	57	4	C	7,995.00
756-0250-1-7400209	250	PN25	92	3	C	11,310.00
756-0300-1-7400209	300	PN25	117	2	C	13,398.00
756-0350-1-7400209	350	PN25	152	2	C	14,559.00
756-0400-1-7400209	400	PN25	191	1	C	16,293.00
756-0450-1-7400209	450	PN25	277	1	C	23,243.00
756-0500-1-7400209	500	PN25	325	1	C	25,674.00
756-0600-1-7400209	600	PN25	501	1	C	34,234.00
756-0700-1-7400209	700	PN25	676	1	C	57,788.00
756-0800-1-7400209	800	PN25	978	1	C	84,339.00
756-0900-1-7400209	900	PN25	1234	1	C	90,598.00
756-1000-1-7400209	1000	PN25	1531	1	C	107,064.00
756-1200-1-7400209	1200	PN25	2299	1	C	163,847.00

756/106-146

Double eccentric butterfly valve to EN 593 w. integral seat and IP68 gearbox

Face-to-face dimension according to EN 558 Table 2 Basic Series 14

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
756-0200-1-04006	200	PN10	40	4	C	5,139.00
756-0200-1-14006	200	PN16	51	3	C	5,319.00
756-0250-1-04006	250	PN10	58	3	C	5,714.00
756-0250-1-14006	250	PN16	50	2	C	6,314.00
756-0300-1-04006	300	PN10	83	2	A	7,651.00
756-0300-1-14006	300	PN16	106	2	A	8,410.00
756-0350-1-04006	350	PN10	110	2	C	8,984.00
756-0350-1-14006	350	PN16	172	2	C	10,644.00
756-0400-1-04006	400	PN10	142	1	C	9,765.00
756-0400-1-14006	400	PN16	166	1	C	11,605.00
756-0450-1-04006	450	PN10	184	1	C	12,642.00
756-0450-1-14006	450	PN16	214	1	C	16,067.00
756-0500-1-04006	500	PN10	240	1	C	14,589.00
756-0500-1-14006	500	PN16	214	1	C	18,460.00
756-0600-1-04006	600	PN10	410	1	C	18,750.00
756-0600-1-14006	600	PN16	425	1	C	24,681.00

756/106-681

Double eccentric butterfly valve to EN 593 w. integral seat and IP68 gearbox w/handwheel

Face to face to EN 558 Table 2 Series 14 (DN 700-2000) / DIN3202-F4 (DN>2000)

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901. GSK approved up to DN1200

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
756-0700-1-04006	700	PN10	444	1	C	31,044.00
756-0700-1-14006	700	PN16	517	1	C	37,683.00
756-0800-1-04006	800	PN10	592	1	C	35,139.00
756-0800-1-14006	800	PN16	663	1	C	44,681.00
756-0900-1-04006	900	PN10	745	1	C	51,789.00
756-0900-1-14006	900	PN16	874	1	C	45,107.00
756-1000-1-14006	1000	PN16	1113	1	A	52,804.00
756-1200-1-04006	1200	PN10	1442	1	A	82,758.00
756-1200-1-14006	1200	PN16	1678	1	C	107,661.00
756-1400-1-04006	1400	PN10	2150	1	C	114,944.00
756-1400-1-14006	1400	PN16	2472	1	A	133,611.00
756-1500-1-04006	1500	PN10	2606	1	C	135,179.00
756-1500-1-14006	1500	PN16	3001	1	C	166,002.00
756-1600-1-04006	1600	PN10	3187	1	C	175,606.00
756-1600-1-14006	1600	PN16	3468	1	C	183,619.00
756-1800-1-04006	1800	PN10	3794	1	C	193,103.00
756-1800-1-14006	1800	PN16	4363	1	C	218,977.00
756-2000-1-04006	2000	PN10	5327	1	C	292,189.00
756-2000-1-14006	2000	PN16	6035	1	C	312,395.00
756-2200-1-04006	2200	PN10 DIN	6652	1	C	323,231.00
756-2200-1-14006	2200	PN16 DIN	8766	1	C	385,523.00
756-2400-1-04006	2400	PN10 DIN	9380	1	C	369,224.00
756-2400-1-14006	2400	PN16 DIN	11528	1	C	382,821.00
756-2800-1-04006 (1)	2800	PN10	13150	1	C	456,721.00

(1) Uni-directional

**756/106-781**

Double eccentric butterfly valve to EN 593 w. integral seat and IP68 gearbox w/handwheel - PN 25

Face-to-face dimension according to EN 558 Table 2 Basic Series 14

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
756-0150-1-74006 ⁽¹⁾	150	PN25	38	4	C	3,966.00
756-0200-1-74006 ⁽¹⁾	200	PN25	54	4	C	6,213.00
756-0250-1-74006 ⁽¹⁾	250	PN25	85	3	C	7,884.00
756-0300-1-74006 ⁽¹⁾	300	PN25	109	2	C	9,467.00
756-0350-1-74006 ⁽¹⁾	350	PN25	144	2	C	11,394.00
756-0400-1-74006 ⁽¹⁾	400	PN25	184	1	C	13,113.00
756-0450-1-74006 ⁽¹⁾	450	PN25	248	1	C	19,554.00
756-0500-1-74006 ⁽¹⁾	500	PN25	296	1	C	21,582.00
756-0600-1-74006 ⁽¹⁾	600	PN25	472	1	C	32,890.00
756-0700-1-74006	700	PN25	661	1	C	53,886.00
756-0800-1-74006	800	PN25	570	1	C	67,472.00
756-0900-1-74006	900	PN25	1127	1	C	83,962.00
756-1000-1-74006	1000	PN25	1424	1	C	93,871.00
756-1200-1-74006	1200	PN25	2306	1	C	148,047.00

⁽¹⁾ DN150-600 without handwheel, only bare shaft

756/106-022

Double eccentric butterfly valve to EN 593 w. stainless steel seat and IP68 gearbox

Face-to-face dimension according to EN 558 Table 2 Basic Series 14

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
756-0150-1-1400609	150	PN10/16	37	4	B	3,749.00
756-0200-1-0400609	200	PN10	51	4	A	6,315.00
756-0200-1-1400609	200	PN16	51	4	A	6,532.00
756-0250-1-0400609	250	PN10	71	3	A	7,425.00
756-0250-1-1400609	250	PN16	71	3	A	8,134.00
756-0300-1-0400609	300	PN10	100	2	A	9,805.00
756-0300-1-1400609	300	PN16	106	1	A	10,733.00
756-0350-1-0400609	350	PN10	128	2	A	12,808.00
756-0350-1-1400609	350	PN16	134	2	A	13,277.00
756-0400-1-0400609	400	PN10	166	1	A	13,412.00
756-0400-1-1400609	400	PN16	166	1	A	15,471.00
756-0450-1-0400609	450	PN10	211	1	A	16,609.00
756-0450-1-1400609	450	PN16	219	1	A	20,431.00
756-0500-1-0400609	500	PN10	206	1	A	18,592.00
756-0500-1-1400609	500	PN16	282	1	A	22,852.00
756-0600-1-0400609	600	PN10	285	1	A	22,939.00
756-0600-1-1400609	600	PN16	425	1	C	22,939.00

756/106-682

Double eccentric butterfly valve to EN 593 w. stainless steel seat and IP68 gearbox w/handwheel

Face to face to EN 558 Table 2 Series 14 (DN 700-2000) / DIN3202-F4 (DN>2000)

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901. GSK approved up to DN1200

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
756-0700-1-0400609	700	PN10	444	1	C	34,274.00
756-0700-1-1400609	700	PN16	517	1	A	40,914.00
756-0800-1-0400609	800	PN10	592	1	A	38,873.00
756-0800-1-1400609	800	PN16	663	1	A	48,413.00
756-0900-1-0400609	900	PN10	745	1	C	56,321.00
756-0900-1-1400609	900	PN16	874	1	C	66,892.00
756-1000-1-0400609	1000	PN10	974	1	C	67,260.00
756-1000-1-1400609	1000	PN16	1113	1	A	77,074.00
756-1200-1-0400609	1200	PN10	1442	1	B	88,604.00
756-1200-1-1400609	1200	PN16	1678	1	C	113,508.00
756-1400-1-1400609	1400	PN16	2472	1	C	142,639.00
756-1500-1-0400609	1500	PN10	2606	1	C	145,648.00
756-1500-1-1400609	1500	PN16	3001	1	C	176,471.00
756-1600-1-0400609	1600	PN10	3187	1	C	188,275.00
756-1600-1-1400609	1600	PN16	3468	1	C	196,288.00
756-1800-1-0400609	1800	PN10	3794	1	C	207,748.00
756-1800-1-1400609	1800	PN16	4363	1	C	233,623.00
756-2000-1-0400609	2000	PN10	5327	1	C	312,363.00
756-2000-1-1400609	2000	PN16	6035	1	C	309,532.00
756-2200-1-0400609	2200	PN10 DIN	6652	1	C	347,905.00
756-2200-1-1400609	2200	PN16 DIN	8766	1	C	410,195.00
756-2400-1-0400609	2400	PN10 DIN	9360	1	C	394,934.00
756-2400-1-1400609	2400	PN16 DIN	11528	1	C	408,530.00



756/106-782

Double eccentric butterfly valve to EN 593 w. stainless steel seat and IP68 gearbox w/handwheel - PN 25

Face-to-face dimension according to EN 558 Table 2 Basic Series 14

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
756-0150-1-7400609	150	PN25	38	4	C	5,078.00
756-0200-1-7400609 ⁽¹⁾	200	PN25	57	4	C	6,934.00
756-0250-1-7400609 ⁽¹⁾	250	PN25	92	3	C	8,931.00
756-0300-1-7400609 ⁽¹⁾	300	PN25	109	2	C	10,984.00
756-0350-1-7400609 ⁽¹⁾	350	PN25	144	2	C	13,248.00
756-0400-1-7400609 ⁽¹⁾	400	PN25	184	1	C	14,987.00
756-0450-1-7400609 ⁽¹⁾	450	PN25	248	1	C	21,613.00
756-0500-1-7400609 ⁽¹⁾	500	PN25	296	1	C	24,043.00
756-0600-1-7400609 ⁽¹⁾	600	PN25	472	1	C	36,419.00
756-0700-1-7400609	700	PN25	665	1	C	58,149.00
756-0800-1-7400609	800	PN25	873	1	C	72,396.00
756-0900-1-7400609	900	PN25	1129	1	C	83,962.00
756-1000-1-7400609	1000	PN25	1426	1	C	100,428.00
756-1200-1-7400609	1200	PN25	2308	1	C	96,323.00

⁽¹⁾ DN150-600 without handwheel, only bare shaft

756/5-001

Gearside adaptor for connecting gearside to extension rod or wall post indicator (#25mm) and to post indicator (#40mm).

Ductile Iron

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN/DN	F mm	F1 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
756-0400-3-800 ⁽¹⁾	200-1200	41	21	1.5	1	C	39.00

⁽¹⁾ For post indicator #40 mm, DN 200-500 PN 10/16, DN 600 PN 10

756/9-001

Handwheel for extension spindles #25 mm rod wall post and post indicator

Ductile Iron

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN/DN	D mm	F mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
08-200-11-00 ⁽¹⁾	200 - 400	340	32	6.0	80	C	101.00
08-400-11-00 ⁽²⁾	450 - 600	640	32	15			233.00

⁽¹⁾ Ø360/#32 mm

⁽²⁾ Ø640/#32 mm

756/7-002

Telescopic extension spindle for double eccentric butterfly valves

Polyethylene (PE)



AVK ref. no.	DN/DN	L8 mm	F3 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
04-400-9-0002 ⁽¹⁾	200 - 600	450 - 700	23 - 32	3.4		B	256.00
04-400-9-0502 ⁽¹⁾	200 - 600	650 - 1100	23 - 32	4.0		B	279.00
04-400-9-1002 ⁽¹⁾	200 - 600	1050 - 1750	23 - 32	4.7		B	300.00
04-400-9-1502 ⁽¹⁾	200 - 600	1700 - 2900	23 - 32	5.2		B	344.00
04-600-9-0002 ⁽²⁾	600 - 1200	450 - 700	23 - 32	3.6		B	346.00
04-600-9-0502 ⁽²⁾	600 - 1200	650 - 1100	23 - 32	6.0		B	407.00
04-600-9-1002 ⁽²⁾	600 - 1200	1050 - 1750	23 - 32	4.9		B	415.00
04-600-9-1502 ⁽²⁾	600 - 1200	1700 - 2900	23 - 32	5.9		B	461.00

⁽¹⁾ DN 200-500: PN 10/16

DN 600: PN 10

⁽²⁾ DN 600: PN 16

DN 700-800: PN 10

**75/10-020**

Centric butterfly valve with fixed liner
Wafer
DN40-200: duplex disc
DN250-1000: rilsan coated disc
Face-to-face dimension according to EN 558 table 5 basic series 20
Ductile Iron
EPDM drinking water approved
Blue epoxy RAL 5017 200 µm



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
75-0040-10-223002614200 ⁽¹⁾	40	PN16	2.6		C	651.00
75-0050-10-223002614200 ⁽¹⁾	50	PN16	3.0		C	654.00
75-0065-10-223002614200 ⁽¹⁾	65	PN16	3.2		C	690.00
75-0080-10-223002614200 ⁽¹⁾	80	PN16	3.5	10	C	696.00
75-0100-10-223002614200 ⁽¹⁾	100	PN16	4.5		C	840.00
75-0125-10-223002614200 ⁽¹⁾	125	PN16	6.3		C	925.00
75-0150-10-223002614200 ⁽¹⁾	150	PN16	8.8		C	1,299.00
75-0200-10-223001314200 ⁽¹⁾	200	PN10	13		C	1,756.00
75-0250-10-225101314200	250	PN10	22		C	3,393.00
75-0300-10-225101314200	300	PN10	32		C	4,009.00
75-0350-10-225101314200	350	PN10	40		C	6,666.00
75-0400-10-225101314200	400	PN10	75		C	11,422.00
75-0450-10-225101314200	450	PN10	90		C	15,238.00
75-0500-10-225101314200	500	PN10	120		C	16,882.00
75-0600-10-225101314200	600	PN10	180		C	29,956.00
75-0700-10-225101314200	700	PN10	295		C	42,317.00
75-0800-10-225101314200	800	PN10	345		C	50,207.00
75-0900-10-225101314200	900	PN10	475		C	70,927.00
75-1000-10-225101314200	1000	PN10	635		C	82,240.00

(1) Disc material in duplex

75/20-201

Centric butterfly valve with fixed liner
Double flanged short
Face-to-face dimension according to EN 558 table 4 basic series 13
Ductile Iron
EPDM drinking water approved
Clockwise to Close

**Duplex disc**

AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
75-0050-20-223005614200	50	PN10/16	8.0		C	1,274.00
75-0065-20-223005614200	65	PN10/16	9.0		C	1,350.00
75-0080-20-223005614200	80	PN10/16	11		C	1,410.00
75-0125-20-223005614200	125	PN10/16	17		C	1,412.00
75-0150-20-223005614200	150	PN10/16	23		C	2,399.00
75-0200-20-223001314200	200	PN10	32		C	3,438.00
75-0200-20-223002614200	200	PN16	32		C	3,438.00
75-0250-20-223001314200	250	PN10	50		C	4,946.00
75-0250-20-223002614200	250	PN16	50		C	4,946.00
75-0300-20-223001314200	300	PN10	65		C	5,838.00
75-0300-20-223002614200	300	PN16	65		C	5,838.00
75-0350-20-223001314200	350	PN10	95		C	8,747.00
75-0350-20-223002614200	350	PN16	95		C	8,747.00
75-0400-20-223001314200	400	PN10	130		C	14,136.00
75-0400-20-223002614200	400	PN16	130		C	14,136.00
75-0450-20-226001314200	450	PN10	150		C	18,890.00
75-0450-20-226002614200	450	PN16	150		C	18,890.00
75-0500-20-226001314200	500	PN10	200		C	20,289.00
75-0500-20-226002614200	500	PN16	200		C	22,725.00
75-0600-20-226001314200	600	PN10	300		C	34,094.00
75-0600-20-226002614200	600	PN16	300		C	34,094.00
75-0700-20-226001314200	700	PN10	380		C	44,006.00
75-0700-20-226002614200	700	PN16	380		C	44,006.00
75-0800-20-226001314200	800	PN10	500		C	54,567.00
75-0800-20-226002614200	800	PN16	500		C	54,567.00
75-0900-20-226001314200	900	PN10	660		C	76,594.00
75-0900-20-226002614200	900	PN16	660		C	76,594.00
75-1000-20-226001314200	1000	PN10	900		C	88,627.00
75-1000-20-226002614200	1000	PN16	900		C	88,627.00



75/20-202

Centric butterfly valve with fixed liner
 Double flanged short
 Face-to-face dimension according to EN 558 table 4 basic series 13
 Ductile Iron
 EPDM drinking water approved
 Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
75-0250-20-225102614200	250	PN16	50		C	3,850.00
75-0300-20-225102614200	300	PN16	65		C	4,314.00
75-0350-20-225102614200	350	PN16	95		C	6,544.00
75-0400-20-225102614200	400	PN16	130		C	8,882.00
75-0450-20-225102614200	450	PN16	150		C	11,001.00
75-0500-20-225102614200	500	PN16	200		C	17,509.00
75-0600-20-225102614200	600	PN16	300		C	22,711.00
75-0700-20-225102614200	700	PN16	380		C	26,998.00
75-0800-20-225102614200	800	PN16	500		C	31,423.00
75-0900-20-225102614200	900	PN16	660		C	45,755.00
75-1000-20-225102614200	1000	PN16	900		C	61,312.00

Ductile iron disc

75/21-020

Centric butterfly valve with fixed liner
 Double flanged long
 DN40-200: duplex disc
 DN250-1000: rilsan coated disc
 Face-to-face dimension according to EN 558 Table 2 Basic Series 14
 Ductile Iron
 EPDM drinking water approved
 Blue epoxy RAL 5017 200 µm



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
75-0050-21-223002614200 ⁽¹⁾	50	PN10/16	11		C	1,733.00
75-0065-21-223002614200 ⁽¹⁾	65	PN10/16	13		C	2,109.00
75-0080-21-223002614200 ⁽¹⁾	80	PN10/16	17		C	2,227.00
75-0100-21-223002614200 ⁽¹⁾	100	PN10/16	20		C	2,555.00
75-0125-21-223002614200 ⁽¹⁾	125	PN10/16	26		C	2,694.00
75-0150-21-223002614200 ⁽¹⁾	150	PN10/16	31		C	4,198.00
75-0200-21-223001314200 ⁽¹⁾	200	PN10	45		C	5,685.00
75-0250-21-225101314200	250	PN10	70		C	6,762.00
75-0300-21-225101314200	300	PN10	90		C	7,957.00
75-0350-21-225101314200	350	PN10	120		C	17,823.00
75-0400-21-225101314200	400	PN10	165		C	18,074.00
75-0450-21-225101314200	450	PN10	200		C	22,394.00
75-0500-21-225101314200	500	PN10	230		C	26,614.00
75-0600-21-225101314200	600	PN10	320		C	42,237.00
75-0700-21-225101314200	700	PN10	420		C	58,041.00
75-0800-21-225101314200	800	PN10	610		C	65,189.00
75-0900-21-225101314200	900	PN10	820		C	90,613.00
75-1000-21-225101314200	1000	PN10	1130		C	103,502.00

⁽¹⁾ Disc material in duplex

75/31-020

Centric butterfly valve with fixed liner
 Semi lug
 Duplex disc
 Face-to-face dimension according to EN 558 table 5 basic series 20
 Ductile Iron
 EPDM drinking water approved
 Blue epoxy RAL 5017 200 µm



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
75-0050-31-223002614200	50	PN16	3.1		C	728.00
75-0065-31-223002614200	65	PN16	3.9		C	755.00
75-0080-31-223002614200	80	PN16	4.2		C	760.00
75-0100-31-223002614200	100	PN16	5.5		C	896.00
75-0125-31-223002614200	125	PN16	7.5		C	1,046.00
75-0150-31-223002614200	150	PN16	10		C	1,379.00
75-0200-31-223001314200	200	PN10	14		C	2,012.00

**75/41-020**

Centric butterfly valve with fixed liner
Full lug type
DN40-200: Duplex disc
DN250-1000: Rilsan coated disc
Face-to-face dimension according to EN 558 table 5 basic series 20
Ductile Iron
EPDM drinking water approved
Blue epoxy RAL 5017 200 µm



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
75-0050-41-223002614200 ⁽¹⁾	50	PN16	8.0		C	845.00
75-0065-41-223002614200 ⁽¹⁾	65	PN16	9.0		C	869.00
75-0080-41-223002614200 ⁽¹⁾	80	PN16	10		C	959.00
75-0100-41-223002614200 ⁽¹⁾	100	PN16	12		C	1,128.00
75-0125-41-223002614200 ⁽¹⁾	125	PN16	16		C	1,219.00
75-0150-41-223002614200 ⁽¹⁾	150	PN16	20		C	1,567.00
75-0200-41-223001314200 ⁽¹⁾	200	PN10	25		C	2,171.00
75-0250-41-225101314200	250	PN10	28		C	5,065.00
75-0300-41-225101314200	300	PN10	36		C	5,739.00
75-0350-41-225101314200	350	PN10	50		C	8,843.00
75-0400-41-225101314200	400	PN10	85		C	13,113.00
75-0450-41-225101314200	450	PN10	105		C	18,841.00
75-0500-41-225101314200	500	PN10	130		C	21,338.00
75-0600-41-225101314200	600	PN10	205		C	33,862.00
75-0700-41-225101314200	700	PN10	325		C	50,171.00
75-0800-41-225101314200	800	PN10	625		C	53,968.00
75-0900-41-225101314200	900	PN10	625		C	77,625.00
75-1000-41-225101314200	1000	PN10	950		C	92,557.00

⁽¹⁾ Disc material in duplex

820/00-029

Centric butterfly valve with loose liner and bare shaft - Wafer
Face-to-face dimension according to DIN/EN 558-1, series 20 (K1)
Ductile iron/ GGG disc, Rilsan coated
EPDM drinking water approved
Blue epoxy RAL 5017 200 µm up to DN400. Above PUR coating 250 µm
Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
820-0025-00-541E0160002	25	PN16	1.0			224.00
820-0032-00-541E0160002	32	PN16	1.0			224.00
820-0040-00-541E0160002	40	PN16	1.3			228.00
820-0050-00-541E0160002	50	PN16	1.8		B	230.00
820-0065-00-541E0160002	65	PN16	2.3		B	253.00
820-0080-00-541E0160002	80	PN16	2.3		B	279.00
820-0100-00-541E0160002	100	PN16	3.9		B	338.00
820-0125-00-541E0160002	125	PN16	5.0		B	428.00
820-0150-00-541E0160002	150	PN16	5.9		B	531.00
820-0200-00-541E0160002	200	PN16	9.3		B	762.00
820-0250-00-541E0160002	250	PN16	17			1,276.00
820-0300-00-541E0160002	300	PN16	24			1,799.00



820/00-025

Centric butterfly valve with loose liner
 Wafer bare shaft
 Face-to-face dimension according to DIN/EN 558-1, series 20 (K1)
 Ductile iron/ 1.4408 disc
 EPDM drinking water approved
 Blue epoxy RAL 5017 200 µm up to DN400. Above PUR coating 250 µm
 Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
820-0025-00-541L0160002	25	PN16	1.0			228.00
820-0032-00-541L0160002	32	PN16	1.0			228.00
820-0040-00-541L0160002	40	PN16	1.3			228.00
820-0050-00-541L0160002	50	PN16	1.8		B	224.00
820-0065-00-541L0160002	65	PN16	2.3		B	268.00
820-0080-00-541L0160002	80	PN16	2.3		B	301.00
820-0100-00-541L0160002	100	PN16	3.9		B	390.00
820-0125-00-541L0160002	125	PN16	5.0		B	517.00
820-0150-00-541L0160002	150	PN16	5.9		B	733.00
820-0200-00-541L0130002	200	PN16	9.3		B	1,188.00
820-0200-00-541L0160002	200	PN16	9.3		B	1,188.00
820-0250-00-541L0130002	250	PN16	17		B	2,059.00
820-0250-00-541L0160002	250	PN16	17		B	2,059.00
820-0300-00-541L0130002	300	PN10	24		B	2,885.00
820-0300-00-541L0160002	300	PN16	24		B	2,885.00
820-0350-00-04020130002	350	PN10	42		C	3,432.00
820-0350-00-04020160002	350	PN16	42			3,432.00
820-0400-00-04020130002	400	PN10	57		C	5,004.00
820-0400-00-04020160002	400	PN16	57			5,004.00
820-0450-00-04060031002 (1)	450	PN10	95		C	10,476.00
820-0450-00-04060161002 (1)	450	PN16	95			10,476.00
820-0500-00-04060031002 (1)	500	PN10	120		C	12,436.00
820-0500-00-04060161002 (1)	500	PN16	120		B	12,436.00
820-0600-00-04060031002 (1)	600	PN10	180		C	20,288.00
820-0600-00-04060161002 (1)	600	PN16	180			20,288.00
820-0700-00-04060031002 (1)	700	PN10	265			24,154.00
820-0700-00-04060161002 (1)	700	PN16	265			24,154.00
820-0800-00-04060031002 (1)	800	PN10	343			31,173.00
820-0800-00-04060161002 (1)	800	PN16	343		C	31,173.00
820-0900-00-04060031002 (1)	900	PN10	493			42,141.00
820-0900-00-04060161002 (1)	900	PN16	493			42,141.00
820-1000-00-04060031002 (1)	1000	PN10	648			56,572.00
820-1000-00-04060161002 (1)	1000	PN16	648			56,572.00

(1) 250 my PUR coating on body

820/10-032

Centric butterfly valve with loose liner and bare shaft - Lug
 Face-to-face dimension according to DIN/EN 558-1, series 20 (K1)
 Ductile iron/ GGG disc, Rilsan coated
 EPDM drinking water approved
 Blue epoxy RAL 5017 200 µm up to DN400. Above PUR coating 250 µm
 Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
820-0025-10-541E0160002	25	PN16	PN16	1.4			276.00
820-0032-10-541E0160002	32	PN16	PN16	1.4			276.00
820-0040-10-541E0160002	40	PN16	PN16	1.9			267.00
820-0050-10-541E0160002	50	PN16	PN16	2.4		B	273.00
820-0065-10-541E0160002	65	PN16	PN16	4.8		B	324.00
820-0080-10-541E0160002	80	PN16	PN16	4.2		B	379.00
820-0100-10-541E0160002	100	PN16	PN16	6.2			445.00
820-0125-10-541E0160002	125	PN16	PN16	7.7		B	533.00
820-0150-10-541E0160002	150	PN16	PN16	8.4			633.00
820-0200-10-541E0160002	200	PN16	PN16	17		B	972.00
820-0250-10-541E0160002	250	PN16	PN16	24			1,810.00
820-0300-10-541E0160002	300	PN16	PN16	32		C	2,970.00

**820/10-029**

Centric butterfly valve with loose liner
Lug with bare shaft
Face-to-face dimension according to DIN/EN 558-1, series 20 (K1)
Ductile iron/ 1.4408 disc
EPDM drinking water approved
Blue epoxy RAL 5017 200 µm up to DN400. Above PUR coating 250 µm
Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	L mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
820-0025-10-541L0160002	25	PN16	30	1.4			276.00
820-0032-10-541L0160002	32	PN16	30	1.4			276.00
820-0040-10-541L0160002	40	PN16	33	1.9			282.00
820-0050-10-541L0160002	50	PN16	43	2.4			293.00
820-0065-10-541L0160002	65	PN16	46	4.8			331.00
820-0080-10-541L0160002	80	PN16	46	4.2			406.00
820-0100-10-541L0160002	100	PN16	52	6.2			508.00
820-0125-10-541L0160002	125	PN16	56	7.7			652.00
820-0150-10-541L0160002	150	PN16	56	8.4			848.00
820-0200-10-541L0160002	200	PN16	60	17			1,366.00
820-0250-10-541L0160002	250	PN16	68	24			2,535.00
820-0300-10-541L0160002	300	PN16	78	32			4,008.00
820-0350-10-04020030002	350	PN10	80	62			4,810.00
820-0350-10-04020160002	350	PN16	80	62			4,810.00
820-0400-10-04020030002	400	PN10	102	75			6,576.00
820-0400-10-04020160002	400	PN16	102	75			6,576.00
820-0450-10-04060161002 (1)	450	PN16	113	143			10,449.00
820-0500-10-04060031002 (1)	500	PN10	126	156			12,806.00
820-0500-10-04060161002 (1)	500	PN16	126	156			12,806.00
820-0600-10-04060031002 (1)	600	PN10	153	240			19,557.00
820-0600-10-04060161002 (1)	600	PN16	153	240			19,557.00

(1) 250 my PUR coating on body

820/20-028

Centric butterfly valve with loose liner
U-section with bare shaft
Face-to-face dimension according to DIN/EN 558-1, series 20 (K1)
Ductile iron/ GGG disc, Rilsan coated
EPDM rubber
Blue epoxy RAL 5017 200 µm up to DN400. Above PUR coating 250 µm
Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
820-0150-20-041E0160002	150	PN16	15		C	1,134.00
820-0200-20-041E0030002	200	PN10	20		C	1,248.00
820-0200-20-041E0160002	200	PN16	20		C	1,248.00
820-0250-20-041E0030002	250	PN10	31		C	2,231.00
820-0250-20-041E0160002	250	PN16	31		C	2,231.00
820-0300-20-04010030002	300	PN10	44		C	2,557.00
820-0300-20-041E0030002	300	PN10	44		C	3,128.00
820-0300-20-041E0160002	300	PN16	44		C	3,128.00
820-0350-20-04010030002	350	PN10	59		C	2,916.00
820-0350-20-04010160002	350	PN16	59		C	2,916.00
820-0400-20-04010160002	400	PN16	82		C	3,920.00
820-0500-20-04040031002	500	PN10	164		C	9,461.00
820-0500-20-04040161002	500	PN16	164		C	9,461.00
820-0600-20-04040031002	600	PN10	250		C	13,254.00
820-0600-20-04040161002	600	PN16	250		C	13,254.00
820-0700-20-04040031002	700	PN10	334		C	17,355.00



820/20-025

Centric butterfly valve with loose liner
U-section with bare shaft
Face-to-face dimension according to DIN/EN 558-1, series 20 (K1)
Ductile iron/ 1.4408 disc
EPDM drinking water approved
Blue epoxy RAL 5017 200 µm up to DN400. Above PUR coating 250 µm
Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	L mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
820-0150-20-041L0160002	150	PN16	56	15		C	1,472.00
820-0200-20-041L0030002	200	PN10	60	20		C	1,722.00
820-0200-20-041L0160002	200	PN16	60	20		C	2,043.00
820-0250-20-041L0030002	250	PN10	68	31		C	2,561.00
820-0250-20-041L0160002	250	PN16	68	31		C	3,040.00
820-0300-20-041L0030002	300	PN10	78	44		C	4,010.00
820-0300-20-041L0160002	300	PN16	78	44		C	4,061.00
820-0350-20-04020030002	350	PN10	80	59		C	4,997.00
820-0350-20-04020160002	350	PN16	80	59		C	4,915.00
820-0400-20-04020030002	400	PN10	102	82		C	6,987.00
820-0400-20-04020160002	400	PN16	102	82		C	6,875.00
820-0450-20-04060031002 ⁽¹⁾	450	PN10	113	118		C	12,850.00
820-0450-20-04060161002 ⁽¹⁾	450	PN16	113	118		C	13,013.00
820-0500-20-04060031002 ⁽¹⁾	500	PN10	126	164		C	14,232.00
820-0500-20-04060161002 ⁽¹⁾	500	PN16	126	164		C	14,409.00
820-0600-20-04060031002 ⁽¹⁾	600	PN10	153	250		C	23,545.00
820-0600-20-04060161002 ⁽¹⁾	600	PN16	153	250		C	24,199.00
820-0700-20-04060031002 ⁽¹⁾	700	PN10	168	334		C	28,578.00
820-0700-20-04060161002 ⁽¹⁾	700	PN16	168	334		C	28,578.00
820-0800-20-04060031002 ⁽¹⁾	800	PN10	190	492		C	41,982.00
820-0800-20-04060161002 ⁽¹⁾	800	PN16	190	492		C	41,300.00
820-0900-20-04060031002 ⁽¹⁾	900	PN10	204	582		C	50,511.00
820-0900-20-04060161002 ⁽¹⁾	900	PN16	204	582		C	51,154.00
820-1000-20-04060031002 ⁽¹⁾	1000	PN10	216	790		C	65,573.00
820-1000-20-04060161002 ⁽¹⁾	1000	PN16	216	790		C	66,406.00
820-1100-20-04060031002 ⁽¹⁾	1100	PN10	218	850		C	86,557.00
820-1100-20-04060161002 ⁽¹⁾	1100	PN16	218	850		C	87,658.00
820-1200-20-04060031002 ⁽¹⁾	1200	PN10	254	1150		C	99,925.00
820-1200-20-04060161002 ⁽¹⁾	1200	PN16	254	1150		C	114,691.00
820-1400-20-04060031002 ⁽¹⁾	1400	PN10	280	1520		C	149,030.00
820-1600-20-04060031002 ⁽¹⁾	1600	PN10	318	2420		C	320,628.00

⁽¹⁾ 250 my PUR coating on body

41/60-003

Swing check valve with free shaft end
Resilient seated
Face-to-face dimension according to EN 558 Table 2 Basic Series 48
Ductile Iron
EPDM rubber wedge, WRAS appr.
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
41-050-60-018	50	PN10/16	13	20	A	1,180.00
41-065-60-018	65	PN10/16	16	15	A	1,328.00
41-080-60-018	80	PN10/16	20	16	A	1,481.00
41-100-60-018	100	PN10/16	26	12	A	1,785.00
41-125-60-018	125	PN10/16	36	8	A	2,252.00
41-150-60-018	150	PN10/16	51	6	A	2,891.00
41-200-60-008	200	PN10	83	4	A	4,593.00
41-200-60-018	200	PN16	83	4	A	4,690.00
41-250-60-008	250	PN10	183	2	A	9,114.00
41-250-60-018	250	PN16	183	2	A	9,263.00
41-300-60-008	300	PN10	231	2	A	10,929.00
41-300-60-018	300	PN16	231	2	A	11,137.00

41/61-003

Swing check valve with closed bushings
Resilient seated
Face-to-face dimension according to EN 558 Table 2 Basic Series 48
Ductile Iron
EPDM rubber wedge, WRAS appr.
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
41-050-61-018	50	PN10/16	12	20	A	922.00
41-065-61-018	65	PN10/16	15	15	A	1,044.00
41-080-61-018	80	PN10/16	17	16	A	1,180.00
41-100-61-018	100	PN10/16	21	12	A	1,454.00
41-125-61-018	125	PN10/16	40	8	A	1,870.00
41-150-61-018	150	PN10/16	42	6	A	2,360.00
41-200-61-008	200	PN10	67	4	A	3,679.00
41-200-61-018	200	PN16	67	5	A	3,780.00
41-250-61-008	250	PN10	183	2	A	7,516.00
41-250-61-018	250	PN16	186	2	A	7,666.00
41-300-61-008	300	PN10	197	2	A	9,752.00
41-300-61-018	300	PN16	196	2	A	9,962.00

**41/60-001**

Swing check valve with free shaft end and prepared for limit switch kit
Resilient seated
Face-to-face dimension according to EN 558 Table 2 Basic Series 48
Ductile Iron
EPDM rubber wedge, WRAS appr.
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
41-080-60-0180041	80	PN10/16	16	16	A	1,596.00
41-100-60-0180041	100	PN10/16	22	12	A	1,926.00
41-125-60-0180041	125	PN10/16	36		A	2,429.00
41-150-60-0180041	150	PN10/16	41	6	A	3,117.00
41-200-60-0080041	200	PN10	63	4	A	4,953.00
41-200-60-0180041	200	PN16	63	2	A	4,953.00
41-250-60-0080041	250	PN10	185	2	A	9,828.00
41-250-60-0180041	250	PN16	185	2	A	9,828.00
41-300-A0-0080041	300	PN10	200			11,784.00
41-300-A0-0180041	300	PN16	200			11,784.00

41/36-009

Swing check valve with lever and weight
Metal seated
Face-to-face dimension according to EN 558 Table 2 Basic Series 10
Ductile Iron
EPDM rubber wedge, WRAS appr.
Blue epoxy RAL 5017 250 µm



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
41-050-36-01800	50	PN10/16	13			918.00
41-080-36-01800	80	PN10/16	19			995.00
41-100-36-01800	100	PN10/16	22			1,068.00
41-150-36-01800	150	PN10/16	41			1,849.00
41-200-36-00800	200	PN10	74			5,445.00
41-200-36-01800	200	PN16	64			5,445.00
41-250-36-00800	250	PN10	145			5,489.00
41-250-36-01800	250	PN16	145			5,489.00
41-300-36-00800	300	PN10	195			8,357.00
41-300-36-01800	300	PN16	195			8,357.00

41/36-001

Swing check valve with lever and weight
Metal seated
Face-to-face dimension according to EN 558 Table 2 Basic Series 48
Ductile Iron
EPDM rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
41-350-36-00800	350	PN10	307	1	A	16,366.00
41-350-36-01800	350	PN16	307	1	C	16,366.00
41-400-36-00800	400	PN10	447	1	A	19,510.00
41-400-36-01800	400	PN16	447	1	A	19,510.00
41-450-36-00800	450	PN10	575	1	A	26,287.00
41-450-36-01800	450	PN16	583	1	A	26,287.00
41-500-36-00800	500	PN10	750	1	A	34,600.00
41-500-36-01800	500	PN16	750	1	A	34,600.00
41-600-36-00800	600	PN10	1006	1	A	41,148.00
41-600-36-01800	600	PN16	1006	1	A	41,148.00

41/35-001

Swing check valve with closed bushings
Metal seated
Face-to-face dimension according to EN 558 Table 2 Basic Series 48
Ductile Iron
EPDM rubber wedge, WRAS appr.
Blue epoxy RAL 5017 250 µm



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
41-350-35-00800	350	PN10	312			11,181.00
41-350-35-01800	350	PN16	312			11,181.00
41-400-35-00800	400	PN10	370	1		13,443.00
41-400-35-01800	400	PN16	370	1		13,443.00
41-450-35-00800	450	PN10	538	1		17,763.00
41-450-35-01800	450	PN16	538	1		17,763.00
41-500-35-00800	500	PN10	745	1		21,400.00
41-500-35-01800	500	PN16	745	1		21,400.00
41-600-35-00800	600	PN10	951	1		26,491.00
41-600-35-01800	600	PN16	951	1		26,491.00

41/I-002

Swing check valve guard kit
ABS plastic



AVK ref. no.	DN/DN	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
41-080-50-009	50 - 80	2.0	20	C	812.00
41-100-50-009	100 - 100	2.2	20	C	818.00
41-150-50-009	125 - 150	5.0	20	C	987.00
41-200-50-009	200 - 200	7.0	20	C	1,041.00
41-300-50-009	250 - 300	10	15	C	1,697.00



96/00-008

Proximity sensor M30 x 1.5 for series 41 guard



AVK ref. no.	Units/ pallet	Deliv. code	Gross Price EUR
96-400-00022		C	550.00

41/D-001

Swing check valve lever and weight kit

Ductile Iron

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN/DN	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
41-080-23-000	50 - 80	2.8	120	A	197.00
41-100-23-000	100 - 100	2.9	60	A	197.00
41-150-23-000	125 - 150	5.6		A	279.00
41-200-23-000	200 - 200	5.7	20	A	279.00
41-300-23-000	250 - 300	13		A	819.00

41/32-001

Swing check valve spring kit

Ductile Iron

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN/DN	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
41-050-32-000	50 - 50	2.0		C	859.00
41-065-32-000	65 - 65	2.0	50	A	862.00
41-080-32-000	80 - 80	3.0	25	A	827.00
41-100-32-000	100 - 100	3.4		A	853.00
41-125-32-000	125 - 125	3.4		C	935.00
41-150-32-000	150 - 150	3.4	20	A	935.00
41-200-32-000	200 - 200	3.4		A	942.00
41-300-32-000	250 - 300	3.4	2	C	2,914.00

641/01-006

Single door swing check valve with lever and weight

Ductile Iron

EPDM rubber

Blue epoxy RAL 5017 250 µm



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
641-0700-01-040000	700	PN10	1608	1		54,808.00
641-0700-01-140000	700	PN16	1608	1		56,588.00
641-0800-01-040000	800	PN10	1960	1		69,621.00
641-0800-01-140000	800	PN16	1960	1		69,621.00
641-0900-01-040000	900	PN10	1967	1		70,314.00
641-0900-01-140000	900	PN16	1967	1		70,314.00
641-1000-01-040000	1000	PN10	3902	1		115,037.00
641-1000-01-140000	1000	PN16	3902	1		115,037.00

641/01-007

Single door swing check valve with free shaft left side with cover

Ductile Iron

EPDM rubber

Blue epoxy RAL 5017 250 µm



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
641-0700-01-120000	700	PN16	1571	1		52,871.00
641-0800-01-120000	800	PN16	1893	1		69,054.00
641-0900-01-120000	900	PN16	1929	1		70,135.00
641-1000-01-120000	1000	PN16	3836	1		111,241.00

**874/00-001**

Tilting disc soft seat check valve with lever and weight
Face-to-face dimension according EN 558 - Series 14

Ductile Iron
EPDM rubber
Epoxy coating



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
874-0150-00-14100000	150	PN16	40		C	8,372.00
874-0200-00-04100000	200	PN10	65		C	9,336.00
874-0200-00-14100000	200	PN16	65		C	9,527.00
874-0250-00-04100000	250	PN10	85		C	11,192.00
874-0250-00-14100000	250	PN16	85		C	11,378.00
874-0300-00-04100000	300	PN10	120		C	12,672.00
874-0300-00-14100000	300	PN16	125		C	13,204.00
874-0350-00-04100000	350	PN10	140		C	14,562.00
874-0350-00-14100000	350	PN16	195		C	15,238.00
874-0400-00-04100000	400	PN10	145		C	16,638.00
874-0400-00-14100000	400	PN16	225		C	19,431.00
874-0450-00-04100000	450	PN10	185		C	20,361.00
874-0450-00-14100000	450	PN16	265		C	22,807.00
874-0500-00-04100000	500	PN10	200		C	20,968.00
874-0500-00-14100000	500	PN16	295		C	25,913.00
874-0600-00-04100000	600	PN10	500		C	29,710.00
874-0600-00-14100000	600	PN16	620		C	38,096.00
874-0700-00-04100000	700	PN10	680		C	43,799.00
874-0700-00-14100000	700	PN16	750		C	52,531.00
874-0800-00-04100000	800	PN10	750		C	57,706.00
874-0800-00-14100000	800	PN16	820		C	70,231.00
874-0900-00-04100000	900	PN10	1030		C	68,736.00
874-0900-00-14100000	900	PN16	1320		C	88,128.00
874-1000-00-04100000	1000	PN10	1600		C	94,665.00
874-1000-00-14100000	1000	PN16	2000		C	118,482.00
874-1200-00-04100000	1200	PN10	2980		C	149,192.00
874-1200-00-14100000	1200	PN16	3740		C	170,151.00
874-1400-00-04100000	1400	PN10	3500		C	196,295.00
874-1400-00-14100000	1400	PN16	4580		C	245,681.00
874-1600-00-04100000	1600	PN10	4000		C	248,999.00
874-1600-00-14100000	1600	PN16	5470		C	323,699.00

875/00-001

Tilting disc, slanted metal seat check valve
Face-to-face dimension according to EN 558 Table 2
Basic Series 14

Ductile Iron
AVK coating standard



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
875-0200-00-03100000	200	PN10	40		C	7,374.00
875-0200-00-13100000	200	PN16	40		C	7,561.00
875-0250-00-03100000	250	PN10	65		C	9,225.00
875-0250-00-13100000	250	PN16	65		C	9,414.00
875-0300-00-03100000	300	PN10	83		C	10,682.00
875-0300-00-13100000	300	PN16	83		C	11,213.00
875-0350-00-03100000	350	PN10	118		C	12,570.00
875-0350-00-13100000	350	PN16	118		C	13,245.00
875-0400-00-03100000	400	PN10	145		C	14,645.00
875-0400-00-13100000	400	PN16	145		C	17,439.00
875-0450-00-03100000	450	PN10	190		C	18,368.00
875-0450-00-13100000	450	PN16	210		C	20,815.00
875-0500-00-03100000	500	PN10	220		C	18,973.00
875-0500-00-13100000	500	PN16	250		C	23,920.00
875-0600-00-03100000	600	PN10	315		C	27,055.00
875-0600-00-13100000	600	PN16	365		C	35,441.00
875-0700-00-03100000	700	PN10	420		C	40,646.00
875-0700-00-13100000	700	PN16	470		C	49,378.00
875-0800-00-03100000	800	PN10	640		C	54,551.00
875-0800-00-13100000	800	PN16	750		C	67,077.00
875-0900-00-03100000	900	PN10	910		C	64,586.00
875-0900-00-13100000	900	PN16	980		C	83,980.00
875-1000-00-03100000	1000	PN10	1150		C	89,686.00
875-1000-00-13100000	1000	PN16	1250		C	113,505.00



876/00-001

Nozzle check valve, single stem
Face-to-face dimension according EN 558 - Series 14
Ductile Iron
EPDM rubber
Epoxy coating



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
876-0050-00-11102010	50	PN16	8.0		C	1,116.00
876-0065-00-11102010	65	PN16	13		C	1,260.00
876-0080-00-11102010	80	PN16	14		C	1,603.00
876-0100-00-11102010	100	PN16	19		C	2,016.00
876-0125-00-11102010	125	PN16	27		C	2,832.00
876-0150-00-11102010	150	PN16	32		C	3,355.00
876-0200-00-01102010	200	PN10	50		C	5,241.00
876-0200-00-11102010	200	PN16	50		C	5,241.00
876-0250-00-01102010	250	PN10	70		C	9,655.00
876-0250-00-11102010	250	PN16	70		C	9,655.00
876-0300-00-01102010	300	PN10	100		C	12,404.00
876-0300-00-11102010	300	PN16	100		C	12,404.00
876-0350-00-01102010	350	PN10	130		C	19,226.00
876-0350-00-11102010	350	PN16	130		C	19,226.00

876/01-001

Nozzle check valve, multiple stem
Face-to-face dimension according EN 558 - Series 14
Ductile Iron
EPDM rubber
Epoxy coating



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
876-0400-01-01102010	400	PN10	160		C	25,851.00
876-0400-01-11102010	400	PN16	165		C	26,139.00
876-0450-01-01102010	450	PN10	180		C	39,051.00
876-0450-01-11102010	450	PN16	190		C	39,051.00
876-0500-01-01102010	500	PN10	260		C	57,465.00
876-0500-01-11102010	500	PN16	275		C	57,465.00
876-0600-01-01102010	600	PN10	420		C	75,194.00
876-0600-01-11102010	600	PN16	480		C	75,194.00

903/20-001

Silent check valve
Face-to-face dimension according to MSS SP-125 short globe
Ductile Iron
Blue epoxy RAL 5017 250 µm



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
903-065-20-11000	65	PN10/16	7.9		C	729.00
903-080-20-11000	80	PN10/16	8.8		C	783.00
903-100-20-11000	100	PN10/16	15		C	1,033.00
903-125-20-11000	125	PN10/16	21		C	1,409.00
903-150-20-11000	150	PN10/16	31		C	1,883.00
903-200-20-01000	200	PN10	51		C	2,948.00
903-200-20-11000	200	PN16	51		C	2,948.00
903-250-20-01000	250	PN10	77		C	4,423.00
903-250-20-11000	250	PN16	77		C	4,423.00
903-300-20-01000	300	PN10	97		C	6,084.00
903-300-20-11000	300	PN16	97		C	6,084.00
903-350-20-01000	350	PN10	137		C	8,908.00
903-350-20-11000	350	PN16	137		C	8,908.00
903-400-20-01000	400	PN10	178		C	10,887.00
903-400-20-11000	400	PN16	178		C	10,887.00

903/20-002

Silent check valve
Face-to-face dimension according to MSS SP-125 short globe
Ductile Iron
Blue epoxy RAL 5017 250 µm



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
903-065-20-71000	65	PN25	8.0		C	792.00
903-080-20-71000	80	PN25	9.0		C	915.00
903-100-20-71000	100	PN25	15		C	1,120.00
903-125-20-71000	125	PN25	21		C	1,532.00
903-150-20-71000	150	PN25	31		C	2,044.00
903-200-20-71000	200	PN25	51		C	3,204.00
903-250-20-71000	250	PN25	77		C	4,802.00
903-300-20-71000	300	PN25	97		C	6,609.00
903-350-20-71000	350	PN25	158		C	9,677.00
903-400-20-71000	400	PN25	208		C	11,826.00

**854/00-001**

Balanced equilibrium ball float valve
Ductile iron
Blue epoxy RAL 5017 250 µm



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
854-050-00-1001	50	PN16	16		B	4,051.00
854-080-00-1001	80	PN16	22		A	4,100.00
854-100-00-1001	100	PN16	33		A	6,317.00
854-150-00-1001	150	PN16	66		B	6,077.00
854-200-00-1001	200	PN16	118		A	10,937.00
854-250-00-1001	250	PN16	184		B	13,889.00
854-300-00-1001	300	PN16	260		B	21,562.00

701/10-001

Automatic air valve
BSP thread
Reinforced polyamide



AVK ref. no.	Connection	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
701-020-10-99003	1/2" BSP	PN16	0.3	108	C	363.00
701-020-11-99003 ⁽¹⁾	1/2" BSP	PN16	0.7	100	C	361.00
701-025-10-99003	3/4" BSP	PN16	0.3	100		239.00
701-025-11-99003 ⁽¹⁾	3/4" BSP	PN16	0.7		C	352.00
701-032-10-99003	1" BSP	PN16	0.3	200	A	358.00
701-032-11-99003 ⁽¹⁾	1" BSP	PN16	0.7		C	

⁽¹⁾ Brass base

701/20-010

Automatic air valve
BSP thread
Ductile Iron
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901



AVK ref. no.	Connection	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
701-020-20-91003	1/2" BSP	PN16	3.5	50	C	605.00
701-025-20-91003	3/4" BSP	PN16	3.5	200	A	605.00
701-032-20-91003	1" BSP	PN16	3.5		A	605.00

701/30-010

Air & vacuum valve
Inlet flange
Ductile Iron
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901



AVK ref. no.	DN mm	Connection	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
701-050-30-11003	50	50 MM	PN10/16	6.1	100	A	1,131.00
701-051-30-91003	50	2" BSP	N/A	4.0	25	C	1,049.00
701-080-30-11003	80	80 MM	PN10/16	13	20	A	1,856.00
701-081-30-91003	80	3" BSP	N/A	9.6	50	C	1,254.00
701-150-30-11003	150	150MM	PN10/16	43	6	C	8,018.00

701/30-020

Air & vacuum valve
Inlet flange
Ductile Iron
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
701-100-30-11003	100	PN10/16	27		A	2,608.00
701-200-30-01003	200	PN10	116		C	8,901.00
701-200-30-11003	200	PN16	116		C	9,816.00

701/40-010

Combination air valve
BSP thread
Reinforced polyamide



DN 20-25

DN 50

AVK ref. no.	Connection	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
701-012-40-99003	1/2" BSP	PN16	0.5			481.00
701-020-40-99003	3/4" BSP	PN16	0.3	50	A	490.00
701-025-40-99003	1" BSP	PN16	0.3	70	A	490.00
701-050-40-99003	2" BSP	PN16	1.0	60	A	933.00
701-050-41-99003 ⁽¹⁾	2" BSP	PN16	2.0	30	A	1,154.00

⁽¹⁾ Brass base

**701/46-010**

High flow combination air valve
Ductile Iron
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
701-050-46-110034	50	PN16	7.3		C	1,217.00
701-050-46-111534 ⁽¹⁾	50	PN16	7.3		C	1,315.00
701-080-46-110034	80	PN16	13		C	1,691.00
701-080-46-111534 ⁽¹⁾	80	PN16	13		C	1,978.00
701-100-46-110034	100	PN16	18		C	2,385.00
701-100-46-111534 ⁽¹⁾	100	PN16	18		C	2,762.00
701-150-46-110534	150	PN16	44		C	5,095.00
701-150-46-111534 ⁽¹⁾	150	PN16	44		C	5,360.00

⁽¹⁾ With non-slam element

701/50-003

Combination air valve
BSP thread/inlet flange
Ductile iron / reinforced
polyamide
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901



AVK ref. no.	DN mm	Connection	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
701-050-50-11003	50	50 MM	PN10/16	6.4	28	A	1,422.00
701-051-50-91003	50	2" BSP	N/A	4.3	15	C	1,422.00
701-080-50-11003	80	80 MM	PN10/16	13	44	A	2,129.00
701-081-50-91003	80	3" BSP	N/A	10	50	C	1,916.00

701/50-020

Combination air valve
Inlet flange
Ductile iron / reinforced
polyamide
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
701-100-50-11003	100	PN10/16	26	44	A	3,227.00
701-150-50-11003	150	PN10/16	43		C	8,334.00
701-200-50-01003	200	PN10	117		C	8,822.00
701-200-50-11003	200	PN16	117		C	9,734.00

701/60-010

Combination air valve
BSP/inlet flange
Ductile Iron
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
701-050-60-11003	50	PN16	7.8	28	A	1,508.00
701-080-60-11003	80	PN16	14	21	A	2,297.00
701-081-60-91003	80	PN16	12		C	2,067.00
701-150-60-11003	150	PN16	45	6	C	8,731.00

701/60-020

Combination air valve
BSP/inlet flange
Ductile Iron
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
701-100-60-11003	100	PN16	27	10	A	3,317.00
701-200-60-01003	200	PN10	118	5	C	9,226.00
701-200-60-11003	200	PN16	118	5	C	10,025.00
701-250-60-01003	250	PN10	151		C	15,454.00
701-250-60-11003	250	PN16	151		C	16,970.00
701-300-60-01003	300	PN10	163		C	31,974.00
701-300-60-11003	300	PN16	163		C	34,606.00

**701/84-002**

Underground combination air valve
PVC



AVK ref. no.	Connection	H3 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
701-050-84-01002	2" BSP	500	7.0		C	5,136.00
701-050-84-02002	2" BSP	755	8.5		C	5,482.00
701-050-84-03002	2" BSP	1055	9.8		C	5,685.00
701-050-84-04002	2" BSP	1305	11		C	5,926.00
701-050-84-06002	2" BSP	1830	14		C	7,235.00
701-050-84-07002	2" BSP	2135	15		C	8,339.00
701-050-84-08002	2" BSP	2440	16		C	9,361.00
701-050-84-11002	50 MM	500	7.0		C	5,369.00
701-050-84-13002	50 MM	1055	9.8	20	C	5,917.00
701-050-84-14002	50 MM	1305	11		C	6,063.00
701-050-84-15002	50 MM	1555	12	9	C	6,005.00
701-050-84-16002	50 MM	1830	14		C	7,464.00
701-050-84-17002	50 MM	2135	15		C	8,625.00
701-050-84-18002	50 MM	2440	16		C	9,594.00
701-080-84-21002	80 MM	500	7.0	1	C	5,404.00
701-080-84-22002	80 MM	755	8.5	22	C	5,748.00
701-080-84-23002	80 MM	1055	9.8		C	5,954.00
701-080-84-24002	80 MM	1355	11		C	6,093.00
701-080-84-25002	80 MM	1555	12	5	C	7,132.00
701-080-84-26002	80 MM	1830	14		C	7,499.00
701-080-84-27002	80 MM	2135	15		C	8,610.00
701-080-84-28002	80 MM	2440	16		C	9,634.00
701-100-84-31002	100 MM	500	7.0		C	5,429.00
701-100-84-32002	100 MM	755	8.5		C	5,773.00
701-100-84-33002	100 MM	1055	9.8		C	5,979.00
701-100-84-34002	100 MM	1355	11		C	6,120.00
701-100-84-35002	100 MM	1555	12		C	6,565.00
701-100-84-36002	100 MM	1830	14		C	7,526.00
701-100-84-37002	100 MM	2135	15		C	8,635.00

851/41-005

Air relief valve
ABS float & float guide
EPDM rubber
Ductile Iron
Blue epoxy RAL 5017 300
µm



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
851-050-41-122000	50	PN10/16	16		B	817.00
851-080-41-122000	80	PN10/16	17		B	840.00
851-100-41-122000	100	PN10/16	23		B	942.00
851-150-41-122000	150	PN10/16	36		B	1,559.00
851-200-41-122000	200	PN16	40		B	1,776.00

851/45-001

Air relief valve
Stainless steel AISI 316 float
Ductile Iron
EPDM rubber
Blue epoxy RAL 5017 300
µm



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
851-050-45-122000	50	PN10/16	16		B	1,086.00
851-080-45-122000	80	PN10/16	17		B	1,175.00
851-100-45-122000	100	PN10/16	23		B	1,320.00
851-150-45-122000	150	PN10/16	36		B	2,732.00
851-200-45-122000	200	PN16	40		B	2,880.00

**859/000X-001**

Pressure reducing control valve (PRV) with reduced bore
All non-coated internals and externals made of stainless steel AISI316

Face-to-face dimension according to EN 558 Table 2
Basic Series 1

Ductile Iron

EPDM rubber

Blue epoxy RAL 5017 300 µm



AVK ref. no.	DN mm	Flange drilling	Pilot range bar	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
859-0065-00-1140000	65	PN10/16	0.6 - 6	17	4	A	5,645.00
859-0065-00-1140001	65	PN10/16	5 - 11	17	4	B	5,645.00
859-0065-00-1140002	65	PN10/16	10 - 16	17	4	C	5,645.00
859-0065-00-1140003	65	PN10/16	0.1 - 1	17	4	C	6,188.00
859-0080-00-1140000	80	PN10/16	0.6 - 6	21	4	A	5,872.00
859-0080-00-1140001	80	PN10/16	5 - 11	21	4	C	5,872.00
859-0080-00-1140002	80	PN10/16	10 - 16	21	4	C	6,164.00
859-0080-00-1140003	80	PN10/16	0.1 - 1	21	4	C	6,416.00
859-0100-00-1140000	100	PN10/16	0.6 - 6	26	4	A	7,134.00
859-0100-00-1140001	100	PN10/16	5 - 11	26	4	B	7,039.00
859-0100-00-1140002	100	PN10/16	10 - 16	26	4	C	7,039.00
859-0100-00-1140003	100	PN10/16	0.1 - 1	26	4	C	7,678.00
859-0125-00-1140000	125	PN10/16	0.6 - 6	31	4	A	6,334.00
859-0125-00-1140001	125	PN10/16	5 - 11	31	4	C	7,765.00
859-0125-00-1140002	125	PN10/16	10 - 16	31	4	C	7,765.00
859-0125-00-1140003	125	PN10/16	0.1 - 1	31	4	C	8,308.00
859-0150-00-1140000	150	PN10/16	0.6 - 6	73	2	A	8,737.00
859-0150-00-1140001	150	PN10/16	5 - 11	73	2	B	8,737.00
859-0150-00-1140002	150	PN10/16	10 - 16	73	2	C	8,640.00
859-0150-00-1140003	150	PN10/16	0.1 - 1	73	2	C	9,265.00
859-0200-00-0140000	200	PN10	0.6 - 6	87	2	A	12,978.00
859-0200-00-0140001	200	PN10	5 - 10	87	2	C	12,978.00
859-0200-00-0140003	200	PN10	0.1 - 1	87	2	C	13,522.00
859-0200-00-1140000	200	PN16	0.6 - 6	87	2	A	12,978.00
859-0200-00-1140001	200	PN16	5 - 11	87	2	C	12,978.00
859-0200-00-1140002	200	PN16	10 - 16	87	2	C	13,076.00
859-0200-00-1140003	200	PN16	0.1 - 1	87	2	C	13,522.00
859-0250-00-0140000	250	PN10	0.6 - 6	144	1	A	17,535.00
859-0250-00-0140001	250	PN10	5 - 10	144	1	C	17,535.00
859-0250-00-0140003	250	PN10	0.1 - 1	144	1	C	18,079.00
859-0250-00-1140000	250	PN16	0.6 - 6	144	1	A	17,535.00
859-0250-00-1140001	250	PN16	5 - 11	144	1	C	15,940.00
859-0250-00-1140002	250	PN16	10 - 16	144	1	C	17,535.00
859-0250-00-1140003	250	PN16	0.1 - 1	144	1	C	18,079.00
859-0300-00-0140000	300	PN10	0.6 - 6	203	1	A	22,335.00
859-0300-00-0140001	300	PN10	5 - 10	203	1	C	22,335.00
859-0300-00-0140003	300	PN10	0.1 - 1	203	1	C	22,887.00
859-0300-00-1140000	300	PN16	0.6 - 6	203	1	A	22,335.00
859-0300-00-1140001	300	PN16	5 - 11	203	1	C	22,335.00
859-0300-00-1140002	300	PN16	10 - 16	203	1	C	22,335.00
859-0300-00-1140003	300	PN16	0.1 - 1	203	1	C	22,887.00
859-0350-00-0140000	350	PN10	0.6 - 6	320	1	C	36,894.00
859-0350-00-0140001	350	PN10	5 - 10	320	1	C	36,894.00
859-0350-00-0140003	350	PN10	0.1 - 1	320	1	C	36,894.00
859-0350-00-1140000	350	PN16	0.6 - 6	320	1	C	36,894.00
859-0350-00-1140001	350	PN16	5 - 10	320	1	C	36,894.00
859-0350-00-1140002	350	PN16	10 - 16	320	1	C	36,894.00
859-0350-00-1140003	350	PN16	0.1 - 1	320	1	C	36,894.00
859-0400-00-0140000	400	PN10	0.6 - 6	498	1	C	49,953.00
859-0400-00-0140001	400	PN10	5 - 10	498	1	C	49,953.00
859-0400-00-0140003	400	PN10	0.1 - 1	498	1	C	49,953.00
859-0400-00-1140000	400	PN16	0.6 - 6	498	1	C	49,953.00
859-0400-00-1140001	400	PN16	5 - 10	498	1	C	49,953.00
859-0400-00-1140002	400	PN16	10 - 16	498	1	C	49,953.00
859-0400-00-1140003	400	PN16	0.1 - 1	498	1	C	49,953.00
859-0450-00-0140000	450	PN10	0.6 - 6	636	1	C	62,240.00
859-0450-00-0140001	450	PN10	5 - 10	636	1	C	62,240.00
859-0450-00-0140003	450	PN10	0.1 - 1	636	1	C	62,240.00
859-0450-00-1140001	450	PN16	5 - 10	636	1	C	62,240.00
859-0450-00-1140002	450	PN16	10 - 16	636	1	C	62,240.00
859-0450-00-1140003	450	PN16	0.1 - 1	636	1	C	62,240.00
859-0500-00-0140000	500	PN10	0.6 - 6	938	1	C	79,144.00
859-0500-00-0140001	500	PN10	5 - 10	938	1	C	79,132.00
859-0500-00-0140003	500	PN10	0.1 - 1	938	1	C	79,132.00
859-0500-00-1140000	500	PN16	0.6 - 6	938	1	C	79,132.00
859-0500-00-1140001	500	PN16	5 - 10	938	1	C	79,132.00



AVK ref. no.	DN mm	Flange drilling	Pilot range bar	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
859-0500-00-1140002	500	PN16	10 - 16	938	1	C	79,132.00
859-0500-00-1140003	500	PN16	0.1 - 1	938	1	C	79,132.00
859-0600-00-0140000	600	PN10	0.6 - 6	1282	1	C	105,493.00
859-0600-00-0140001	600	PN10	5 - 10	1282	1	C	105,493.00
859-0600-00-0140003	600	PN10	0.1 - 1	1282	1	C	105,493.00
859-0600-00-1140000	600	PN16	0.6 - 6	1282	1	C	105,493.00
859-0600-00-1140001	600	PN16	5 - 10	1282	1	C	105,493.00
859-0600-00-1140002	600	PN16	10 - 16	1282	1	C	105,493.00
859-0600-00-1140003	600	PN16	0.1 - 1	1282	1	C	105,493.00

859/001X-001

Pressure sustaining/relief control valve (PSV), reduced bore

All non-coated internals and externals made of stainless steel AISI316

Face-to-face dimension according to EN 558 Table 2 Basic Series 1

Ductile Iron

EPDM rubber

Blue epoxy RAL 5017 300 µm



AVK ref. no.	DN mm	Flange drilling	Pilot range bar	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
859-0065-00-1140010	65	PN10/16	1,5 - 6	17	4	C	6,795.00
859-0065-00-1140011	65	PN10/16	5 - 11	17	4	C	7,002.00
859-0065-00-1140012	65	PN10/16	10 - 16	17	4	C	7,002.00
859-0065-00-1140018	65	PN10/16	0,3 - 1,5	17	4	C	7,546.00
859-0080-00-1140010	80	PN10/16	1,5 - 6	21	4	C	6,292.00
859-0080-00-1140011	80	PN10/16	5 - 11	21	4	C	7,230.00
859-0080-00-1140012	80	PN10/16	10 - 16	21	4	C	7,230.00
859-0080-00-1140018	80	PN10/16	0,3 - 1,5	21	4	C	7,775.00
859-0100-00-1140010	100	PN10/16	1,5 - 6	26	4	C	8,492.00
859-0100-00-1140011	100	PN10/16	5 - 11	26	4	C	8,492.00
859-0100-00-1140012	100	PN10/16	10 - 16	26	4	C	8,492.00
859-0100-00-1140018	100	PN10/16	0,3 - 1,5	26	4	C	9,037.00
859-0125-00-1140010	125	PN10/16	1,5 - 6	31	4	C	9,123.00
859-0125-00-1140011	125	PN10/16	5 - 11	31	4	C	9,123.00
859-0125-00-1140012	125	PN10/16	10 - 16	31	4	C	9,123.00
859-0125-00-1140018	125	PN10/16	0,3 - 1,5	31	4	C	9,666.00
859-0150-00-1140010	150	PN10/16	1,5 - 6	73	2	C	10,097.00
859-0150-00-1140011	150	PN10/16	5 - 11	73	2	C	10,097.00
859-0150-00-1140012	150	PN10/16	10 - 16	73	2	C	10,004.00
859-0150-00-1140018	150	PN10/16	0,3 - 1,5	73	2	C	10,624.00
859-0200-00-0140010	200	PN10	1,5 - 6	87	2	C	13,432.00
859-0200-00-0140011	200	PN10	5 - 10	87	2	C	14,338.00
859-0200-00-0140018	200	PN10	0,3 - 1,5	87	2	C	14,882.00
859-0200-00-1140010	200	PN16	1,5 - 6	87		C	13,236.00
859-0200-00-1140011	200	PN16	5 - 11	87	2	C	14,338.00
859-0200-00-1140012	200	PN16	10 - 16	87	2	C	14,338.00
859-0200-00-1140018	200	PN16	0,3 - 1,5	87	2	C	14,882.00
859-0250-00-0140010	250	PN10	1,5 - 6	144	1	C	18,894.00
859-0250-00-0140011	250	PN10	5 - 10	144	1	C	18,894.00
859-0250-00-0140018	250	PN10	0,3 - 1,5	144	1	C	18,894.00
859-0250-00-1140010	250	PN16	1,5 - 6	144	1	C	18,894.00
859-0250-00-1140011	250	PN16	5 - 11	144	1	C	18,894.00
859-0250-00-1140012	250	PN16	10 - 16	144	1	C	18,894.00
859-0250-00-1140018	250	PN16	0,3 - 1,5	144	1	C	19,439.00
859-0300-00-0140010	300	PN10	1,5 - 6	203	1	C	23,714.00
859-0300-00-0140011	300	PN10	5 - 10	203	1	C	23,714.00
859-0300-00-0140018	300	PN10	0,3 - 1,5	203	1	C	24,266.00
859-0300-00-1140010	300	PN16	1,5 - 6	203		C	20,365.00
859-0300-00-1140011	300	PN16	5 - 11	203	1	C	23,714.00
859-0300-00-1140012	300	PN16	10 - 16	203	1	C	23,714.00
859-0300-00-1140018	300	PN16	0,3 - 1,5	203	1	C	24,266.00
859-0350-00-0140010	350	PN10	1,5 - 6	320	1	C	29,907.00
859-0350-00-0140011	350	PN10	5 - 10	320	1	C	29,907.00
859-0350-00-0140018	350	PN10	0,3 - 1,5	320	1	C	29,907.00
859-0350-00-1140010	350	PN16	0,5 - 6	320	1	C	29,907.00
859-0350-00-1140011	350	PN16	5 - 10	320	1	C	29,907.00
859-0350-00-1140012	350	PN16	10 - 16	320	1	C	29,907.00
859-0350-00-1140018	350	PN16	0,3 - 1,5	320	1	C	29,907.00
859-0400-00-0140010	400	PN10	1,5 - 6	498	1	C	42,268.00
859-0400-00-0140011	400	PN10	5 - 10	498	1	C	42,268.00
859-0400-00-0140018	400	PN10	0,3 - 1,5	498	1	C	42,268.00
859-0400-00-1140010	400	PN16	1,5 - 6	498	1	C	42,268.00
859-0400-00-1140011	400	PN16	5 - 10	498	1	C	42,268.00
859-0400-00-1140012	400	PN16	10 - 16	498	1	C	42,268.00



AVK ref. no.	DN mm	Flange drilling	Pilot range bar	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
859-0400-00-1140018	400	PN16	0.3 - 1.5	498	1	C	42,268.00
859-0450-00-0140010	450	PN10	1.5 - 6	636	1	C	51,481.00
859-0450-00-0140011	450	PN10	5 - 10	636	1	C	51,481.00
859-0450-00-0140018	450	PN10	0.3 - 1.5	636	1	C	51,481.00
859-0450-00-1140010	450	PN16	1.5 - 6	636	1	C	51,481.00
859-0450-00-1140011	450	PN16	5 - 10	636	1	C	51,481.00
859-0450-00-1140012	450	PN16	10 - 16	636	1	C	51,481.00
859-0450-00-1140018	450	PN16	0.3 - 1.5	636	1	C	51,481.00
859-0500-00-0140010	500	PN10	1.5 - 6	938	1	C	62,667.00
859-0500-00-0140011	500	PN10	5 - 10	938	1	C	62,667.00
859-0500-00-0140018	500	PN10	0.3 - 1.5	938	1	C	62,667.00
859-0500-00-1140010	500	PN16	1.5 - 6	938	1	C	62,667.00
859-0500-00-1140011	500	PN16	5 - 10	938	1	C	62,667.00
859-0500-00-1140012	500	PN16	10 - 16	938	1	C	62,667.00
859-0500-00-1140018	500	PN16	0.3 - 1.5	938	1	C	62,667.00
859-0600-00-0140010	600	PN10	1.5 - 6	1282	1	C	79,830.00
859-0600-00-0140011	600	PN10	5 - 10	1282	1	C	79,830.00
859-0600-00-0140018	600	PN10	0.3 - 1.5	1282	1	C	79,830.00
859-0600-00-1140010	600	PN16	1.5 - 6	1282	1	C	79,830.00
859-0600-00-1140011	600	PN16	5 - 10	1282	1	C	79,830.00
859-0600-00-1140012	600	PN16	10 - 16	1282	1	C	79,830.00
859-0600-00-1140018	600	PN16	0.3 - 1.5	1282	1	C	79,830.00

859/100X-001

Pressure reducing control valve (PRV), full bore
All non-coated internals and externals made of stainless steel AISI316
Face-to-face dimension according to EN 558 Table 2
Basic Series 1
Ductile Iron
EPDM rubber
Blue epoxy RAL 5017 300 µm



AVK ref. no.	DN mm	Flange drilling	Pilot range bar	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
859-0050-10-1140000	50	PN10/16	0.6 - 6	14	4	A	5,546.00
859-0050-10-1140001	50	PN10/16	5 - 11	14	4	B	5,612.00
859-0050-10-1140002	50	PN10/16	10 - 16	14	4	C	5,546.00
859-0050-10-1140003	50	PN10/16	0.1 - 1	14	4	C	6,089.00
859-0065-10-1140000	65	PN10/16	0.6 - 6	19	4	C	6,106.00
859-0065-10-1140001	65	PN10/16	5 - 11	19	4	C	6,106.00
859-0065-10-1140002	65	PN10/16	10 - 16	19	4	C	6,106.00
859-0065-10-1140003	65	PN10/16	0.1 - 1	19	4	C	6,650.00
859-0080-10-1140000	80	PN10/16	0.6 - 6	23	4	C	6,564.00
859-0080-10-1140001	80	PN10/16	5 - 11	23	4	C	6,561.00
859-0080-10-1140002	80	PN10/16	10 - 16	23	4	C	6,561.00
859-0080-10-1140003	80	PN10/16	0.1 - 1	23	4	C	7,106.00
859-0100-10-1140000	100	PN10/16	0.6 - 6	32	4	B	7,368.00
859-0100-10-1140001	100	PN10/16	5 - 11	32	4	C	7,366.00
859-0100-10-1140002	100	PN10/16	10 - 16	32	4	C	7,366.00
859-0100-10-1140003	100	PN10/16	0.1 - 1	32	4	C	7,912.00
859-0150-10-1140000	150	PN10/16	0.6 - 6	73	2	C	11,847.00
859-0150-10-1140001	150	PN10/16	5 - 11	73	2	C	11,849.00
859-0150-10-1140002	150	PN10/16	10 - 16	73	2	C	11,849.00
859-0150-10-1140003	150	PN10/16	0.1 - 1	73	2	C	12,391.00
859-0200-10-0140000	200	PN10	0.6 - 6	125	2	C	15,600.00
859-0200-10-0140001	200	PN10	5 - 10	125	2	C	15,600.00
859-0200-10-0140003	200	PN10	0.1 - 1	125	2	C	16,142.00
859-0200-10-1140000	200	PN16	0.6 - 6	125	2	C	15,600.00
859-0200-10-1140001	200	PN16	5 - 11	125	2	C	15,600.00
859-0200-10-1140002	200	PN16	10 - 16	125	2	C	15,600.00
859-0200-10-1140003	200	PN16	0.1 - 1	125	2	C	16,142.00
859-0250-10-0140000	250	PN10	0.6 - 6	180	1	C	16,147.00
859-0250-10-0140001	250	PN10	5 - 10	180	1	C	20,496.00
859-0250-10-0140003	250	PN10	0.1 - 1	180	1	C	21,042.00
859-0250-10-1140000	250	PN16	0.6 - 6	180	1	C	20,497.00
859-0250-10-1140001	250	PN16	5 - 11	180	1	C	20,496.00
859-0250-10-1140002	250	PN16	10 - 16	180	1	C	20,496.00
859-0250-10-1140003	250	PN16	0.1 - 1	180	1	C	21,042.00
859-0300-10-0140000	300	PN10	0.6 - 6	233	1	C	28,244.00
859-0300-10-0140001	300	PN10	5 - 10	233	1	C	28,249.00
859-0300-10-0140003	300	PN10	0.1 - 1	233	1	C	28,799.00
859-0300-10-1140000	300	PN16	0.6 - 6	233	1	C	28,244.00
859-0300-10-1140001	300	PN16	5 - 11	233	1	C	28,249.00
859-0300-10-1140002	300	PN16	10 - 16	233	1	C	28,249.00



AVK ref. no.	DN mm	Flange drilling	Pilot range bar	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
859-0300-10-1140003	300	PN16	0.1 - 1	233	1	C	28,799.00
859-0350-10-0140000	350	PN10	0.6 - 6	455	1	C	33,900.00
859-0350-10-0140001	350	PN10	5 - 10	455	1	C	33,900.00
859-0350-10-0140003	350	PN10	0.1 - 1	455	1	C	33,900.00
859-0350-10-1140000	350	PN16	0.6 - 6	455	1	C	33,900.00
859-0350-10-1140001	350	PN16	5 - 11	455	1	C	33,900.00
859-0350-10-1140002	350	PN16	10 - 16	455	1	C	33,900.00
859-0350-10-1140003	350	PN16	0.1 - 1	455	1	C	33,900.00
859-0400-10-0140000	400	PN10	0.6 - 6	575	1	C	46,144.00
859-0400-10-0140001	400	PN10	5 - 10	575	1	C	46,144.00
859-0400-10-0140003	400	PN10	0.1 - 1	575	1	C	46,144.00
859-0400-10-1140000	400	PN16	0.6 - 6	575	1	C	46,144.00
859-0400-10-1140001	400	PN16	5 - 11	575	1	C	46,144.00
859-0400-10-1140002	400	PN16	10 - 16	575	1	C	46,144.00
859-0400-10-1140003	400	PN16	0.1 - 1	575	1	C	46,144.00
859-0450-10-0140000	450	PN10	0.6 - 6	880	1	C	59,427.00
859-0450-10-0140001	450	PN10	5 - 10	880	1	C	59,427.00
859-0450-10-0140003	450	PN10	0.1 - 1	880	1	C	59,427.00
859-0450-10-1140000	450	PN16	0.6 - 6	880	1	C	59,427.00
859-0450-10-1140001	450	PN16	5 - 11	880	1	C	59,427.00
859-0450-10-1140002	450	PN16	10 - 16	880	1	C	59,427.00
859-0450-10-1140003	450	PN16	0.1 - 1	880	1	C	59,427.00
859-0500-10-0140000	500	PN10	0.6 - 6	1130	1	C	72,292.00
859-0500-10-0140001	500	PN10	5 - 10	1130	1	C	72,292.00
859-0500-10-0140003	500	PN10	0.1 - 1	1130	1	C	72,292.00
859-0500-10-1140000	500	PN16	0.6 - 6	1130	1	C	72,292.00
859-0500-10-1140001	500	PN16	5 - 11	1130	1	C	72,292.00
859-0500-10-1140002	500	PN16	10 - 16	1130	1	C	72,292.00
859-0500-10-1140003	500	PN16	0.1 - 1	1130	1	C	72,292.00
859-0600-10-0140000	600	PN10	0.6 - 6	1650	1	C	100,138.00
859-0600-10-0140001	600	PN10	5 - 10	1650	1	C	100,138.00
859-0600-10-0140003	600	PN10	0.1 - 1	1650	1	C	100,138.00
859-0600-10-1140000	600	PN16	0.6 - 6	1650	1	C	100,138.00
859-0600-10-1140001	600	PN16	5 - 11	1650	1	C	100,138.00
859-0600-10-1140002	600	PN16	10 - 16	1650	1	C	100,138.00
859-0600-10-1140003	600	PN16	0.1 - 1	1650	1	C	100,138.00

859/101X-001

Pressure sustaining/relief control valve (PSV) with full bore

All non-coated internals and externals made of stainless steel AISI316

Face-to-face dimension according to EN 558 Table 2 Basic Series 1

Ductile Iron

EPDM rubber

Blue epoxy RAL 5017 300 µm



AVK ref. no.	DN mm	Flange drilling	Pilot range bar	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
859-0050-10-1140010	50	PN10/16	1,5 - 6	14	4	B	7,166.00
859-0050-10-1140011	50	PN10/16	5 - 11	14	4	C	6,905.00
859-0050-10-1140012	50	PN10/16	10 - 16	14	4	C	6,905.00
859-0050-10-1140018	50	PN10/16	0,3 - 1,5	14	4	C	7,408.00
859-0065-10-1140010	65	PN10/16	1,5 - 6	19	4	C	7,466.00
859-0065-10-1140011	65	PN10/16	5 - 11	19	4	C	7,466.00
859-0065-10-1140012	65	PN10/16	10 - 16	19	4	C	7,466.00
859-0065-10-1140018	65	PN10/16	0,3 - 1,5	19	4	C	8,008.00
859-0080-10-1140010	80	PN10/16	1,5 - 6	23	4	C	7,922.00
859-0080-10-1140011	80	PN10/16	5 - 11	23	4	C	7,920.00
859-0080-10-1140012	80	PN10/16	10 - 16	23	4	C	7,920.00
859-0080-10-1140018	80	PN10/16	0,3 - 1,5	23	4	C	8,465.00
859-0100-10-1140010	100	PN10/16	1,5 - 6	32	4	C	8,729.00
859-0100-10-1140011	100	PN10/16	5 - 11	32	4	C	8,727.00
859-0100-10-1140012	100	PN10/16	10 - 16	32	4	C	8,727.00
859-0100-10-1140018	100	PN10/16	0,3 - 1,5	32	4	C	9,270.00
859-0150-10-1140010	150	PN10/16	1,5 - 6	73	2	C	13,207.00
859-0150-10-1140011	150	PN10/16	5 - 11	73	2	C	10,668.00
859-0150-10-1140012	150	PN10/16	10 - 16	73	2	C	13,210.00
859-0150-10-1140018	150	PN10/16	0,3 - 1,5	73	2	C	13,751.00
859-0200-10-0140010	200	PN10	1,5 - 6	125	2	C	16,959.00
859-0200-10-0140011	200	PN10	5 - 10	125	2	C	16,959.00
859-0200-10-0140018	200	PN10	0,3 - 1,5	125	2	C	17,501.00
859-0200-10-1140010	200	PN16	1,5 - 6	125	2	C	16,959.00
859-0200-10-1140011	200	PN16	5 - 11	125	2	C	16,959.00
859-0200-10-1140012	200	PN16	10 - 16	125	2	C	16,959.00



AVK ref. no.	DN mm	Flange drilling	Pilot range bar	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
859-0200-10-1140018	200	PN16	0,3 - 1,5	125	2	C	17,501.00
859-0250-10-0140010	250	PN10	1,5 - 6	180	1	C	21,856.00
859-0250-10-0140011	250	PN10	5 - 10	180	1	C	21,855.00
859-0250-10-0140018	250	PN10	0,3 - 1,5	180	1	C	22,401.00
859-0250-10-1140010	250	PN16	1,5 - 6	180	1	C	21,856.00
859-0250-10-1140011	250	PN16	5 - 11	180	1	C	21,855.00
859-0250-10-1140012	250	PN16	10 - 16	180	1	C	21,855.00
859-0250-10-1140018	250	PN16	0.1 - 1	180	1	C	22,401.00
859-0300-10-0140010	300	PN10	1,5 - 6	233	1	C	29,623.00
859-0300-10-0140011	300	PN10	5 - 10	233	1	C	29,635.00
859-0300-10-0140018	300	PN10	0,3 - 1,5	233	1	C	30,177.00
859-0300-10-1140010	300	PN16	1,5 - 6	233	1	C	29,623.00
859-0300-10-1140011	300	PN16	5 - 11	233	1	C	29,628.00
859-0300-10-1140012	300	PN16	10 - 16	233	1	C	29,628.00
859-0300-10-1140018	300	PN16	0,3 - 1,5	233	1	C	30,177.00
859-0350-10-0140010	350	PN10	0.6 - 6	455	1	C	34,378.00
859-0350-10-0140011	350	PN10	5 - 10	455	1	C	34,378.00
859-0350-10-0140018	350	PN10	0.1 - 1	455	1	C	34,378.00
859-0350-10-1140010	350	PN16	0.6 - 6	455	1	C	34,378.00
859-0350-10-1140011	350	PN16	5 - 11	455	1	C	34,378.00
859-0350-10-1140012	350	PN16	10 - 16	455	1	C	34,378.00
859-0350-10-1140018	350	PN16	0.1 - 1	455	1	C	34,378.00
859-0400-10-0140010	400	PN10	0.6 - 6	575	1	C	46,701.00
859-0400-10-0140011	400	PN10	5 - 10	575	1	C	46,701.00
859-0400-10-0140018	400	PN10	0.1 - 1	575	1	C	46,701.00
859-0400-10-1140010	400	PN16	0.6 - 6	575	1	C	46,701.00
859-0400-10-1140011	400	PN16	5 - 11	575	1	C	46,701.00
859-0400-10-1140012	400	PN16	10 - 16	575	1	C	46,701.00
859-0400-10-1140018	400	PN16	0.1 - 1	575	1	C	46,701.00
859-0450-10-0140010	450	PN10	0.6 - 6	880	1	C	59,983.00
859-0450-10-0140011	450	PN10	5 - 10	880	1	C	59,983.00
859-0450-10-0140018	450	PN10	0.1 - 1	880	1	C	59,983.00
859-0450-10-1140010	450	PN16	0.6 - 6	880	1	C	59,983.00
859-0450-10-1140011	450	PN16	5 - 11	880	1	C	59,983.00
859-0450-10-1140012	450	PN16	10 - 16	880	1	C	59,983.00
859-0450-10-1140018	450	PN16	0.1 - 1	880	1	C	59,983.00
859-0500-10-0140010	500	PN10	0.6 - 6	1130	1	C	72,847.00
859-0500-10-0140011	500	PN10	5 - 10	1130	1	C	72,847.00
859-0500-10-0140018	500	PN10	0.1 - 1	1130	1	C	72,847.00
859-0500-10-1140010	500	PN16	0.6 - 6	1130	1	C	72,847.00
859-0500-10-1140011	500	PN16	5 - 11	1130	1	C	72,847.00
859-0500-10-1140012	500	PN16	10 - 16	1130	1	C	72,847.00
859-0500-10-1140018	500	PN16	0.1 - 1	1130	1	C	72,847.00
859-0600-10-0140010	600	PN10	0.6 - 6	1650	1	C	100,693.00
859-0600-10-0140011	600	PN10	5 - 10	1650	1	C	100,693.00
859-0600-10-0140018	600	PN10	0.1 - 1	1650	1	C	100,693.00
859-0600-10-1140010	600	PN16	0.6 - 6	1650	1	C	100,693.00
859-0600-10-1140011	600	PN16	5 - 11	1650	1	C	100,693.00
859-0600-10-1140012	600	PN16	10 - 16	1650	1	C	100,693.00
859-0600-10-1140018	600	PN16	0.1 - 1	1650	1	C	100,693.00

859/002X-001

Constant flow control valve,
reduced bore
Face-to-face dimension
according to EN 558 Table 2
Basic Series 1
Ductile Iron
EPDM rubber
Blue epoxy RAL 5017 300
µm



AVK ref. no.	DN mm	Flange drilling	Flow range m³/h	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
859-0065-00-1140020	65	PN10/16	5 - 15	17	4	C	7,364.00
859-0065-00-1140021	65	PN10/16	8 - 20	17	4	C	7,364.00
859-0065-00-1140022	65	PN10/16	17 - 42	17	4	C	7,364.00
859-0080-00-1140020	80	PN10/16	7 - 18	21	4	C	7,670.00
859-0080-00-1140021	80	PN10/16	14 - 36	21	4	C	7,670.00
859-0080-00-1140022	80	PN10/16	27 - 65	21	4	C	7,649.00
859-0100-00-1140020	100	PN10/16	7 - 18	26	4	C	8,966.00
859-0100-00-1140021	100	PN10/16	14 - 34	26	4	C	8,966.00
859-0100-00-1140022	100	PN10/16	23 - 57	26	4	C	8,966.00
859-0100-00-1140023	100	PN10/16	47 - 113	26	4	C	8,821.00
859-0125-00-1140020	125	PN10/16	13 - 32	31	4	C	9,755.00
859-0125-00-1140021	125	PN10/16	21 - 52	31	4	C	9,755.00



AVK ref. no.	DN mm	Flange drilling	Flow range m³/h	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
859-0125-00-1140022	125	PN10/16	32 - 80	31	4	C	9,755.00
859-0125-00-1140023	125	PN10/16	48 - 118	31	4	C	9,755.00
859-0150-00-1140020	150	PN10/16	30 - 75	73	2	C	11,089.00
859-0150-00-1140021	150	PN10/16	50 - 150	73	2	C	11,089.00
859-0150-00-1140022	150	PN10/16	80 - 200	73	2	C	11,089.00
859-0150-00-1140023	150	PN10/16	115 - 254	73	2	C	11,087.00
859-0200-00-0140020	200	PN10	50 - 130	87	2	C	15,524.00
859-0200-00-0140021	200	PN10	115 - 290	87	2	C	15,524.00
859-0200-00-0140022	200	PN10	150 - 339	87	2	C	15,524.00
859-0200-00-0140023	200	PN10	190 - 339	87	2	C	15,523.00
859-0200-00-1140020	200	PN16	50 - 130	87	2	C	15,524.00
859-0200-00-1140021	200	PN16	115 - 290	87	2	C	15,524.00
859-0200-00-1140022	200	PN16	150 - 365	87	2	C	15,524.00
859-0200-00-1140023	200	PN16	190 - 452	87	2	C	15,523.00
859-0250-00-0140020	250	PN10	85 - 200	144	1	C	20,360.00
859-0250-00-0140021	250	PN10	140 - 350	144	1	C	20,360.00
859-0250-00-0140022	250	PN10	230 - 530	144	1	C	20,360.00
859-0250-00-0140023	250	PN10	280 - 530	144	1	C	20,357.00
859-0250-00-1140020	250	PN16	85 - 200	144	1	C	20,360.00
859-0250-00-1140021	250	PN16	140 - 350	144	1	C	20,360.00
859-0250-00-1140022	250	PN16	230 - 570	144	1	C	20,360.00
859-0250-00-1140023	250	PN16	280 - 690	144	1	C	20,357.00
859-0300-00-0140020	300	PN10	120 - 300	203	1	C	25,409.00
859-0300-00-0140021	300	PN10	175 - 430	203	1	C	25,409.00
859-0300-00-0140022	300	PN10	340 - 762	203	1	C	25,409.00
859-0300-00-0140023	300	PN10	460 - 762	203	1	C	25,407.00
859-0300-00-1140020	300	PN16	120 - 300	203	1	C	25,409.00
859-0300-00-1140021	300	PN16	175 - 430	203	1	C	25,409.00
859-0300-00-1140022	300	PN16	340 - 825	203	1	C	25,409.00
859-0300-00-1140023	300	PN16	460 - 1017	203	1	C	25,407.00
859-0350-00-0140020	350	PN10	170 - 420	325	1	C	35,311.00
859-0350-00-0140021	350	PN10	225 - 555	325	1	C	35,311.00
859-0350-00-0140022	350	PN10	510 - 1250	325	1	C	35,311.00
859-0350-00-0140023	350	PN10	650 - 1595	325	1	C	35,311.00
859-0350-00-1140020	350	PN16	170 - 420	325	1	C	35,311.00
859-0350-00-1140021	350	PN16	225 - 555	325	1	C	35,311.00
859-0350-00-1140022	350	PN16	510 - 1250	325	1	C	35,311.00
859-0350-00-1140023	350	PN16	650 - 1595	325	1	C	35,311.00
859-0400-00-0140020	400	PN10	225 - 545	505	1	C	49,221.00
859-0400-00-0140021	400	PN10	370 - 905	505	1	C	49,221.00
859-0400-00-0140022	400	PN10	525 - 1285	505	1	C	49,221.00
859-0400-00-0140023	400	PN10	740 - 1815	505	1	C	49,221.00
859-0400-00-1140020	400	PN16	225 - 545	505	1	C	49,221.00
859-0400-00-1140021	400	PN16	370 - 905	505	1	C	49,221.00
859-0400-00-1140022	400	PN16	525 - 1285	505	1	C	49,221.00
859-0400-00-1140023	400	PN16	740 - 1815	505	1	C	49,221.00
859-0450-00-0140020	450	PN10	280 - 690	645	1	C	59,074.00
859-0450-00-0140021	450	PN10	445 - 1090	645	1	C	59,074.00
859-0450-00-0140022	450	PN10	675 - 1640	645	1	C	59,074.00
859-0450-00-0140023	450	PN10	1020 - 2495	645	1	C	59,074.00
859-0450-00-1140020	450	PN16	280 - 690	645	1	C	59,074.00
859-0450-00-1140021	450	PN16	445 - 1090	645	1	C	59,074.00
859-0450-00-1140022	450	PN16	675 - 1640	645	1	C	59,074.00
859-0450-00-1140023	450	PN16	1020 - 2495	645	1	C	59,074.00
859-0500-00-0140020	500	PN10	350 - 835	947	1	C	71,428.00
859-0500-00-0140021	500	PN10	530 - 1290	947	1	C	71,428.00
859-0500-00-0140022	500	PN10	765 - 1860	947	1	C	71,428.00
859-0500-00-0140023	500	PN10	1115 - 2715	947	1	C	71,428.00
859-0500-00-1140020	500	PN16	350 - 835	947	1	C	71,428.00
859-0500-00-1140021	500	PN16	530 - 1290	947	1	C	71,428.00
859-0500-00-1140022	500	PN16	765 - 1860	947	1	C	71,428.00
859-0500-00-1140023	500	PN16	1115 - 2715	947	1	C	71,428.00
859-0600-00-0140020	600	PN10	500 - 1225	1292	1	C	90,372.00
859-0600-00-0140021	600	PN10	710 - 1735	1292	1	C	90,372.00
859-0600-00-0140022	600	PN10	970 - 2360	1292	1	C	90,372.00
859-0600-00-0140023	600	PN10	1780 - 4350	1292	1	C	90,372.00



AVK ref. no.	DN mm	Flange drilling	Flow range m ³ /h	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
859-0600-00-1140020	600	PN16	500 - 1225	1292	1	C	90,372.00
859-0600-00-1140021	600	PN16	710 - 1735	1292	1	C	90,372.00
859-0600-00-1140022	600	PN16	970 - 2360	1292	1	C	90,372.00

**859/102X-001**

Constant flow control valve,
full bore
Face-to-face dimension
according to EN 558 Table 2
Basic Series 1
Ductile Iron
EPDM rubber
Blue epoxy RAL 5017 300
µm



AVK ref. no.	DN mm	Flange drilling	Flow range m³/h	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
859-0050-10-1140020	50	PN10/16	3 - 8	14	4	C	7,653.00
859-0050-10-1140021	50	PN10/16	9 - 25	14	4	C	7,057.00
859-0050-10-1140022	50	PN10/16	15 - 35	14	4	C	7,057.00
859-0065-10-1140020	65	PN10/16	5 - 15	19	4	C	7,358.00
859-0065-10-1140021	65	PN10/16	8 - 20	19	4	C	7,358.00
859-0065-10-1140022	65	PN10/16	17 - 42	19	4	C	7,358.00
859-0080-10-1140020	80	PN10/16	7 - 18	23	4	C	7,678.00
859-0080-10-1140021	80	PN10/16	14 - 36	23	4	C	7,678.00
859-0080-10-1140022	80	PN10/16	27 - 65	23	4	C	7,678.00
859-0100-10-1140020	100	PN10/16	7 - 18	32	4	C	9,032.00
859-0100-10-1140021	100	PN10/16	14 - 34	32	4	C	9,032.00
859-0100-10-1140022	100	PN10/16	23 - 57	32	4	C	9,032.00
859-0100-10-1140023	100	PN10/16	47 - 113	32	4	C	9,032.00
859-0150-10-1140020	150	PN10/16	30 - 75	73	2	C	13,745.00
859-0150-10-1140021	150	PN10/16	50 - 150	73	2	C	13,745.00
859-0150-10-1140022	150	PN10/16	80 - 200	73	2	C	13,745.00
859-0150-10-1140023	150	PN10/16	115 - 254	73	2	C	13,745.00
859-0200-10-0140020	200	PN10	50 - 130	125	2	C	18,251.00
859-0200-10-0140021	200	PN10	115 - 290	125	2	C	18,251.00
859-0200-10-0140022	200	PN10	150 - 339	125	2	C	18,251.00
859-0200-10-0140023	200	PN10	190 - 339	125	2	C	18,251.00
859-0200-10-1140020	200	PN16	50 - 130	125	2	C	18,251.00
859-0200-10-1140021	200	PN16	115 - 290	125	2	C	18,251.00
859-0200-10-1140022	200	PN16	150 - 365	125	2	C	18,251.00
859-0200-10-1140023	200	PN16	190 - 452	125	2	C	18,251.00
859-0250-10-0140020	250	PN10	85 - 200	180	1	C	23,582.00
859-0250-10-0140021	250	PN10	140 - 350	180	1	C	23,582.00
859-0250-10-0140022	250	PN10	230 - 530	180	1	C	23,582.00
859-0250-10-0140023	250	PN10	280 - 530	180	1	C	23,582.00
859-0250-10-1140020	250	PN16	85 - 200	180	1	C	23,582.00
859-0250-10-1140021	250	PN16	140 - 350	180	1	C	23,582.00
859-0250-10-1140022	250	PN16	230 - 570	180	1	C	23,582.00
859-0250-10-1140023	250	PN16	280 - 690	180	1	C	23,582.00
859-0300-10-0140020	300	PN10	120 - 300	233	1	C	30,921.00
859-0300-10-0140021	300	PN10	175 - 430	233	1	C	30,921.00
859-0300-10-0140022	300	PN10	340 - 762	233	1	C	30,921.00
859-0300-10-0140023	300	PN10	460 - 762	233	1	C	30,921.00
859-0300-10-1140020	300	PN16	120 - 300	233	1	C	30,921.00
859-0350-10-0140020	350	PN10	170 - 420	455	1	C	39,786.00
859-0350-10-0140021	350	PN10	225 - 555	455	1	C	39,786.00
859-0350-10-0140022	350	PN10	510 - 1250	455	1	C	39,786.00
859-0350-10-0140023	350	PN10	650 - 1595	455	1	C	39,786.00
859-0350-10-1140020	350	PN16	170 - 420	455	1	C	39,786.00
859-0350-10-1140021	350	PN16	225 - 555	455	1	C	39,786.00
859-0350-10-1140022	350	PN16	510 - 1250	455	1	C	39,786.00
859-0350-10-1140023	350	PN16	650 - 1595	455	1	C	39,786.00
859-0400-10-0140020	400	PN10	225 - 545	575	1	C	53,653.00
859-0400-10-0140021	400	PN10	370 - 905	575	1	C	53,653.00
859-0400-10-0140022	400	PN10	525 - 1285	575	1	C	53,653.00
859-0400-10-0140023	400	PN10	740 - 1815	575	1	C	53,653.00
859-0400-10-1140020	400	PN16	225 - 545	575	1	C	53,653.00
859-0400-10-1140021	400	PN16	370 - 905	575	1	C	53,653.00
859-0400-10-1140022	400	PN16	525 - 1285	575	1	C	53,653.00
859-0400-10-1140023	400	PN16	740 - 1815	575	1	C	53,653.00
859-0450-10-0140020	450	PN10	280 - 690	880	1	C	67,576.00
859-0450-10-0140021	450	PN10	445 - 1090	880	1	C	67,576.00
859-0450-10-0140022	450	PN10	675 - 1640	880	1	C	67,576.00
859-0450-10-0140023	450	PN10	1020 - 2495	880	1	C	67,576.00
859-0450-10-1140020	450	PN16	280 - 690	880	1	C	67,576.00
859-0450-10-1140021	450	PN16	445 - 1090	880	1	C	67,576.00
859-0450-10-1140022	450	PN16	675 - 1640	880	1	C	67,576.00
859-0450-10-1140023	450	PN16	1020 - 2495	880	1	C	67,576.00
859-0500-10-0140020	500	PN10	350 - 835	1130	1	C	81,609.00
859-0500-10-0140021	500	PN10	530 - 1290	1130	1	C	81,609.00
859-0500-10-0140022	500	PN10	765 - 1860	1130	1	C	81,609.00
859-0500-10-0140023	500	PN10	1115 - 2715	1130	1	C	81,609.00



AVK ref. no.	DN mm	Flange drilling	Flow range m³/h	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
859-0500-10-1140020	500	PN16	350 - 835	1130	1	C	81,609.00
859-0500-10-1140021	500	PN16	530 - 1290	1130	1	C	81,609.00
859-0500-10-1140022	500	PN16	765 - 1860	1130	1	C	81,609.00
859-0500-10-1140023	500	PN16	1115 - 2715	1130	1	C	81,609.00
859-0600-10-0140020	600	PN10	500 - 1225	1650	1	C	111,235.00
859-0600-10-0140021	600	PN10	710 - 1735	1650	1	C	111,235.00
859-0600-10-0140022	600	PN10	970 - 2360	1650	1	C	111,235.00
859-0600-10-0140023	600	PN10	1780 - 4350	1650	1	C	111,235.00
859-0600-10-1140020	600	PN16	500 - 1225	1650	1	C	111,235.00
859-0600-10-1140021	600	PN16	710 - 1735	1650	1	C	111,235.00
859-0600-10-1140022	600	PN16	970 - 2360	1650	1	C	111,235.00
859-0600-10-1140023	600	PN16	1780 - 1450	1650	1	C	111,235.00

96/628-001

Manometer for control valves
Stainless steel



AVK ref. no.	Units/ pallet	Deliv. code	Gross Price EUR
96-628-00017 (1)			587.00
96-628-00018 (2)			587.00
96-628-00019 (3)			587.00
96-628-00020 (4)			587.00
96-628-00021 (5)			587.00
96-628-00022 (6)			587.00

- (1) 0,10 bar, Glycerin filled, 1/4" back connection
 (2) 0,4 bar, Glycerin filled, 1/4" back connection
 (3) 0-16 bar, Glycerin filled, 1/4" down connection
 (4) 0,10 bar, Glycerin filled, 1/4" down connection
 (5) 0,4 bar, Glycerin filled, 1/4" down connection
 (6) 0-16 bar, Glycerin filled, 1/4" back connection

872/00-004

Needle valve, gearbox for
modulating duty
(DN 80, 100 and 150 in cast
stainless steel 1.4308 / CF8)
Face-to-face dimension
according to EN 558 Table 2
Basic Series 15
Ductile Iron
Epoxy coating



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
872-0080-00-10900300100	80	PN10/16	19		C	12,263.00
872-0100-00-10900300100	100	PN10/16	26		C	13,285.00
872-0150-00-10900300100	150	PN10/16	47		C	18,802.00
872-0200-00-00100300000	200	PN10	105		C	26,159.00
872-0200-00-10100300000	200	PN16	105		C	26,159.00
872-0250-00-00100300000	250	PN10	145		C	34,745.00
872-0250-00-10100300000	250	PN16	145		C	35,560.00
872-0300-00-00100300000	300	PN10	225		C	43,533.00
872-0300-00-10100300000	300	PN16	225		C	45,605.00
872-0350-00-00100300000	350	PN10	295		C	58,044.00
872-0350-00-10100300000	350	PN16	295		C	61,358.00
872-0400-00-00100300000	400	PN10	404		C	61,775.00
872-0400-00-10100300000	400	PN16	404		C	62,190.00
872-0450-00-00100300000	450	PN10	450		C	78,358.00
872-0450-00-10100300000	450	PN16	450		C	78,358.00
872-0500-00-00100300000	500	PN10	510		C	80,844.00
872-0500-00-10100300000	500	PN16	510		C	82,919.00
872-0600-00-00100300000	600	PN10	820		C	107,492.00
872-0600-00-10100300000	600	PN16	820		C	109,869.00
872-0700-00-00100300000	700	PN10	1100		C	136,817.00
872-0700-00-10100300000	700	PN16	1095		C	139,717.00
872-0800-00-00100300000	800	PN10	1580		C	165,876.00
872-0800-00-10100300000	800	PN16	1600		C	203,151.00
872-0900-00-00100300000	900	PN10	1780		C	223,881.00
872-0900-00-10100300000	900	PN16	1800		C	228,027.00
872-1000-00-00100300000	1000	PN10	2500		C	277,778.00
872-1000-00-10100300000	1000	PN16	2420		C	286,071.00
872-1200-00-00100300000	1200	PN10	3530		C	493,014.00
872-1200-00-10100300000	1200	PN16	3575		C	497,513.00
872-1400-00-00100300000	1400	PN10	5050		C	605,308.00
872-1400-00-10100300000	1400	PN16	5100		C	613,599.00
872-1600-00-00100300000	1600	PN10	8500		C	1,368,162.00
872-1600-00-10100300000	1600	PN16	8500		C	1,409,620.00



872/00-005

Needle valve, gearbox for modulating duty (DN 80, 100 and 150 in cast stainless steel 1.4308 / CF8)
Face-to-face dimension according to EN 558 Table 2 Basic Series 15
Ductile Iron
Epoxy coating



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
872-0080-00-70900300100	80	PN25	27		C	12,263.00
872-0100-00-70900300100	100	PN25	37		C	13,285.00
872-0150-00-70900300100	150	PN25	75		C	20,846.00
872-0200-00-70100300000	200	PN25	110		C	28,572.00
872-0250-00-70100300000	250	PN25	155		C	36,377.00
872-0300-00-70100300000	300	PN25	235		C	49,751.00
872-0350-00-70100300000	350	PN25	325		C	62,190.00
872-0400-00-70100300000	400	PN25	410		C	70,481.00
872-0500-00-70100300000	500	PN25	530		C	116,086.00
872-0600-00-70100300000	600	PN25	880		C	136,817.00

872/00-006

Needle valve, gearbox for modulating duty (DN 80, 100 and 150 in cast stainless steel 1.4308 / CF8)
Face-to-face dimension according to EN 558 Table 2 Basic Series 15
Ductile Iron
Epoxy coating



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
872-0080-00-60900300100	80	PN40	27		C	16,350.00
872-0100-00-60900300100	100	PN40	37		C	17,984.00
872-0150-00-60900300100	150	PN40	75		C	27,181.00
872-0200-00-60100300000	200	PN40	122		C	44,963.00
872-0250-00-60100300000	250	PN40	165		C	55,181.00
872-0300-00-60100300000	300	PN40	265		C	78,773.00
872-0400-00-60100300000	400	PN40	435		C	124,377.00
872-0500-00-60100300000	500	PN40	700		C	209,372.00
872-0600-00-60100300000	600	PN40	950		C	232,586.00

910/21-001

Y-strainer with stainless steel screen
Face-to-face dimension according to EN 558 Table 2
Ductile Iron
EPDM rubber
Blue epoxy RAL 5017 250 µm



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
910-0050-21-011020004	50	PN10/16	8.3	60	A	344.00
910-0065-21-011020004	65	PN10/16	11	40	A	395.00
910-0080-21-011020004	80	PN10/16	14	36	A	450.00
910-0100-21-011020004	100	PN10/16	18	12	A	565.00
910-0125-21-011020004	125	PN10/16	26	9	A	762.00
910-0150-21-011020004	150	PN10/16	35	6	A	981.00
910-0200-21-011020004	200	PN16	60	4	A	1,646.00
910-0200-21-311020004	200	PN10	60	4	A	1,646.00
910-0250-21-011020004	250	PN16	97	2	A	2,486.00
910-0250-21-311020004	250	PN10	97	2	A	2,486.00
910-0300-21-011020004	300	PN16	142	1	A	3,608.00
910-0300-21-311020004	300	PN10	142	1	A	3,608.00
910-0350-21-011020004	350	PN16	170			6,264.00
910-0350-21-311020004	350	PN10	170			6,264.00
910-0400-21-011020004	400	PN16	227			9,084.00
910-0400-21-311020004	400	PN10	227			9,084.00
910-0450-21-011020004	450	PN16	290			11,594.00
910-0450-21-311020004	450	PN10	290			11,594.00
910-0500-21-011020004	500	PN16	373			14,416.00
910-0500-21-311020004	500	PN10	373			14,416.00
910-0600-21-011020004	600	PN16	572			24,436.00
910-0600-21-311020004	600	PN10	572			24,436.00

910/21-011

Screen for Y-strainer
Mesh material:
Stainless steel



AVK ref. no.	DN mm	Units/ pallet	Deliv. code	Gross Price EUR
910-0050-13	50	5	C	72.00
910-0065-13	65	12	C	81.00
910-0080-13	80	12	C	93.00
910-0100-13	100	12	C	121.00
910-0125-13	125	12	C	196.00
910-0150-13	150	12	C	240.00
910-0200-13	200	12	C	287.00
910-0250-13	250	12	C	395.00
910-0300-13	300	12	C	543.00

**09/30-001**

Above-ground fire hydrant
with Stortz-Hose-coupling -
Type B

Ductile Iron

Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901



AVK ref. no.	DN mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
09-080-30-1027 ⁽¹⁾	80	75	4	A	4,643.00
09-080-30-102710 ⁽²⁾	80	75	4	B	5,002.00
09-080-30-3027 ⁽³⁾	80	75	4	B	5,002.00
09-080-30-302710 ⁽⁴⁾	80	75	4	A	5,357.00

(1) Automatic drainage

(2) Automatic drainage and with additional ball shut off system

(3) Manual drainage

(4) Manual drainage and with additional ball shut off system

09/50-001

Above-ground fire hydrant -
Type A

Aluminum

Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901



AVK ref. no.	DN mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
09-100-50-20 ⁽¹⁾	100	83		B	7,195.00
09-100-50-30 ⁽²⁾	100	83		B	7,455.00

(1) Automatic drainage

(2) Manual drainage

09/90-001

Above-ground fire hydrant -
Automatic drainage

Aluminum

Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901



AVK ref. no.	DN mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
09-100-90-201	100	55		A	5,858.00

35/31-004

Underground fire hydrant to
EN 14339 - Single shut off
(K7)

Ductile Iron

Polyurethane vulcanized plug
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved



AVK ref. no.	DN mm	Pipe cover mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
35-080-31-11015 ⁽¹⁾	80	750	21	10	C	1,670.00
35-080-31-11020 ⁽²⁾	80	750	21	10	C	1,684.00
35-080-31-21015 ⁽¹⁾	80	1000	25	20	C	1,818.00
35-080-31-21020 ⁽²⁾	80	1000	25	20	C	1,844.00
35-080-31-31015 ⁽¹⁾	80	1250	29	16	C	2,012.00
35-080-31-31020 ⁽²⁾	80	1250	29	16	C	2,126.00
35-080-31-41015 ⁽¹⁾	80	1500	33	8	C	2,431.00
35-080-31-41020 ⁽²⁾	80	1500	33	4	C	2,424.00

(1) Cover with chain

(2) Bayonet coupling and self-closing cover

35/32-003

Underground hydrant w. self
closing cover to EN 14339 -
Single shut off - seat
stainless steel (K7)

Ductile Iron

Polyurethane vulcanized plug
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved



AVK ref. no.	DN mm	Pipe cover mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
35-080-32-11020	80	750	21	10	C	1,673.00
35-080-32-21020	80	1000	25	20	C	1,765.00
35-080-32-31020	80	1250	29	16	C	2,002.00
35-080-32-41020	80	1500	33	16	C	2,413.00

**35/72-003**

Underground fire hydrant to GOST 53961-2010
Ductile Iron
Polyurethane vulcanized plug
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	H3 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
35-125-72-071001	125	750	56	4	C	3,720.00
35-125-72-081001	125	1000	62	4	C	3,905.00
35-125-72-091001	125	1250	67	4	C	3,905.00
35-125-72-101001	125	1500	72	4	C	3,956.00
35-125-72-111001	125	1750	83	4	C	4,572.00
35-125-72-121001	125	2000	90	4	C	4,708.00
35-125-72-131001	125	2250	97	4	C	4,895.00
35-125-72-141001	125	2500	105	4	C	5,091.00
35-125-72-151001	125	2750	116	4	C	5,488.00
35-125-72-161001	125	3000	124	4	C	5,676.00
35-125-72-171001	125	3250	130	4	C	6,005.00
35-125-72-181001	125	3500	139	4	C	6,052.00
35-125-72-191001	125	3750	149	4	C	6,621.00
35-125-72-201001	125	4000	157	4	C	6,779.00

35/72-005

Underground fire hydrant to GOST 53961-2010
Ductile Iron
Polyurethane vulcanized plug
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	H3 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
35-125-72-082000	100	1000	53	4	C	3,700.00
35-125-72-092000	100	1250	58	4	C	3,700.00
35-125-72-102000	100	1500	63	4	C	3,700.00
35-125-72-112000	100	1750	74	4	C	4,286.00
35-125-72-122000	100	2000	81	5	C	4,384.00
35-125-72-132000	100	2250	88	5	C	4,972.00
35-125-72-162000	100	3000	115	4	C	5,822.00
35-125-72-172000	100	3250	121	4	C	6,063.00
35-125-72-182000	100	3500	130	4	C	6,211.00
35-125-72-192000	100	3750	140	4	C	6,689.00
35-125-72-202000	100	4000	148	1	C	6,905.00

35/81-010

Underground fire hydrant to EN 14339
Double shut off (L7)
Ductile Iron
Polyurethane vulcanized plug
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	Pipe cover mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
35-080-81-11015 ⁽¹⁾	80	800	27		C	2,014.00
35-080-81-11020 ⁽²⁾	80	800	27		C	2,014.00
35-080-81-21015 ⁽¹⁾	80	1000	31		C	2,252.00
35-080-81-21020 ⁽²⁾	80	1000	31		C	2,252.00
35-080-81-31015 ⁽¹⁾	80	1250	34		C	2,468.00
35-080-81-31020 ⁽²⁾	80	1250	34		C	2,468.00
35-080-81-41015 ⁽¹⁾	80	1500	38		C	2,764.00
35-080-81-41020 ⁽²⁾	80	1500	38		C	2,764.00

⁽¹⁾ Cover with chain⁽²⁾ Bayonet coupling and self-closing cover**35/85-003**

Underground fire hydrant to EN 14339
Double shut off - seat stainless steel (L7)
Ductile Iron
Polyurethane vulcanized plug
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	Pipe cover mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
35-080-85-11008 ⁽¹⁾	80	800	27		C	2,059.00
35-080-85-11020 ⁽²⁾	80	800	27		C	2,059.00
35-080-85-21008 ⁽¹⁾	80	1000	30	8	C	2,252.00
35-080-85-21020 ⁽²⁾	80	1000	31		C	2,321.00
35-080-85-31008 ⁽¹⁾	80	1250	34		C	2,468.00
35-080-85-31020 ⁽²⁾	80	1250	34		C	2,560.00
35-080-85-41008 ⁽¹⁾	80	1500	38	8	C	2,799.00
35-080-85-41020 ⁽²⁾	80	1500	38		C	2,799.00

⁽¹⁾ Storz B coupling⁽²⁾ Bayonet coupling and self-closing cover

**35/85-004**

Underground fire hydrant to EN 14339 w. ball chamber 90° - Double shut off - seat in stainless steel

Ductile Iron

Polyurethane vulcanized plug
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	Pipe cover mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
35-080-85-16034	80	550	24		C	3,231.00
35-080-85-26034	80	750	29		C	3,505.00
35-080-85-36034	80	1000	33		C	3,827.00
35-080-85-46034	80	1250	37		C	4,193.00

78/7510-001

Frost proof fountain post for parks and gardens

Cast iron

EPDM rubber

AVK coating standard



AVK ref. no.	DN mm	H3 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
78-040-7510-100	40	1780	100		B	7,598.00

78/7511-002

Frost proof fountain post with fire outlet for parks and gardens

Cast iron

EPDM rubber

AVK coating standard



AVK ref. no.	DN mm	H3 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
78-040-7511-100	40	1780	109		A	11,044.00

78/7520-003

Non frost proof fountain post for parks and gardens

Cast iron

EPDM rubber

AVK coating standard



AVK ref. no.	DN mm	H3 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
78-020-7520-000	25	1780	62	3	C	4,224.00

84/05-003

Above-ground hydrant model P7 with 2 x hose storz B

Ductile Iron

Polyurethane vulcanized plug

Fusion bonded epoxy coating to DIN 3476 part 1 and EN 14901 externally, enamel to DEV internally



AVK ref. no.	DN mm	Product PN Class	Pipe cover mm	Units/ pallet	Deliv. code	Gross Price EUR
84-080-05-211010	80	PN16	1000		C	6,584.00
84-080-05-311010	80	PN16	1250	4	C	6,764.00
84-080-05-411010	80	PN16	1500		C	7,221.00
84-100-05-211010	100	PN16	1000		C	7,285.00
84-100-05-311010	100	PN16	1250		C	7,510.00
84-100-05-411010	100	PN16	1500		C	7,922.00

84/16-003

Above-ground hydrant model P7 with 2 x hose storz B / 1 x pumper A-storz outlet

Ductile Iron

Polyurethane vulcanized plug

Fusion bonded epoxy coating to DIN 3476 part 1 and EN 14901 externally, enamel to DEV internally



AVK ref. no.	DN mm	Product PN Class	Pipe cover mm	Units/ pallet	Deliv. code	Gross Price EUR
84-100-16-211010	100	PN16	1000		C	7,530.00
84-100-16-311010	100	PN16	1250	2	C	7,850.00
84-100-16-411010	100	PN16	1500		C	8,307.00

**84/25-003**

Above-ground hydrant with drop-down cover
Model P7 - Type C
Ductile Iron
Polyurethane vulcanized plug
Fusion bonded epoxy coating to DIN 3476 part 1 and EN 14901 externally, enamel to DEV internally



AVK ref. no.	DN mm	Product PN Class	Pipe cover mm	Units/ pallet	Deliv. code	Gross Price EUR
84-100-25-211013 ⁽¹⁾	100	PN16	1000		C	16,458.00
84-100-25-211014	100	PN16	1000		C	16,458.00
84-100-25-311013 ⁽¹⁾	100	PN16	1250		C	17,021.00
84-100-25-311014	100	PN16	1250		C	17,021.00
84-100-25-411013 ⁽¹⁾	100	PN16	1500		C	17,415.00
84-100-25-411014	100	PN16	1500		C	17,415.00

⁽¹⁾ White/red/white reflection tape at drop down cover

84/45-003

Above-ground hydrant
Model P7 "Nostalgia" with 2 x hose storz B
Ductile Iron
Polyurethane vulcanized plug
Fusion bonded epoxy coating to DIN 3476 part 1 and EN 14901 externally, enamel to DEV internally



AVK ref. no.	DN mm	Product PN Class	Pipe cover mm	Units/ pallet	Deliv. code	Gross Price EUR
84-080-45-211011	80	PN16	1000		C	9,247.00
84-080-45-211062 ⁽¹⁾	80	PN16	1000		C	10,407.00
84-080-45-311011	80	PN16	1250		C	9,449.00
84-080-45-311062 ⁽¹⁾	80	PN16	1250		C	10,608.00
84-080-45-411011	80	PN16	1500		C	9,694.00
84-080-45-411062 ⁽¹⁾	80	PN16	1500		C	10,855.00

⁽¹⁾ Hydrant body red enamelled outside

84/72-003

Above-ground hydrant model P7 "Niro" with 2 x hose storz B,
Upper barrel of stainless steel
Polyurethane vulcanized plug
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Product PN Class	Pipe cover mm	Units/ pallet	Deliv. code	Gross Price EUR
84-080-72-211011	80	PN16	1000		C	11,375.00
84-080-72-311011	80	PN16	1250		C	11,620.00
84-080-72-411011	80	PN16	1500		C	11,865.00
84-100-72-211011	100	PN16	1000		C	12,961.00
84-100-72-311011	100	PN16	1250		C	13,634.00
84-100-72-411011	100	PN16	1500		C	14,303.00

84/82-003

Above-ground hydrant model P7 "Niro" with 2 x hose storz B / 1 x pumper storz A outlet,
Upper barrel of stainless steel
Polyurethane vulcanized plug
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Product PN Class	Pipe cover mm	Units/ pallet	Deliv. code	Gross Price EUR
84-100-82-211011	100	PN16	1000		C	14,826.00
84-100-82-311011	100	PN16	1250		C	15,072.00
84-100-82-411011	100	PN16	1500		C	15,317.00

84/90-001

Above-ground hydrant model N7 without traffic break-away design (Type A)
Single shut-off,
Upper barrel of stainless steel
Polyurethane vulcanized plug
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Product PN Class	Pipe cover mm	Units/ pallet	Deliv. code	Gross Price EUR
84-080-90-21101010 ⁽¹⁾	80	PN16	1000	2	C	2,874.00
84-080-90-21101015 ⁽²⁾	80	PN16	1000		C	3,436.00
84-080-90-31101015 ⁽²⁾	80	PN16	1250		C	3,600.00
84-080-90-41101015 ⁽²⁾	80	PN16	1500		C	3,596.00
84-100-90-21101010 ⁽¹⁾	100	PN16	1000		C	3,650.00
84-100-90-21101012 ⁽³⁾	100	PN16	1000		C	4,093.00
84-100-90-31101010 ⁽¹⁾	100	PN16	1250		C	3,823.00
84-100-90-31101012 ⁽³⁾	100	PN16	1250		C	4,150.00
84-100-90-41101010 ⁽¹⁾	100	PN16	1500		C	3,940.00
84-100-90-41101012 ⁽³⁾	100	PN16	1500		C	4,628.00

⁽¹⁾ 2 x coupling B

⁽²⁾ 2 x coupling C, 1 x coupling B

⁽³⁾ 2 x coupling B, 1 x coupling A

**84/91-001**

Above-ground hydrant model N7 with traffic break-away design (Type C)
Single shut-off
Upper barrel of stainless steel
Polyurethane vulcanized plug
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Product PN Class	Pipe cover mm	Units/ pallet	Deliv. code	Gross Price EUR
84-080-91-21101015 ⁽¹⁾	80	PN16	1000		C	3,562.00
84-080-91-31101015 ⁽¹⁾	80	PN16	1250		C	3,726.00
84-080-91-41101010 ⁽²⁾	80	PN16	1500		C	3,518.00
84-080-91-41101015 ⁽¹⁾	80	PN16	1500		C	3,722.00
84-100-91-21101010 ⁽²⁾	100	PN16	1000		C	4,035.00
84-100-91-21101012 ⁽³⁾	100	PN16	1000		C	4,721.00
84-100-91-31101010 ⁽²⁾	100	PN16	1250		C	5,063.00
84-100-91-31101012 ⁽³⁾	100	PN16	1250		C	4,827.00
84-100-91-41101010 ⁽²⁾	100	PN16	1500		C	4,335.00

⁽¹⁾ 2 x coupling C, 1 x coupling B

⁽²⁾ 2 x coupling B

⁽³⁾ 2 x coupling B, 1 x coupling A

84/92-001

Above-ground hydrant model N7 without traffic break-away design (Type A)
Double shut-off,
Upper barrel of stainless steel
Polyurethane vulcanized plug
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Product PN Class	Pipe cover mm	Units/ pallet	Deliv. code	Gross Price EUR
84-080-92-21101015 ⁽¹⁾	80	PN16	1000		C	3,506.00
84-080-92-31101010 ⁽²⁾	80	PN16	1250		C	3,464.00
84-080-92-31101015 ⁽¹⁾	80	PN16	1250		C	3,670.00
84-080-92-41101010 ⁽²⁾	80	PN16	1500		C	3,462.00
84-080-92-41101015 ⁽¹⁾	80	PN16	1500		C	3,667.00
84-100-92-31101010 ⁽²⁾	100	PN16	1250		C	4,589.00
84-100-92-31101012 ⁽³⁾	100	PN16	1250		C	6,868.00
84-100-92-41101010 ⁽²⁾	100	PN16	1500	3	C	4,722.00

⁽¹⁾ 2 x coupling C, 1 x coupling B

⁽²⁾ 2 x coupling B

⁽³⁾ 2 x coupling B, 1 x coupling A

84/93-001

Above-ground hydrant model N7 with traffic break-away design (Type C)
Double shut-off,
Upper barrel of stainless steel
Ductile Iron
Polyurethane vulcanized plug
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Product PN Class	Pipe cover mm	Units/ pallet	Deliv. code	Gross Price EUR
84-080-93-21101010 ⁽¹⁾	80	PN16	1000		C	3,915.00
84-080-93-21101011 ⁽²⁾	80	PN16	1000	4	C	4,107.00
84-080-93-21101015 ⁽³⁾	80	PN16	1000		C	4,149.00
84-080-93-31101010 ⁽¹⁾	80	PN16	1250		C	4,102.00
84-080-93-31101015 ⁽³⁾	80	PN16	1250		C	4,337.00
84-080-93-41101010 ⁽¹⁾	80	PN16	1500		C	4,099.00
84-080-93-41101015 ⁽³⁾	80	PN16	1500		C	4,333.00
84-100-93-21101010 ⁽¹⁾	100	PN16	1000	10	C	4,222.00
84-100-93-31101010 ⁽¹⁾	100	PN16	1250		C	4,391.00
84-100-93-31101012 ⁽⁴⁾	100	PN16	1250		C	5,463.00
84-100-93-41101010 ⁽¹⁾	100	PN16	1500		C	4,516.00
84-100-93-41101012 ⁽⁴⁾	100	PN16	1500		C	5,625.00

⁽¹⁾ 2 x coupling B

⁽²⁾ 2 x coupling B, 1 x coupling C

⁽³⁾ 2 x coupling C, 1 x coupling B

⁽⁴⁾ 2 x coupling B, 1 x coupling A

84/93-003

Above-ground hydrant model N7 with traffic break-away design (Type C)
Double shut-off,
Upper barrel of stainless steel
Ductile Iron
Polyurethane vulcanized plug
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Product PN Class	Pipe cover mm	Units/ pallet	Deliv. code	Gross Price EUR
84-080-93-2110101004	80	PN16	1000		C	3,889.00
84-080-93-3110101004	80	PN16	1250		A	3,990.00
84-080-93-4110101004	80	PN16	1500		C	4,101.00

**84/B-001**

Collision repair kit for above-ground hydrants incl. o-ring/bolts/titan bushings and plugs



AVK ref. no.	DN mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
140572	80	0.3		C	830.00
140573	100	0.3		C	830.00

29/78-001

Underground hydrant, free flow type F7

Ductile Iron

EPDM rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Product PN Class	Pipe cover mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
29-080-78-11015	80	PN16	750	39		C	4,211.00
29-080-78-21015	80	PN16	1000	40		C	4,334.00
29-080-78-31015	80	PN16	1250	41		C	4,458.00
29-080-78-41015	80	PN16	1500	42		C	4,582.00

03/30-005

Service connection valve with push-in sockets for PE pipes

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
03-025-30-0046499	20	25	PN16	2.4	64	A	227.00
03-032-30-0046499	25	32	PN16	2.6	58	A	236.00
03-040-30-0046499	32	40	PN16	3.0	58	A	281.00
03-050-30-00	40	50	PN16	7.0	36	A	335.00
03-063-30-00	50	63	PN16	8.5	27	A	424.00

03/34-001

Service connection valve with push-in sockets for PE pipes and duplex stem

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close

Notice: Duplex stem



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
03-032-34-0046499	25	32	PN16	2.6	58	A	267.00
03-040-34-0046499	32	40	PN16	3.0	58	A	318.00
03-050-34-00464	40	50	PN16	7.0	36	A	378.00
03-063-34-00464	50	63	PN16	8.5	27	A	480.00

03/85-005

Service connection valve with tensile screw coupling/external thread for PE pipes

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Dd mm	BSP external	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
03-032-85-0046499	25	32	1 1/4"	PN16	2.5	70	A	332.00
03-033-85-0046499	25	32	1 1/2"	PN16	2.5			342.00
03-040-85-0046499	32	40	2"	PN16	2.8		C	359.00
03-041-85-0046499	32	40	1 1/4"	PN16	2.8	64	A	340.00
03-042-85-0046499	32	40	1 1/2"	PN16	2.8	64	C	350.00



03/65-005

Service connection valve with tensile screw couplings for PE pipes

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
03-032-65-0046499 ⁽¹⁾	25	32	PN16	2.7	64	B	299.00
03-040-65-0046499 ⁽¹⁾	32	40	PN16	3.0	64	B	329.00
03-050-65-001	40	50	PN16	5.8	41	C	454.00
03-063-65-001	50	63	PN16	7.2		C	995.00

⁽¹⁾ Approval pending

03/90-005

Service connection valve with PRK-couplings for PE pipes

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
03-025-90-0046499	25	25	PN16	2.7		B	404.00
03-032-90-0046499	25	32	PN16	2.5	64	A	281.00
03-040-90-0046499	32	40	PN16	2.8	64	A	312.00
03-050-90-00	40	50	PN16	6.5	41	A	436.00
03-063-90-00	50	63	PN16	6.1		A	637.00

03/00-010

Service connection valve with internal thread

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Dd mm	BSP internal	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
03-025-00-0046499	25	25	3/4"	PN16	2.4	64	A	201.00
03-032-00-0046499	25	32	1"	PN16	2.4	96	A	217.00
03-040-00-0046499	32	40	1 1/4"	PN16	2.6	64	A	255.00
03-050-00-001	40	50	1 1/2"	PN16	4.7	55	A	281.00
03-063-00-001	50	63	2"	PN16	6.4	48	A	386.00

03/10-010

Service connection valve with internal thread

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating to DIN 3476 part 1 and EN 14901 externally, enamel to DEV internally

Clockwise to Close



AVK ref. no.	DN mm	Dd mm	BSP internal	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
03-032-10-0046499	25	32	1"	PN16	2.3		B	296.00
03-040-10-0046499	32	40	2"	PN16	2.6		B	348.00
03-050-10-001	40	50	1 1/2"	PN16	4.7	60	B	357.00
03-063-10-001	50	63	2"	PN16	5.7	48	B	541.00

03/40-005

Service connection valve for sidetapping with ext./int. thread & tensile socket end

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Dd mm	BSP internal	BSP external	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
03-032-40-0046499	25	32	1 1/4"	1 1/4"	2.7	64	A	247.00
03-033-40-0046499	25	32	1 1/4"	1 1/2"	2.7	64	B	257.00
03-035-40-0046499	25	32	1 1/4"	2"	2.5	64	A	269.00
03-040-40-0046499	32	40	1 1/2"	2"	3.6		A	315.00
03-042-40-0046499	32	40	1 1/2"	1 1/2"	3.6		A	326.00
03-050-40-00	40	50	2"	2"	7.3	32	A	389.00
03-063-40-00	50	63	2 1/2"	2 1/2"	8.3	28	C	467.00
03-063-60-00 ⁽¹⁾	50	63	2 1/2"	2"	8.3	28	A	438.00

⁽¹⁾ Inside Ø40mm (reduced bore)

**11/00-010**

Angle service connection valve with external/internal thread

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Dd mm	BSP internal	BSP external	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
11-032-00-0046499	25	32	1"	1 1/4"	2.3	110	A	215.00
11-033-00-0046499	25	32	1"	1 1/2"	2.3		A	224.00
11-035-00-0046499	25	32	1"	2"	2.3		A	234.00
11-040-00-0046499	32	40	1 1/4"	2"	2.9	92	A	255.00
11-041-00-0046499	32	40	1 1/4"	1 1/4"	2.9		A	243.00
11-042-00-0046499	32	40	1 1/4"	1 1/2"	2.9		A	251.00
11-050-00-006	40	50	1 1/2"	2"	4.9	60	B	281.00
11-063-00-006	50	63	2"	2"	5.6	55	A	386.00

11/30-010

Angle service connection valve with external thread/tensile socket end

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Dd mm	BSP external	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
11-032-30-0046499	25	32	1 1/4"	PN16	2.5	80	A	236.00
11-033-30-0046499	25	32	1 1/2"	PN16	2.5		A	243.00
11-035-30-0046499	25	32	2"	PN16	2.5	80	A	248.00
11-040-30-0046499	32	40	2"	PN16	3.1	70	A	281.00
11-041-30-0046499	32	40	1 1/4"	PN16	3.1		A	266.00
11-042-30-0046499	32	40	1 1/2"	PN16	3.1		A	275.00
11-050-30-006	40	50	2"	PN16	5.7	44	A	335.00
11-063-30-006	50	63	2"	PN16	6.6	38	A	424.00

16/80-016

Service connection valve with PE-ends PE100 PN16 black/blue pipes 200/750 mm

Polyoxymethylene (POM)

EPDM drinking water approved

Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
16-032-80-016	25	32	PN16	1.5	22	C	445.00
16-040-80-016	32	40	PN16	1.7	11	C	480.00
16-050-80-016	40	50	PN16	4.6	13	C	689.00
16-063-80-016	50	63	PN16	5.0		C	863.00

16/80-026

Service connection valve with PE-ends PE100 PN16 black/blue pipes 200/200 mm

Polyoxymethylene (POM)

EPDM drinking water approved

Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
16-032-80-026	25	32	PN16	1.5	22	A	436.00
16-040-80-026	32	40	PN16	1.7	18	A	467.00
16-050-80-026	40	50	PN16	4.6	13	A	660.00
16-063-80-026	50	63	PN16	5.0	11	A	835.00

16/81-026

Service connection valve with push-in sockets for PE pipes, PE100 PN16 black/blue pipes 200/200 mm and duplex stem

Polyoxymethylene (POM)

EPDM drinking water approved

Clockwise to Close

Notice: Duplex stem



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
16-032-81-024	25	32	PN16	1.4	22	B	509.00
16-040-81-024	32	40	PN16	1.6		B	547.00
16-050-81-024	40	50	PN16	4.6	13	B	773.00
16-063-81-024	50	63	PN16	5.0	11	B	977.00



16/83-026

Service connection valve with PE-ends PE100 PN16 black/blue pipes 200/200 mm
T-top
Polyoxymethylene (POM)
EPDM drinking water approved
Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
16-032-83-026	25	32	PN16	1.4	22	C	436.00
16-050-83-026	40	50	PN16	4.6	13	C	660.00
16-063-83-026	50	63	PN16	5.0		C	835.00

16/50-010

Service connection valve with tensile socket ends
Polyoxymethylene (POM)
EPDM drinking water approved
Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
16-032-50-006	25	32	PN16	1.4	50	A	287.00
16-040-50-006	32	40	PN16	1.5	40	A	303.00
16-050-50-006	40	50	PN16	4.4	28	A	397.00
16-063-50-006	50	63	PN16	4.9	20	A	456.00

16/58-010

Service connection valve with tensile socket ends, duplex stem
Polyoxymethylene (POM)
EPDM drinking water approved
Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
16-032-58-004	25	32	PN16	1.3	50	B	336.00
16-040-58-004	32	40	PN16	1.4	40	B	354.00
16-050-58-004	40	50	PN16	4.4	28	B	464.00
16-063-58-004	50	63	PN16	4.9	20	B	533.00

Notice: Duplex stem

16/53-010

Service connection valve with tensile socket ends
T-top
Polyoxymethylene (POM)
EPDM drinking water approved
Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
16-032-53-006	25	32	PN16	1.3	50	B	287.00
16-040-53-006	32	40	PN16	1.5	40	B	303.00
16-050-53-006	40	50	PN16	4.4	28	C	397.00
16-063-53-006	50	63	PN16	4.9	20	C	456.00

16/57-010

POM service connection valve with tensile socket ends and support bush, T-top, and duplex stem
Polyoxymethylene (POM)
EPDM drinking water approved
Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
16-032-57-006	25	32	PN16	1.3	50	C	464.00
16-040-57-006	32	40	PN16	1.4	40	C	533.00
16-050-57-006	40	50	PN16	4.4	28	C	336.00
16-063-57-006	50	63	PN16	4.9	20	C	355.00

Notice: Duplex stem

16/59-010

Service connection valve with Pentomech™ tensile resistant couplings
Polyoxymethylene (POM)
EPDM drinking water approved
Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
16-032-59-004	25	32	PN16	1.4		A	316.00
16-040-59-004	32	40	PN16	1.8		B	336.00
16-050-59-004	40	50	PN16	2.8		B	438.00
16-063-59-004	50	63	PN16	3.7		B	502.00

**16/69-001**

Service connection valve with Pentomech™ tensile resistant couplings and duplex stem
Polyoxymethylene (POM)
EPDM drinking water approved
Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
16-032-69-004	25	32	PN16	1.4		A	371.00
16-040-69-004	32	40	PN16	1.8		A	393.00
16-050-69-004	40	50	PN16	2.8		A	512.00
16-063-69-004	50	63	PN16	3.7		A	588.00

Notice: Duplex stem

16/01-010

Service connection valve with PRK/external conical pipe thread
Polyoxymethylene (POM)
EPDM drinking water approved
Clockwise to Close



AVK ref. no.	DN mm	Dd mm	BSP external	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
16-032-01-0203006	25	32	1 1/2"	PN16	1.4	50	B	381.00
16-040-01-0303006	32	40	1 1/2"	PN16	1.5	40	B	479.00
16-040-01-0304006	32	40	2"	PN16	1.5	40	B	575.00
16-050-01-0404006	40	50	2"	PN16	3.0	28	B	634.00

16/90-010

Service connection valve with PRK-couplings for PE pipes
Polyoxymethylene (POM)
EPDM drinking water approved
Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
16-032-90-006	25	32	PN16	1.4	50	A	457.00
16-040-90-006	32	40	PN16	2.6	40	A	509.00
16-050-90-006	40	50	PN16	2.8	28	A	609.00
16-063-90-006 ⁽¹⁾	50	63	PN16	3.5	20	A	679.00

⁽¹⁾ In case of temperature below 0°C it is necessary to preheat valve and PE pipe end prior to assembly

16/91-001

Service connection valve with PRK-couplings for PE pipes and duplex stem
Polyoxymethylene (POM)
EPDM drinking water approved
Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
16-032-91-004	25	32	PN16	1.4	50	A	534.00
16-040-91-004	32	40	PN16	1.4	40	A	595.00
16-050-91-004	40	50	PN16	2.8	28	A	713.00
16-063-91-004 ⁽¹⁾	50	63	PN16	3.5	20	A	795.00

⁽¹⁾ In case of temperature below 0°C it is necessary to preheat valve and PE pipe end prior to assembly

Notice: Duplex stem

16/93-010

Service connection valve with PRK-couplings for PE pipes T-top
Polyoxymethylene (POM)
EPDM drinking water approved
Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
16-032-93-006	25	32	PN16	1.4	50	C	457.00
16-050-93-006	40	50	PN16	2.8	28	C	609.00
16-063-93-006 ⁽¹⁾	50	63	PN16	3.5	20	C	679.00

⁽¹⁾ In case of temperature below 0°C it is necessary to preheat valve and PE pipe end prior to assembly

16/20-010

Service connection valve with PRK-couplings for PE pipes T-top
Brass
EPDM drinking water approved
Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
16-025-20-056	20	25	PN16	1.5		C	447.00
16-032-20-0540099 ⁽¹⁾	25	32	PN16	1.9	70	A	447.00
16-040-20-0540099 ⁽¹⁾	32	40	PN16	2.2	64	A	484.00
16-050-20-056	40	50	PN16	3.0	45	A	667.00
16-063-20-056	50	63	PN16	3.5		B	751.00

⁽¹⁾ Approval pending

Notice: Duplex stem



16/25-010

Service connection valve with PRK- couplings for PE-pipes
Brass
EPDM drinking water approved
Clockwise to Close



Notice: Duplex stem

AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
16-025-25-006	20	25	PN16	1.5	70	B	400.00
16-032-25-0040099	25	32	PN16	2.0	68	A	384.00
16-040-25-0040099	32	40	PN16	2.3	60	A	447.00
16-050-25-006	40	50	PN16	3.0	40	A	627.00
16-063-25-006	50	63	PN16	3.5		A	751.00

16/05-010

Service connection valve with tensile screw couplings for PE pipes
Brass
EPDM drinking water approved
Clockwise to Close



Notice: Duplex stem

AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
16-032-05-0040099	25	32	PN16	2.2	70	A	447.00
16-040-05-0040099	32	40	PN16	2.5	64	A	484.00
16-050-05-006	40	50	PN16	3.0	40	B	667.00
16-063-05-006	50	63	PN16	3.5		B	840.00

36/8X-116

Service connection valve with SDR11 PE ends - PE100 PN16 black/blue pipes
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close



AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
36-032-80-16306499	25	32	PN16	2.7	18	A	397.00
36-040-80-16306499	32	40	PN16	3.4	14	A	435.00
36-050-80-163	40	50	PN16	5.6	12	A	632.00
36-063-80-163	50	63	PN16	6.8	9	A	727.00

36/79-016

Service connection valve with SDR11 PE ends - PE100 PN16 black/blue pipes and duplex stem
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close



Notice: Duplex stem

AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
36-032-79-16306499	25	32	PN16	2.7	7	A	428.00
36-040-79-16306499	32	40	PN16	3.4	7	A	469.00
36-050-79-163064	40	50	PN16	5.6	7	A	684.00
36-063-79-163064	50	63	PN16	6.8	7	A	785.00

36/8X-126

Service connection valve with SDR17 PE-ends - PE100 PN10 black/blue pipes
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close



AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
36-050-80-263	40	50	PN10	6.0	12	B	632.00
36-063-80-263	50	63	PN10	6.8	9	B	727.00

**103/00-003**

Supa Lock™ service connection valve with Supa Lock™ spigot end/Supa Lock™ socket end

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
103-032-00-000464	32	PN16	3.2	58	A	248.00

103/00-034

Supa Lock™ service connection valve with Supa Lock™ spigot end/Supa Lock™ socket end, duplex stem

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close

Notice: Duplex stem



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
103-032-00-00046434	32	PN16	3.2	58	B	238.00

103/50-003

Supa Lock™ service connection valve with Supa Lock™ spigot end/PRK coupling

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
103-032-50-500464	32	32	PN16	3.5	58	A	279.00
103-032-50-510464	32	40	PN16	3.5	58	B	276.00

103/50-034

Supa Lock™ service connection valve with Supa Lock™ spigot end/PRK coupling and duplex stem

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close

Notice: Duplex stem



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
103-032-50-50046434	32	32	PN16	3.5	58	B	266.00
103-032-50-51046434	32	40	PN16	3.5	58	B	286.00



103/02-003

Supa Lock™ service connection angle valve with Supa Lock™ socket end
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
103-032-02-000464	32	PN16	3.2	58	A	248.00

103/02-034

Supa Lock™ service connection angle valve with Supa Lock™ socket end and duplex stem
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close

Notice: Duplex stem



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
103-032-02-00046434	32	PN16	3.2	58	B	271.00

103/31-003

Supa Lock™ service connection angle valve with Supa Lock™ spigot end/push-in socket end
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight / kg	Units/ pallet	Deliv. code	Gross Price EUR
103-032-31-400464	32	32	PN16	3,13	58	B	248.00
103-032-31-410464	32	40	PN16	3,29	58	B	252.00

103/31-034

Supa Lock™ service connection angle valve with push-in socket end and duplex stem
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close

Notice: Duplex stem



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight / kg	Units/ pallet	Deliv. code	Gross Price EUR
103-032-31-40046434	32	32	PN16	3,13	58	B	253.00
103-032-31-41046434	32	40	PN16	3,29	58	B	285.00

**100/00-003**

Supa Lock™ tapping saddle for PE and PVC pipes

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	Dd mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
100-063-00-320464	32	63	2.1	150	A	112.00
100-075-00-320464	32	75	2.3	100	A	124.00
100-090-00-320464	32	90	2.7	100	A	129.00
100-110-00-320464	32	110	3.6	150	A	153.00
100-125-00-320464	32	125	3.8	50	A	172.00
100-140-00-320464	32	140	5.4	50	A	204.00
100-160-00-320464	32	160	5.9	90	A	214.00
100-200-00-320464	32	200	9.3	32	A	328.00
100-225-00-320464	32	225	11	30	A	353.00

100/14-003

Supa Lock™ tapping saddle for cast iron, ductile iron and steel pipes

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	Tolerance mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
100-067-14-320464	32	60 - 67	1.7	56	B	103.00
100-083-14-320464	32	76 - 83	1.6	30	A	108.00
100-099-14-320464	32	88 - 99	1.6	68	A	108.00
100-119-14-320464	32	114 - 119	1.8		A	114.00
100-171-14-320464	32	168 - 171	2.2	30	A	134.00
100-223-14-320464	32	219 - 223	2.6		B	142.00

730/6-001

Stirrup for AVK universal tapping saddles

Stainless steel



AVK ref. no.	DN mm	T mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
730-6-088-021	50	50 - 88	0.9		C	114.00
730-6-118-021	80	88 - 118	0.9		A	137.00
730-6-133-021	100	105 - 133	1.0		A	148.00
730-6-159-021	125	133 - 159	1.0		C	144.00
730-6-186-021	150	156 - 186	1.0		C	151.00
730-6-216-021	175	186 - 216	1.1		C	155.00
730-6-244-021	200	210 - 244	1.1		C	174.00
730-6-270-021	225	240 - 270	1.2		C	168.00
730-6-298-021	250	265 - 298	1.2		C	176.00
730-6-330-021	275	299 - 330	1.3		C	181.00
730-6-345-021	300	315 - 345	1.3		C	187.00
730-6-360-021	300	325 - 360	1.3		A	194.00

100/84-001

Supa Lock™ universal tapping saddle head with blade shut-off for underpressure drilling and tapping

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN/DN	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
100-040-84-320464	50 - 100	2.8	96	A	213.00
100-080-84-320464	80 - 300	2.8	91	A	240.00



100/85-001

Universal tapping saddle with blade shut-off and stirrup for underpressure drilling and tapping
 Ductile Iron
 EPDM drinking water approved
 Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	T mm	Theoretical weight / kg	Units/ pallet	Deliv. code	Gross Price EUR
100-088-85-320464	50	50 - 88	2,3			299.00
100-118-85-320464	80	88 - 118	2,3			340.00
100-133-85-320464	100	105 - 133	2,4			349.00
100-159-85-320464	125	133 - 159	2,4			350.00
100-186-85-320464	150	156 - 186	2,7		B	353.00
100-216-85-320464	175	186 - 216	2,7			354.00
100-244-85-320464	200	210 - 244	2,7			368.00
100-270-85-320464	225	240 - 270	2,8			369.00
100-298-85-320464	250	265 - 298	2,8			370.00
100-330-85-320464	275	299 - 330	3			373.00
100-345-85-320464	300	315 - 345	3			381.00
100-360-85-320464	300	325 - 360	3			386.00

107/74-003

Supa Lock™ tapping head with blade shut-off for under pressure tapping on metal and plastic pipes.
 Ductile Iron
 EPDM drinking water approved
 Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
107-005-74-32464	32	2.0	35	A	224.00

106/01-003

Supa Lock™ threaded connector
 Ductile Iron
 EPDM drinking water approved
 Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	BSP thread Inch	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
106-003-01-32464	32	1 1/4"	1.3		A	61.00
106-004-01-32464	32	1 1/2"	1.3	50	A	69.00
106-005-01-32464	32	2"	1.3	50	A	71.00

106/02-003

Supa Lock™ threaded connector
 Brass
 EPDM drinking water approved



AVK ref. no.	DN mm	BSP thread Inch	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
106-002-02-324	32	1"	0.7		A	167.00
106-003-02-324	32	1 1/4"	0.7		A	172.00
106-004-02-324	32	1 1/2"	0.8	30	A	179.00
106-005-02-324	32	2"	1.0		A	221.00

106/02-004

Supa Lock™ straight fitting with PRK coupling
 Brass
 EPDM drinking water approved



AVK ref. no.	DN mm	Dd mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
106-032-02-324	32	32	0.7	40	A	209.00
106-040-02-324	32	40	0.6		A	214.00
106-050-02-324	32	50	1.1		A	277.00

**106/02-005**

Supa Lock™ straight fitting with screw coupling
Brass
EPDM drinking water approved



AVK ref. no.	DN mm	Dd mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
106-132-02-324	32	32	0.8		A	228.00
106-140-02-324	32	40	0.7		A	255.00
106-150-02-324	32	50	1.4		C	332.00

106/03-003

Supa Lock™ transition connector with Supa Lock™ socket end/external threaded end
Ductile Iron
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	BSP thread Inch	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
106-013-03-32464	32	1 1/4"	0.8		A	50.00
106-014-03-32464	32	1 1/2"	1.0		A	50.00
106-015-03-32464	32	2"	1.2		B	50.00

106/01-004

Supa Lock™ straight fitting with PRK-coupling
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	Dd mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
106-032-01-32464	32	32	1.3	45	A	71.00
106-040-01-32464	32	40	1.3	50	B	68.00

106/00-003

Supa Lock™ blind plug
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
106-000-00-32464	32	0.8	200	A	65.00

107/21-003

Supa Lock™ straight fitting with push-in socket for PE pipes
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	Dd mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
107-032-21-32464	32	32	0.6	200	A	60.00
107-040-21-32464	32	40	0.7	150	A	66.00
107-050-21-32464	32	50	1.2		A	109.00
107-063-21-32464	32	63	1.6		A	120.00

107/31-003

Supa Lock™ 90° fitting with push-in socket for PE pipes
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	Dd mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
107-032-31-32464	32	32	1.0	150	A	62.00
107-040-31-32464	32	40	1.1		A	67.00
107-050-31-32464	32	50	1.4	40	A	109.00
107-063-31-32464	32	63	2.0		C	104.00



107/11-003

Supa Lock™ spigot end/Supa Lock™ socket end
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	Dd mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
107-040-11-32464	32	40	1.2	102	A	101.00

107/36-003

Supa Lock™ fitting with PE pipe end
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	Dd mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
107-032-36-32464	32	32	1.4	62	A	96.00
107-040-36-32464	32	40	1.3	30	A	100.00

109/10-003

Supa Lock™ spacer
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	DN1 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
109-080-10-32064	80	32	3.1	55	A	332.00
109-100-10-32064	100	32	3.5	126	A	351.00
109-150-10-32064	150	32	5.4	50	A	483.00
109-200-10-32064	200	32	7.1	55	A	587.00
109-250-10-32064 ⁽¹⁾	250	32	8.5	50	A	675.00
109-300-10-32064 ⁽¹⁾	300	32	10	50	A	781.00
109-400-10-32064 ⁽¹⁾	400	32	16		A	1,086.00

⁽¹⁾ One Supa Lock™ socket end

109/15-003

Supa Lock™ double spigot fitting
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price
109-032-15-32464	32	1.2			

109/16-003

Supa Lock™ 3-way socket fitting
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
109-032-16-32064	32	1.9			83.00

**109/23-001**

Supa Lock™ blind flange
Ductile Iron
EPDM drinking water
approved
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
109-100-23-320641	100	PN10/16	5.0			184.00
109-150-23-320641	150	PN10/16	8.0			245.00
109-200-23-320641	200	PN16	12			306.00
109-200-23-320642	200	PN10	12			306.00
109-250-23-320641	250	PN16	18			471.00
109-250-23-320642	250	PN10	18			461.00
109-300-23-320641	300	PN16	25			664.00
109-300-23-320642	300	PN10	25			664.00
109-400-23-320641	400	PN16	46			1,242.00
109-400-23-320642	400	PN10	38			1,118.00
109-500-23-320641	500	PN16	79			1,926.00
109-500-23-320642	500	PN10	57			1,586.00
109-600-23-320641	600	PN16	125			3,126.00
109-600-23-320642	600	PN10	88			2,796.00

109/24-001

Supa Lock™ double socket
fitting for uPVC pipes
Ductile Iron
EPDM drinking water
approved
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved



AVK ref. no.	DN mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
109-110-24-32464	100	7.0			349.00
109-160-24-32464	150	10			356.00
109-200-24-32464	200	15			526.00
109-225-24-32464	200	17			582.00
109-250-24-32464	250	22			785.00
109-280-24-32464	250	26			855.00
109-315-24-32464	300	32			1,071.00

109/25-001

Supa Lock™ socket x spigot
fitting for uPVC pipes
Ductile Iron
EPDM drinking water
approved
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved



AVK ref. no.	DN mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
109-110-25-32464	100	7.0			260.00
109-160-25-32464	150	10			373.00
109-200-25-32464	200	15			502.00
109-225-25-32464	200	17			539.00
109-250-25-32464	250	23			787.00
109-280-25-32464	250	27			846.00
109-315-25-32464	300	32			1,008.00

109/26-001

Supa Lock™ tyton socket x
spigot fitting for cast iron
pipes
Ductile Iron
EPDM drinking water
approved
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved



AVK ref. no.	DN mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
109-118-26-32064	100	10			457.00
109-170-26-32064	150	15			470.00
109-222-26-32064	200	22			786.00
109-274-26-32064	250	31			948.00
109-326-26-32064	300	41			1,322.00

109/30-003

Supa Lock™ double tyton
socket
Ductile Iron
EPDM drinking water
approved
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901



AVK ref. no.	DN mm	Dd mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
109-118-30-32064	100	118	9.3		A	255.00
109-170-30-32064	150	170	15		A	423.00
109-222-30-32064	200	222	20		A	581.00
109-274-30-32064	250	274	30		A	822.00
109-326-30-32064	300	326	40		A	1,169.00



343/81-001

Supa Lock™ ball valve with Supa Lock™ spigot end/threaded end
Brass
EPDM drinking water approved
Clockwise to Close



AVK ref. no.	DN mm	BSP thread Inch	Dd mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
343-025-81-00	25	1"	31	1.7		A	368.00
343-032-81-00	32	1 1/4"	39	2.1		A	422.00
343-040-81-00	40	1 1/2"	45	3.0		A	624.00

343/84-001

Supa Lock™ ball valve with Supa Lock™ spigot end/PRK-coupling
Brass
EPDM drinking water approved
Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
343-025-84-00	25	33	1.8		A	413.00
343-032-84-00	32	41	2.1		A	477.00
343-040-84-00	40	52	3.0	5	A	784.00

343/85-001

Supa Lock™ ball valve with Supa Lock™ spigot end/screw coupling
Brass
EPDM drinking water approved
Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
343-025-85-00	25	33	2.0		A	413.00
343-032-85-00	32	41	2.2		A	497.00
343-040-85-00	40	52	3.0		A	819.00

343/86-001

Supa Lock™ ball valve with Supa Lock™ spigot end/PRK coupling / T-top
Brass
EPDM drinking water approved
Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
343-025-86-00	25	33	1.9		A	478.00
343-032-86-00	32	41	2.2		A	580.00
343-040-86-00	40	52	3.0		A	839.00

343/87-001

Supa Lock™ ball valve with Supa Lock™ spigot end/screw couplings / T-top
Brass
EPDM drinking water approved
Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
343-025-87-00	25	33	2.0		A	478.00
343-032-87-00	32	41	2.2		A	580.00
343-040-87-00	40	52	3.1		A	883.00

**04/10-001**

Fixed surface box
Distance ring and square of ductile iron
Cast iron
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	H mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
04-00051-00052-00 ⁽¹⁾	190	6.3	48	A	126.00
04-00051-00066-00 ⁽²⁾	190	6.3		B	183.00
04-00051-00069-00 ⁽³⁾	190	6.3	48	B	124.00
04-000-52-00 ⁽⁴⁾	-	1.8		A	43.00
04-000-52-08 ⁽⁵⁾		1.8		B	47.00
04-000-66-00 ⁽²⁾	-	1.8	100	A	47.00
04-001-53-00 ⁽⁶⁾	10	1.0	200	A	15.00
04-001-54-00 ⁽⁶⁾	20	0.8		A	19.00
04-001-55-00 ⁽⁶⁾	30	1.1		A	23.00
04-001-56-00 ⁽⁶⁾	40	1.4	100	A	36.00
04-001-57-00 ⁽⁶⁾	50	1.9	100	A	42.00
04-013-54-00 ⁽⁷⁾		1.5		B	40.00

(1) Complete surface box, lid inscription "VAND" (without distance ring)

(2) Lid inscription "GAS - AVK"

(3) Lid inscription "Water - AVK"

(4) Lid inscription "VAND - AVK"

(5) Lid inscription "VAND - AVK", black primer

(6) Distance ring, blue epoxy

(7) Distance square, blue epoxy

04/11-001

Floating surface box
Ductile iron
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	H mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
04-00060-00052-00 ⁽¹⁾	130	3.7	42	A	125.00
04-00060-00069-00 ⁽²⁾	130	3.7	42	B	125.00
04-00260-00262-00 ⁽¹⁾	150	6.4		A	165.00
04-00260-00264-00 ⁽³⁾	150	6.4		C	228.00

(1) Lid inscription "VAND - AVK"

(2) Lid inscription "Water - AVK"

(3) Lid inscription "GAS - AVK"

04/007-001

Floating surface box with ductile iron flange and lid
Polyamide
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
04-007-25-05900 ⁽¹⁾	4.3	48	A	149.00
04-007-25-10900 ⁽²⁾	4.3	48	A	149.00
04-007-75-06900 ⁽³⁾	4.3		C	143.00
04-007-75-11900 ⁽⁴⁾	4.3		C	143.00

(1) Round flange (ø 210 mm), round lid inscr. "V" and AVK logo

(2) Square flange (# 180 mm), round lid inscr. "V" and AVK logo

(3) Round flange (ø 210 mm), square lid inscr. "V" and AVK logo

(4) Square flange (# 180 mm), square lid inscr. "V" and AVK logo

04/007-002

Floating surface box with ductile iron flange and lid
Polyamide
Black primer



AVK ref. no.	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
04-007-25-05908 ⁽¹⁾	4.3	48	A	149.00
04-007-25-10908 ⁽²⁾	4.3	48	A	149.00
04-007-75-06908 ⁽³⁾	4.3	48	C	143.00
04-007-75-11908 ⁽⁴⁾	4.3	48	C	143.00
04-907-25-05908 ⁽⁵⁾	4.3	150	A	159.00

(1) Round flange (ø 210 mm), round lid inscr. "V" and AVK logo

(2) Square flange (# 180 mm), round lid inscr. "V" and AVK logo

(3) Round flange (ø 210 mm), square lid inscr. "V" and AVK logo

(4) Square flange (# 210 mm), square lid inscr. "V" and AVK logo

(5) Square flange (# 210 mm), square lid inscr. "V" and AVK logo. Without fixation for extension spindle



04/008-001

Floating surface box with round or square flange and lid
Ductile Iron
Black primer



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
04-008-25-05908 ⁽¹⁾	6.7	54	A	239.00
04-008-25-10908 ⁽²⁾	6.7	48	A	239.00
04-008-75-06908 ⁽³⁾	7.0	54	A	239.00
04-008-75-11908 ⁽⁴⁾	6.7	40	A	239.00

- (1) Round flange (ø 210 mm), round lid inscr. "V" and AVK logo
- (2) Square flange (# 180 mm), round lid inscr. "V" and AVK logo
- (3) Round flange (ø 210 mm), square lid inscr. "V" and AVK logo
- (4) Square flange (# 210 mm), square lid inscr. "V" and AVK logo

04/12-001

Universal surface box
Reversible fixed/floating design
Ductile Iron
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
04-003-51-000 ⁽¹⁾	11	28	A	212.00
04-003-53-00 ⁽²⁾	0.3	100	C	15.00
04-003-59 ⁽³⁾	0.1	50	A	14.00
04-003-62-00 ⁽⁴⁾	2.4	200	C	43.00
04-003-69-000 ⁽⁵⁾	11	28	C	183.00

- (1) Complete surface box, lid inscription "VAND" (without distance ring)
- (2) Distance ring, blue epoxy
- (3) Fixation plate
- (4) Lid inscription "VAND - AVK"
- (5) Complete surface box inscription lid "WATER" (without distance ring)

80/30-400

Height adjustable surface box for underground hydrants
Reinforced rim
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-30-4000000	18	24	C	713.00

80/30-100

Height adjustable surface box for underground hydrants
Cast iron lid
According to DIN 4055
DVGW approved
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-30-1000000	17	24	C	635.00

80/30-000

Fixed height surface box for underground hydrants
Cast iron lid
According to DIN 4055
DVGW approved
Also available with synthetic lid (black/colour)
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-30-0000000	15	24	A	456.00

80/30-011

Fixed height surface box for underground hydrants
Cast iron lid
Futura design
Also available with synthetic lid (black/colour)
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-30-0110001 ⁽¹⁾	10	24	A	309.00
80-30-0110006 ⁽²⁾	9.9	24	C	294.00
80-30-0110007 ⁽³⁾	9.9	24	C	294.00

- (1) Inscription: AVK HYDRANT
- (2) Holes in the lid for the inlet and outlet of air. Inscription: AVK VENTOUSE
- (3) Holes in the lid for the inlet and outlet of air. Inscription: AVK AIR VALVE

**80/30-200**

Fixed height surface box for underground hydrants
Cast iron lid
Rectangular top
Also available with synthetic lid (black/colour)
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-30-2000000	16	24	B	513.00

80/30-211

Fixed height surface box for underground hydrants
Cast iron lid
Futura design
Rectangular top
Also available with synthetic lid (black/colour)
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-30-2110002	11	24	B	371.00

80/41-000

Fixed height surface box for underground hydrants
Purbra
Cast iron lid
HDPE body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-41-0000000	14	24		356.00
80-41-0000022 ⁽¹⁾	14			

⁽¹⁾ Inscription plate: HYDRANT (red)

80/30-101

Height adjustable surface box for underground air valves
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-30-1010000 ⁽¹⁾	13	24	B	453.00

⁽¹⁾ Holes in the lid for the inlet and outlet of air. Inscription: AVK VENTOUSE

80/30-001

Fixed height surface box for underground air valves
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-30-0010001 ⁽¹⁾	11	24	C	339.00

⁽¹⁾ Holes in the lid for the inlet and outlet of air. Inscription: AVK VENTOUSE

80/39-100

Height adjustable surface box for distribution valves according to DIN 4056-2V
DVGW approved
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-39-1000000	13	24	C	809.00



80/39-000

Fixed height surface box for distribution valves
According to DIN 4056-2
DVGW approved
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-39-0000000	12	24	C	605.00

80/31-400

Height adjustable surface box for distribution valves
Reinforced rim
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-31-4000000 (1)	7.4	60	C	366.00

(1) Inscription: W

80/31-100

Height adjustable surface box for distribution valves
According to DIN 4056V
DVGW approved
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-31-1000000	6.9	60	B	315.00
80-31-1000010	6.9			

80/31-000

Fixed height surface box for distribution valves
According to DIN 4056
DVGW approved
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-31-0000000	5.9	60	A	213.00

80/31-011

Fixed height surface box for distribution valves
Futura design
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-31-0110002	3.8	60	A	135.00

80/31-200

Fixed height surface box for distribution valves
Square top
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-31-2000000	6.6	60	C	301.00

**80/31-211**

Fixed height surface box for distribution valves
Futura design
Square top
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-31-2110002	4.0	60	B	152.00

80/40-000

Fixed height surface box for distribution valves
Pera
Cast iron lid
HDPE body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-40-0000001 ⁽¹⁾	5.6	75		194.00

⁽¹⁾ Inscription plate: WATER (blue)

80/32-400

Height adjustable surface box for service connection valves
Reinforced rim
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-32-4000000 ⁽¹⁾	3.9	96	C	224.00

⁽¹⁾ Inscription: W

80/32-100

Height adjustable surface box for service connection valves
According to DIN 4057
DVGW approved
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-32-1000000	3.7	96	B	197.00

80/32-800

Height adjustable surface box for service connection valves
Square top
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-32-8000001	3.8	96	B	237.00

80/32-700

Height adjustable surface box for service connection valves
Hexagonal top
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-32-7000001	3.7	96	C	216.00



80/32-000

Fixed height surface box for service connection valves
According to DIN 4057
DVGW approved
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-32-0000000	3.0	96	B	146.00

80/32-011

Fixed height surface box for service connection valves
Futura design
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-32-0110003	2.1	96	A	91.00

80/32-200

Fixed height surface box for service connection valves
Square top
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-32-2000000	3.1	96	C	186.00

80/32-211

Fixed height surface box for service connection valves
Futura design
Square top
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-32-2110004	2.1	96	B	103.00

80/32-611

Fixed height surface box for service connection valves
Futura design
Hexagonal top
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-32-6110005	2.1	96	C	102.00

80/46-000

Support tile I for surface boxes 80/31, 80/32, 80/33, 80/34, 80/40 and 80/42
HDPE body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-46-00000	0.8	150	A	33.00

**80/46-001**

Support tile I FSL with large spindle fixation, for surface boxes 80/31, 80/32, 80/33, 80/34, 80/40 and 80/42
HDPE body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-46-000-01	0.8	150	A	33.00

80/46-002

Support tile I FSS with small spindle fixation, for surface boxes 80/31, 80/32, 80/33, 80/34, 80/40 and 80/42
HDPE body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-46-00002	0.8	150	C	33.00

80/46-003

Support tile I SI with spindle interface, for surface boxes 80/31, 80/32, 80/33, 80/34, 80/40 and 80/42
HDPE body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-46-00003	0.7	150		33.00

80/46-005

Support tile II for surface boxes 80/30 and 80/35
HDPE body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-46-00005	2.0	80	B	64.00

80/46-010

Support tile III for surface boxes 80/30, 80/35 and 80/41
HDPE body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-46-00010	1.8	80	C	69.00

80/46-015

Support tile IV for surface boxes 80/32, 80/33, 80/42 and 80/43
HDPE body




AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-46-00015	1.6	200	C	64.00



80/46-051


Top frame for surface boxes
80/32, 80/33, 80/42 and
80/43
HDPE body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-46-00051	6.1	60	B	168.00

80/46-052


Top frame for surface boxes
80/31, 80/34 and 80/40
HDPE body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-46-00052	6.1	60	B	164.00

80/46-057


Top frame for surface box
Purbra (80/41)
HDPE body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-46-00057	9.7	20	C	250.00

80/46-058

Top frame for 4055P (80/30)
HDPE body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-46-00058	9.7	20		225.00

80/60-001

Flexdrain FS
Packing for underground
hydrants DN80/100
PP



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-60-00001	0.8	160	A	67.00

80/60-002


Flexdrain HS
Packing for underground
hydrants DN80/100
PP



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-60-00002	0.5	160	C	83.00

**80/60-003**

Flexdrain FF - packing for
free flow underground
hydrants DN 80/100 - CO
145
PP



AVK ref. no.	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
80-60-00003	0.6	160	C	145.00

80/60-004

Flexdrain LDP
Packing for underground
hydrants DN80/100
PP



AVK ref. no.	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
80-60-00004	0.7	160		151.00

04/02-001

Fixed extension spindle for
gate valves, key adaptor #23-
32

Polyethylene (PE)



AVK ref. no.	DN/DN	Pipe cover mm	F3 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
04-050-3-5002	40 - 50	800	23 - 32	1.7	80	B	102.00
04-050-3-5502	40 - 50	1000	23 - 32	1.8		A	113.00
04-050-3-6002	40 - 50	1250	23 - 32	2.1		B	126.00
04-050-3-6502	40 - 50	1500	23 - 32	2.5		B	131.00
04-050-3-7502	40 - 50	2000	23 - 32	4.0	60	B	167.00
04-050-3-8002	40 - 50	3000	23 - 32	4.6	30	C	223.00
04-080-3-5002	65 - 80	800	23 - 32	1.7	80	B	102.00
04-080-3-5502	65 - 80	1000	23 - 32	1.7		A	111.00
04-080-3-6002	65 - 80	1250	23 - 32	2.1		A	118.00
04-080-3-6502	65 - 80	1500	23 - 32	2.5	60	A	130.00
04-080-3-7502	65 - 80	2000	23 - 32	3.3	60	B	167.00
04-080-3-8002	65 - 80	3000	23 - 32	4.8	42	C	223.00
04-125-3-5002	100 - 125	800	23 - 32	1.3	80	B	102.00
04-125-3-5502	100 - 125	1000	23 - 32	1.7		A	113.00
04-125-3-6002	100 - 125	1250	23 - 32	2.2		A	125.00
04-125-3-6502	100 - 125	1500	23 - 32	2.4		B	135.00
04-125-3-7502	100 - 125	2000	23 - 32	3.2	60	B	167.00
04-125-3-8002	100 - 125	3000	23 - 32	5.9	28	B	223.00
04-150-3-5002	150 - 150	800	23 - 32	1.4	80	B	102.00
04-150-3-5502	150 - 150	1000	23 - 32	1.8		A	108.00
04-150-3-6002	150 - 150	1250	23 - 32	2.2		B	120.00
04-150-3-6502	150 - 150	1500	23 - 32	2.7	48	B	130.00
04-150-3-7502	150 - 150	2000	23 - 32	4.4	45	B	167.00
04-150-3-8002	150 - 150	3000	23 - 32	6.7	40	B	223.00
04-200-3-5002	200 - 200	800	23 - 32	1.3	40	C	105.00
04-200-3-5502	200 - 200	1000	23 - 32	1.7	48	A	121.00
04-200-3-6002	200 - 200	1250	23 - 32	2.1	36	B	167.00
04-200-3-6502	200 - 200	1500	23 - 32	2.6	30	A	167.00
04-200-3-7502	200 - 200	2000	23 - 32	3.6	33	B	222.00
04-200-3-8002	200 - 200	3000	23 - 32	5.5	33	B	329.00
04-300-3-5002	250 - 300	800	23 - 32	1.2	34	B	105.00
04-300-3-5502	250 - 300	1000	23 - 32	1.6	34	B	121.00
04-300-3-6002	250 - 300	1250	23 - 32	2.1	33	B	167.00
04-300-3-6502	250 - 300	1500	23 - 32	2.5	30	B	167.00
04-300-3-7502	250 - 300	2000	23 - 32	3.5	33	B	222.00
04-300-3-8002	250 - 300	3000	23 - 32	5.4	30	B	329.00
04-400-3-6002	350 - 400	1250	23 - 32	1.8	24	B	167.00
04-400-3-6502	350 - 400	1500	23 - 32	2.3	24	B	167.00
04-400-3-7502	350 - 400	2000	23 - 32	3.4	30	B	222.00
04-400-3-8002	350 - 400	3000	23 - 32	5.3	24	B	333.00

**04/04-001**

Telescopic extension spindle
for gate valves, key adaptor
#23-32
L8 = Actual length
Polyethylene (PE)



AVK ref. no.	DN/DN	L8 mm	Range mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
04-050-4-0002	40 - 50	450 - 700	710 - 960	1.9	72	A	130.00
04-050-4-0502	40 - 50	650 - 1100	910 - 1360	2.6	48	A	158.00
04-050-4-1002	40 - 50	1050 - 1750	1310 - 2010	3.9	48	A	182.00
04-050-4-1202	40 - 50	1400 - 2350	1660 - 2560	5.8	44	B	230.00
04-050-4-1502	40 - 50	1700 - 2900	1960 - 3160	5.4	55	A	277.00
04-050-4-2202	40 - 50	2850 - 5250	3110 - 5510	11	24	C	547.00
04-080-4-0002	65 - 80	450 - 700	735 - 985	1.9	72	A	130.00
04-080-4-0502	65 - 80	650 - 1100	935 - 1385	2.0	48	A	158.00
04-080-4-1002	65 - 80	1050 - 1750	1335 - 2035	3.8	48	A	182.00
04-080-4-1202	65 - 80	1400 - 2350	1685 - 2585	4.9	55	A	230.00
04-080-4-1502	65 - 80	1700 - 2900	1985 - 3185	5.8	44	B	277.00
04-080-4-2202	65 - 80	2850 - 5250	3120 - 5520	11	54	C	547.00
04-125-4-0002	100 - 125	450 - 700	790 - 1040	1.8	72	B	130.00
04-125-4-0502	100 - 125	650 - 1100	990 - 1440	2.6	48	A	158.00
04-125-4-1002	100 - 125	1050 - 1750	1390 - 2090	4.0	44	A	182.00
04-125-4-1202	100 - 125	1400 - 2350	1740 - 2640	5.7	55	A	230.00
04-125-4-1502	100 - 125	1700 - 2900	2040 - 3240	5.8	55	A	277.00
04-125-4-2202	100 - 125	2850 - 5250	3190 - 5590	11	30	B	547.00
04-150-4-0002	150 - 150	450 - 700	870 - 1120	2.3	72	A	130.00
04-150-4-0502	150 - 150	650 - 1100	1070 - 1520	3.1	48	A	158.00
04-150-4-1002	150 - 150	1050 - 1750	1470 - 2170	4.5	44	A	182.00
04-150-4-1202	150 - 150	1400 - 2350	1820 - 2720	5.7	55	B	230.00
04-150-4-1502	150 - 150	1700 - 2900	2120 - 3320	7.5	44	A	277.00
04-150-4-2202	150 - 150	2850 - 5250	3270 - 5670	11	24	B	547.00
04-200-4-0002	200 - 200	450 - 700	950 - 1200	2.3	54	B	155.00
04-200-4-0502	200 - 200	650 - 1100	1150 - 1600	4.3	36	A	189.00
04-200-4-1002	200 - 200	1050 - 1750	1550 - 2250	3.9	30	A	238.00
04-200-4-1202	200 - 200	1400 - 2350	1900 - 2800	5.6	30	B	287.00
04-200-4-1502	200 - 200	1700 - 2900	2200 - 3400	6.9	40	A	335.00
04-200-4-2202	200 - 200	2850 - 5250	3350 - 5750	11	24	B	665.00
04-300-4-0002	250 - 300	450 - 700	1055 - 1305	2.4	42	A	155.00
04-300-4-0502	250 - 300	650 - 1100	1255 - 1705	3.2	33	A	189.00
04-300-4-1002	250 - 300	1050 - 1750	1655 - 2355	4.6	30	A	238.00
04-300-4-1202	250 - 300	1400 - 2350	2005 - 2905	5.7	55	B	287.00
04-300-4-1502	250 - 300	1700 - 2900	2305 - 3505	7.1	30	A	335.00
04-300-4-2202	250 - 300	2850 - 5250	3455 - 5855	11	25	B	674.00
04-400-4-0002	350 - 400	450 - 700	1220 - 1470	2.6	20	B	155.00
04-400-4-0502	350 - 400	650 - 1100	1420 - 1870	3.4	20	B	189.00
04-400-4-1002	350 - 400	1050 - 1750	1820 - 2520	4.5	30	A	238.00
04-400-4-1202	350 - 400	1400 - 2350	2170 - 3070	5.6	24	B	287.00
04-400-4-1502	350 - 400	1700 - 2900	2470 - 3670	7.6	24	A	335.00
04-400-4-2202	350 - 400	2850 - 5250	3620 - 6020	11	24	B	674.00
04-630-4-0002 (1)	450 - 600	450 - 700	1420 - 1670	2.6	24	B	176.00
04-630-4-0502 (1)	450 - 600	650 - 1100	1620 - 2070	3.4		B	284.00
04-630-4-1002 (1)	450 - 600	1050 - 1750	2020 - 2720	4.5	30	B	268.00
04-630-4-1502 (1)	450 - 600	1700 - 2900	2670 - 3870	7.6	24	B	374.00
04-630-4-2202 (1)	450 - 600	2850 - 5250	3820 - 6220	11	24	B	674.00
04-640-4-0002 (2)	450 - 600	450 - 700	1420 - 1670	2.6		B	183.00
04-640-4-0502 (2)	450 - 600	650 - 1100	1620 - 2070	3.4	20	C	215.00
04-640-4-1002 (2)	450 - 600	1050 - 1750	2020 - 2770	4.5	24	C	265.00
04-640-4-1502 (2)	450 - 600	1700 - 2900	2670 - 3870	7.6	24	C	369.00
04-640-4-2202 (2)	450 - 600	2850 - 5250	3820 - 6220	11	24	C	746.00

(1) Ø30 mm valve stem

(2) Ø40 mm valve stem

04/05-001

Fixed extension spindle for
service connection valves
Key adaptor #14-22
Polyethylene (PE)



AVK ref. no.	DN/DN	Pipe cover mm	F3 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
04-032-1-5001	25 - 50	800	14 - 22	2.0		B	98.00
04-032-1-5501	25 - 50	1000	14 - 22	1.6		B	102.00
04-032-1-6001	25 - 50	1250	14 - 22	2.0		B	111.00
04-032-1-6501	25 - 50	1500	14 - 22	2.4		B	117.00
04-032-1-7501	25 - 50	2000	14 - 22	3.2		B	132.00
04-032-1-9201	25 - 50	2500	14 - 22	4.5		B	

**04/07-001**

Telescopic extension spindle
for service connection valves
Key adaptor #14-22
L8=Actual length
Polyethylene (PE)



AVK ref. no.	DN/DN	L8 mm	Range mm	F3 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price
04-032-2-00010030	25 - 50	450 - 700	700 - 920	14 - 22	1.9			
04-032-2-0505					2.5			
04-032-2-1005					3.7			
04-032-2-1505					5.4			

04/F-009

Telescopic extension spindle
for service connection valves
Key adaptor #14-22
L8=Actual length
Polyethylene (PE)



AVK ref. no.	DN/DN	L8 mm	Range mm	F3 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
04-032-2-0001	25 - 50	450 - 700	700 - 920	14 - 22	1.9		A	90.00
04-032-2-0501	25 - 50	650 - 1100	900 - 1320	14 - 22	2.5	48	A	125.00
04-032-2-1001	25 - 50	1050 - 1750	1300 - 1970	14 - 22	3.7		A	140.00
04-032-2-1101	25 - 50	850 - 1400	1050 - 1600	14 - 22	2.5		A	134.00
04-032-2-1201	25 - 50	1400 - 2350	1650 - 2570	14 - 22	4.7		A	159.00
04-032-2-1501	25 - 50	1700 - 2900	1950 - 3120	14 - 22	5.4		A	185.00

08/A-004

Handwheel assembled with
bolt and washer
Cast iron
AVK coating standard
Clockwise to Close



AVK ref. no.	DN/DN	D mm	F mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
08-032-16 ⁽¹⁾	25 - 50	120	13	0.2	330	A	32.00
08-050-01-000	40 - 50	180	14	1.5	20	A	47.00
08-080-02-000	65 - 80	225	17	1.5	165	A	57.00
08-100-01-000	100 - 100	280	19	2.8	110	A	67.00
08-150-02-000	125 - 150	320	19	3.6	77	A	74.00
08-200-01-000	200 - 200	360	24	5.3	60	A	101.00
08-250-02-000	250 - 300	500	27	8.6	22	A	151.00
08-400-01-000 ⁽²⁾	350 - 500	640	32	15	14	A	266.00
08-600-01-000 ⁽³⁾	450 - 600	800	Ø30	20	10	A	394.00
08-600-03-000 ⁽⁴⁾	450 - 600	800	Ø40	20		C	479.00

⁽¹⁾ For service connection valves

⁽²⁾ Square stem

⁽³⁾ CTC, for series 06 and 46, ø30

⁽⁴⁾ CTC, ø40

08/A-005

Handwheel assembled with
bolt and washer
Cast iron
AVK coating standard
Clockwise to Open



AVK ref. no.	DN/DN	D mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
08-050-06-0001	40 - 50	180	1.5	75	C	47.00
08-080-06-0001	65 - 80	225	2.0	165	C	57.00
08-100-06-0001	100 - 100	280	3.5	110	B	67.00
08-150-06-0001	125 - 150	320	4.5	70	B	74.00
08-200-06-0001	200 - 200	360	6.0		C	104.00
08-250-06-0001	250 - 300	500	11		C	164.00
08-400-06-0001 ⁽¹⁾	350 - 500	640	17		C	274.00
08-600-06-000 ⁽²⁾	450 - 600	800	20		C	452.00

⁽¹⁾ Square stem

⁽²⁾ CTO, for series 06 and 46, ø30

08/A-014

Handwheel assembled with
bolt and washer for the new
generation of gate valves
Cast iron
AVK coating standard
Clockwise to Close or
Clockwise to Open



AVK ref. no.	DN/DN	D mm	F mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
08-080-66-00000	65 - 80	160	17	1.0		A	57.00
08-080-66-00100	65 - 80	160	17	0.9		C	57.00
08-100-66-00000	100	200	19	1.3		A	67.00
08-100-66-00100	100	200	19	1.3		C	67.00
08-150-66-00000	125 - 150	240	19	1.9		A	74.00
08-150-66-00100	125 - 150	240	19	1.8		C	74.00
08-200-66-00000	200	280	24	2.2		A	101.00
08-200-66-00100	200	280	24	3.6		C	101.00



04/15-001

T-key for gate valves
Steel
AVK coating standard
Clockwise to Close or
Clockwise to Open



AVK ref. no.	Valve DN mm	F mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
04-050-2000 ⁽¹⁾	25 - 50	20	2.2	50	A	307.00
04-050-2100 ⁽²⁾	40 - 600	28	2.7	50	A	311.00

- (1) For service connection valve with stem cap or extension spindle with key adaptor # 14-22
(2) For gate valves with stem cap or extension spindle with key adaptor # 23-32

04/22-001

Stem cap for valves and
extension spindles
Ductile Iron
AVK coating standard



AVK ref. no.	DN/DN	F mm	F1 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
04-000-10-00 ⁽¹⁾	40 - 50	23-32	14	1.1		B	37.00
04-000-11-00 ⁽¹⁾	65 - 80	23-32	17	1.1		B	39.00
04-000-12-00 ⁽¹⁾	100 - 150	23-32	19	1.2		B	41.00
04-000-13-00 ⁽¹⁾	200 - 200	23-32	24	1.8		B	44.00
04-000-14-00 ⁽¹⁾	250 - 300	23-32	27	1.8		B	47.00
04-032-21-00 ⁽²⁾	25 - 50	27-32	13	0.4	100	A	45.00
04-160-17-00 ⁽³⁾	25 - 150	27-32	16/20	0.4	260	A	45.00
04-400-17-00 ⁽³⁾	200 - 400	27-32	25	1.3	250	A	46.00
08-040-61-000 ⁽⁴⁾	40 - 50	30	14	0.2	500	A	12.00
08-065-61-000 ⁽⁴⁾	65 - 80	30	17	1.0	260	A	17.00
08-100-61-000 ⁽⁴⁾	100 - 150	30	19	0.6	260	A	19.00
08-200-61-000 ⁽⁴⁾	200 - 200	30	24	0.7	160	A	36.00
08-250-61-000 ⁽⁴⁾	250 - 300	30	27	1.1	100	A	33.00
08-400-61-000 ⁽⁴⁾	350 - 500	30	32	1.1	200	A	47.00
55-500-1800	450 - 600	32	Ø41	1.6		C	63.00
55-500-18-000 ⁽⁵⁾	450 - 600	32	Ø41	3.5	50	A	62.00
55-500-22-000 ⁽⁶⁾	450 - 600	27	Ø31	3.0		C	105.00

- (1) For standard gate valves, fits for AVK t-keys
(2) For service connection valves
(3) For extension spindles
(4) With bolt in stainless steel, A2 for standard gate valves
(5) For series 55/30 gate valves, ø40 mm
(6) For series 06, 46 and 55/35 gate valves, ø30 mm

79-001

Flange gasket in straight KGS
design - EPDM rubber



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
79-050-4-42	50	PN 10/40	0.0		C	24.00
79-065-4-42	65	PN 10/40	0.0		C	25.00
79-080-4-42	80	PN 10/40	0.1	500	C	26.00
79-100-4-22	100	PN 10/16	0.1	500	C	30.00
79-125-4-22	125	PN 10/16	0.1		C	37.00
79-150-4-22	150	PN 10/16	0.1	500	C	44.00
79-200-4-22	200	PN 10/16	0.2	200	C	56.00
79-250-4-12	250	PN10	0.3	200	C	56.00
79-250-4-22	250	PN16	0.3		C	56.00
79-300-4-12	300	PN10	0.3	200	C	89.00
79-300-4-22	300	PN16	0.3		C	89.00
79-350-4-12	350	PN10	0.5		C	107.00
79-350-4-22	350	PN16	0.5		C	107.00
79-400-4-12	400	PN10	0.7		C	118.00
79-400-4-22	400	PN16	0.5		C	118.00
79-450-4-12	450	PN10	1.0		C	151.00
79-450-4-22	450	PN16	1.0		C	151.00
79-500-4-12	500	PN10	1.0		C	208.00
79-500-4-22	500	PN16	1.0		C	208.00
79-600-4-12	600	PN10	1.1		C	236.00
79-600-4-22	600	PN16	1.1		C	236.00
79-700-4-12	700	PN10	1.5		C	331.00
79-700-4-22	700	PN16	1.5		C	406.00
79-800-4-12	800	PN10	2.2		C	547.00
79-800-4-22	800	PN16	2.2		C	590.00

**79-003**

Flange gasket in drop-shaped
KGS-S design - EPDM rubber



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
79-050-4-43	50	PN 10/40	0.0		C	25.00
79-065-4-43	65	PN 10/40	0.0		C	26.00
79-080-4-43	80	PN 10/40	0.1		C	26.00
79-100-4-23	100	PN 10/16	0.1		C	32.00
79-125-4-23	125	PN 10/16	0.1		C	38.00
79-150-4-23	150	PN 10/16	0.1		C	45.00
79-200-4-23	200	PN 10/16	0.2		C	57.00
79-250-4-13	250	PN10	0.3		C	58.00
79-300-4-13	300	PN10	0.3		C	91.00
79-350-4-13	350	PN10	0.5		C	110.00
79-400-4-13	400	PN10	0.7		C	125.00
79-450-4-13	450	PN10	1.0		C	162.00
79-500-4-13	500	PN10	1.0		C	214.00
79-600-4-13	600	PN10	1.1		C	245.00
79-700-4-13	700	PN10	1.5		C	344.00
79-800-4-13	800	PN10	2.2		C	570.00

05/21-001

Combi-flange for
D.I./PVC/steel pipes
Ductile Iron

Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901



AVK ref. no.	DN mm	Dd mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
05-050-21-00 (1)	50	63	PN10/16	1.2	300	C	76.00
05-065-21-00 (1)	65	75	PN10/16	1.5		A	79.00
05-080-21-00 (1)	80	90	PN10/16	1.8		A	92.00
05-100-21-00 (1)	100	110	PN10/16	2.3	144	A	104.00
05-125-21-00 (1)	125	140	PN10/16	3.8	105	C	114.00
05-150-21-00 (1)	150	160	PN10/16	3.4	84	C	116.00
05-200-24-00 (1)	200	225	PN10	5.5	42	C	210.00
05-200-44-00 (1)	200	225	PN16	8.4	42	C	214.00
05-250-24-00 (1)	250	280	PN10	15	24	C	327.00
05-250-44-00 (1)	250	280	PN16	13		C	347.00
05-300-24-00 (1)	300	326	PN10	16	15	C	436.00
05-300-44-00 (1)	300	326	PN16	15	15	B	466.00
05-400-21-00 (2)	400	400	PN10	31	8	A	641.00
05-400-24-00 (3)	400	428	PN10	31	10	A	641.00
05-400-41-00 (2)	400	400	PN16	33	8	B	773.00
05-400-44-00 (3)	400	428	PN16	30		A	677.00
05-500-21-00 (2)	500	500	PN10	60	3	A	1,173.00
05-500-22-00 (3)	500	532	PN10	57		A	1,092.00
05-500-41-00 (2)	500	500	PN16	71		C	1,486.00
05-500-42-00 (3)	500	532	PN16	71	6	C	1,486.00
05-600-22-00 (4)	600	630	PN10	81	3	A	1,569.00

- (1) For steel pipes
(2) For PVC pipes
(3) For ductile iron pipes
(4) For PVC and ductile iron pipes

**05/60-001**

Combi-flange tensile unit for
PE/PVC and Bi-PVC pipes

Ductile Iron

EPDM drinking water
approved

Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901



AVK ref. no.	DN mm	Dd mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
05-050-60-1600	50	63	PN10/16	1.9	120	A	168.00
05-063-60-1600	60	63	PN10/16	2.0	120	B	174.00
05-075-60-1600	65	75	PN10/16	2.2	105	A	185.00
05-090-60-1600	80	90	PN10/16	2.5	84	A	168.00
05-110-60-1600	100	110	PN10/16	3.0	120	A	182.00
05-125-60-1600	125	125	PN10/16	3.7	45	B	391.00
05-140-60-1600	125	140	PN10/16	3.9	30	B	444.00
05-160-60-1600	150	160	PN10/16	4.3	36	A	378.00
05-200-60-0600	200	200	PN10/16	6.3	14	A	549.00
05-200-60-1600	200	200	PN16	6.3	14	A	578.00
05-225-60-0600	200	225	PN10	7.0	28	A	696.00
05-225-60-1600	200	225	PN16	7.0	14	A	696.00
05-250-60-0600	250	250	PN10	8.0	12	B	836.00
05-250-60-1600	250	250	PN16	8.0	12	B	836.00
05-280-60-0600 ⁽¹⁾	250	280	PN10	8.0	12	A	965.00
05-280-60-1600 ⁽²⁾	250	280	PN16	8.0	12	B	965.00
05-315-60-0600 ⁽¹⁾	300	315	PN10	9.8	5	A	1,301.00
05-315-60-1600 ⁽²⁾	300	315	PN16	9.8	9	A	1,339.00

⁽¹⁾ Max. $\pm 1.5^\circ$ deflection. For Bi-PVC pipes a support bush is to be used

⁽²⁾ Max. $\pm 1.5^\circ$ deflection. Not suitable for Bi-PVC pipes

05/60-002

Combi-flange tensile unit for
PE/PVC and Bi-PVC pipes
incl. bolts

Ductile Iron

EPDM drinking water
approved

Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901



AVK ref. no.	DN mm	Dd mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
05-050-16-0638203	50	63	PN10/16	2.8		C	187.00
05-075-16-0758203	65	75	PN10/16	3.0		B	210.00
05-090-16-0908203	80	90	PN10/16	4.1	33	A	201.00
05-110-16-1108203	100	110	PN10/16	4.6	33	A	216.00
05-125-16-1258203	125	125	PN10/16	5.2		B	424.00
05-140-16-1408203	125	140	PN10/16	6.2	1	C	477.00
05-160-16-1608203	150	160	PN10/16	7.7	28	A	456.00
05-200-16-2008203	200	200	PN16	9.4	10	C	741.00
05-200-16-2008303	200	200	PN10	9.4	11	A	714.00
05-225-16-2258203	200	225	PN16	10	11	B	884.00
05-225-16-2258303	200	225	PN10	10	11	A	859.00
05-250-16-2508203	250	250	PN16	14	7	C	1,146.00
05-250-16-2508303	250	250	PN10	14	7	A	1,128.00
05-280-16-2808203 ⁽¹⁾	250	280	PN16	14		C	1,294.00
05-280-16-2808303 ⁽²⁾	250	280	PN10	14	7	B	1,256.00
05-315-16-3158203 ⁽¹⁾	300	315	PN16	16		C	1,837.00
05-315-16-3158303 ⁽²⁾	300	315	PN10	16	10	C	1,691.00

⁽¹⁾ Max. $\pm 1.5^\circ$ deflection. Not suitable for Bi-PVC pipes

⁽²⁾ Max. $\pm 1.5^\circ$ deflection. For Bi-PVC pipes a support bush is to be used

**05/62-001**

Combi-flange non-tensile unit for PVC and Bi-PVC pipes
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Dd mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
05-050-62-1600	50	63	PN10/16	1.7	120	A	101.00
05-063-62-1600	60	63	PN10/16	1.9	120	B	106.00
05-075-62-1600	65	75	PN10/16	2.0	105	B	111.00
05-090-62-1600	80	90	PN10/16	2.3	60	B	96.00
05-110-62-1600	100	110	PN10/16	2.7	120	B	106.00
05-125-62-1600	125	125	PN10/16	3.4	45	B	165.00
05-140-62-1600	125	140	PN10/16	3.5	60	B	184.00
05-160-62-1600	150	160	PN10/16	3.9	36	B	185.00
05-200-62-0600	200	200	PN10	5.5	14	A	312.00
05-200-62-1600	200	200	PN16	5.5	15	B	312.00
05-225-62-0600	200	225	PN10	6.2	14	A	297.00
05-225-62-1600	200	225	PN16	6.2		B	297.00
05-250-62-0600	250	250	PN10	7.0	12	B	464.00
05-250-62-1600	250	250	PN16	7.0	12	B	476.00
05-280-62-0600 ⁽¹⁾	250	280	PN10	7.0	12	C	454.00
05-280-62-1600 ⁽¹⁾	250	280	PN16	7.0	12	C	454.00
05-315-62-0600 ⁽¹⁾	300	315	PN10	8.7	6	A	566.00
05-315-62-1600 ⁽¹⁾	300	315	PN16	8.7	6	B	605.00

⁽¹⁾ For Bi-PVC pipes a support bush is to be used.

05/62-002

Combi-flange non-tensile unit for PVC and Bi-PVC pipes incl. bolts
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Dd mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
05-050-76-0638203	50	63	PN10/16	2.6	1	C	121.00
05-075-76-0758203	65	75	PN10/16	2.7		C	131.00
05-090-76-0908203	80	90	PN10/16	3.6	33	B	127.00
05-110-76-1108203	100	110	PN10/16	4.3	33	A	138.00
05-125-76-1258203	125	125	PN10/16	5.6		C	196.00
05-140-76-1408203	125	140	PN10/16	5.6	7	C	218.00
05-160-76-1608203	150	160	PN10/16	7.3	14	A	267.00
05-200-76-2008203	200	200	PN16	9.2		C	484.00
05-200-76-2008303	200	200	PN10	9.2	11	A	477.00
05-225-76-2258203	200	225	PN16	9.4	5	C	460.00
05-225-76-2258303	200	225	PN10	9.4	11	A	460.00
05-250-76-2508203	250	250	PN16	13		C	798.00
05-250-76-2508303	250	250	PN10	13	7	C	758.00
05-280-76-2808203 ⁽¹⁾	250	280	PN16	13		C	774.00
05-280-76-2808303 ⁽¹⁾	250	280	PN10	13	7	C	722.00
05-315-76-3158203 ⁽¹⁾	300	315	PN16	15		C	1,088.00
05-315-76-3158303 ⁽¹⁾	300	315	PN10	15	6	A	954.00

⁽¹⁾ For Bi-PVC pipes a support bush is to be used.

05/C-001

Non-tensile sealing ring for combi-flange for steel pipes
EPDM rubber



AVK ref. no.	DN mm	Dd mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
05-050-05-40	50	60.3	0.2	20	A	111.00
05-080-05-40	80	88.9	0.4	50	A	140.00
05-100-05-40	100	114.3	0.5	50	C	151.00
05-125-05-40	125	140.3	0.7		C	170.00
05-150-05-40	150	168.3	0.8		B	170.00
05-200-05-40	200	219.1	1.5	50	C	2,401.00
05-250-05-40	250	273	1.6		C	239.00
05-300-05-40	300	323.9	2.6	30	C	331.00

05/C-002

Non-tensile sealing ring for combi-flange for PVC pipes
EPDM rubber



AVK ref. no.	DN mm	Dd mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
05-400-03-40	400	400	4.1		B	497.00
05-500-03-40	500	500	4.0		B	578.00
05-600-03-40	600	630	4.7		B	593.00

**05/C-003**

Non-tensile sealing ring for
combi-flange for ductile iron
pipes
EPDM rubber



AVK ref. no.	DN mm	Dd mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
05-400-02-40	400	428	4.1		B	403.00
05-500-02-40	500	532	4.0		B	433.00
05-600-02-40	600	636	4.7		B	465.00

05/26-001

Combi-flange tensile unit for
ductile iron pipes
Ductile Iron
EPDM drinking water
approved
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901



AVK ref. no.	DN mm	Dd mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
05-066-26-0502104	50	66	PN10/16	2.6	10	C	308.00
05-077-26-0602204	60	77	PN10/16	2.5	24	C	249.00
05-082-26-0652104	65	82	PN10/16	2.6	1	B	223.00
05-098-26-0802104	80	98	PN10/16	3.0	18	A	192.00
05-118-26-1002104	100	118	PN10/16	3.8	70	A	291.00
05-144-26-1252104	125	144	PN10/16	5.6	12	B	363.00
05-170-26-1502104	150	170	PN10/16	6.0	22	A	450.00
05-222-26-2002404	200	222	PN10	9.0	7	A	485.00
05-222-26-2004404	200	222	PN16	9.0	6	B	499.00
05-274-26-2502404	250	274	PN10	19	6	A	825.00
05-274-26-2504404	250	274	PN16	18	5	A	855.00
05-326-26-3002404	300	326	PN10	23	9	A	1,032.00
05-326-26-3004404	300	326	PN16	22		A	1,063.00

05/26-003

Combi-flange tensile unit for
ductile iron pipes - incl. bolts
Ductile Iron
EPDM drinking water
approved
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901



AVK ref. no.	DN mm	Dd mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
05-066-26-0502100	50	66	PN10/16	3.3		C	336.00
05-077-26-0602200	60	77	PN10/16	3.3		C	277.00
05-082-26-0652100	65	82	PN10/16	3.3		C	249.00
05-098-26-0802100	80	98	PN10/16	4.4		C	231.00
05-118-26-1002100	100	118	PN10/16	8.0	22	A	326.00
05-144-26-1252100	125	144	PN10/16	8.8	13	C	397.00
05-170-26-1502100	150	170	PN10/16	9.2	25	A	528.00
05-222-26-2002400	200	222	PN10	13	6	A	651.00
05-222-26-2004400	200	222	PN16	14	3	C	673.00
05-274-26-2502400	250	274	PN10	27	10	B	1,115.00
05-274-26-2504400	250	274	PN16	27	2	C	1,164.00
05-326-26-3002400	300	326	PN10	31	8	B	1,422.00
05-326-26-3004400	300	326	PN16	30	2	C	1,529.00

05/66-002

Combi-flange non-tensile unit
for ductile iron pipes
Ductile Iron
EPDM drinking water
approved
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901



AVK ref. no.	DN mm	Dd mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
05-050-66-0502104	50	66	PN10/16	2.4		C	227.00
05-060-66-0602204	60	77	PN10/16	2.3	24	C	145.00
05-065-66-0652104	65	82	PN10/16	2.6	16	C	168.00
05-080-66-0802104	80	98	PN10/16	2.8		B	165.00
05-100-66-1002104	100	118	PN10/16	3.6	15	A	186.00
05-125-66-1252104	125	144	PN10/16	5.4	12	B	224.00
05-150-66-1502104	150	170	PN10/16	5.7	20	A	231.00
05-200-66-2002404	200	222	PN10	8.7	16	A	354.00
05-200-66-2004404	200	222	PN16	8.7	6	C	380.00
05-250-66-2502404	250	274	PN10	19	8	B	530.00
05-250-66-2504404	250	274	PN16	18	1	C	549.00
05-300-66-3002404	300	326	PN10	22	9	A	689.00
05-300-66-3004404	300	326	PN16	22	3	A	720.00

**05/66-004**

Combi-flange non-tensile unit for ductile iron pipes incl. bolts
 Ductile Iron
 EPDM drinking water approved
 Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Dd mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
05-050-66-0502100	50	66	PN10/16	3.1		C	176.00
05-060-66-0602200	60	77	PN10/16	3.0		C	171.00
05-065-66-0652100	65	82	PN10/16	3.3		C	192.00
05-080-66-0802100	80	98	PN10/16	4.2		C	201.00
05-100-66-1002100	100	118	PN10/16	7.8	11	C	221.00
05-125-66-1252100	125	144	PN10/16	8.6		C	265.00
05-150-66-1502100	150	170	PN10/16	9.0	12	A	309.00
05-200-66-2002400	200	222	PN10	12	12	A	520.00
05-200-66-2004400	200	222	PN16	14	6	C	543.00
05-250-66-2502400	250	274	PN10	25	6	A	823.00
05-250-66-2504400	250	274	PN16	25		C	874.00
05-300-66-3002400	300	326	PN10	29	2	A	1,078.00
05-300-66-3004400	300	326	PN16	28		C	1,208.00

265/30-001


Dismantling joint PN10
 Steel
 EPDM rubber
 Epoxy coated according to WIS 4-52-01 class B



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
265-30-0300-01	300	PN10	67	3	C	3,071.00
265-30-0350-01	350	PN10	77	2	C	3,806.00
265-30-0400-01	400	PN10	88	2	C	4,216.00
265-30-0450-01	450	PN10	100	1	C	5,187.00
265-30-0500-01	500	PN10	109	1	C	5,671.00
265-30-0600-01	600	PN10	146	1	C	7,326.00
265-30-0700-01	700	PN10	177	1	C	8,795.00
265-30-0800-01	800	PN10	217	1	C	9,775.00
265-30-1000-01	1000	PN10	310	1	C	12,708.00
265-30-1200-01	1200	PN10	398	1	C	16,623.00

265/30-002

Dismantling joint PN16
 Steel
 EPDM rubber
 Epoxy coated according to WIS 4-52-01 class B



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
265-30-0050-11	50	PN10/16	11		C	568.00
265-30-0080-11	80	PN10/16	15		C	606.00
265-30-0100-11	100	PN10/16	19		C	646.00
265-30-0150-11	150	PN10/16	26		C	962.00
265-30-0200-11	200	PN16	30		C	1,256.00
265-30-0250-11	250	PN16	43		C	1,810.00
265-30-0300-11	300	PN16	68	3	C	2,988.00
265-30-0350-11	350	PN16	80	2	C	3,635.00
265-30-0400-11	400	PN16	104	2	C	4,562.00
265-30-0450-11	450	PN16	121	1	C	5,077.00
265-30-0500-11	500	PN16	149	1	C	6,057.00
265-30-0600-11	600	PN16	186		C	7,677.00
265-30-0700-11	700	PN16	203	1	C	7,816.00
265-30-0800-11	800	PN16	233	1	C	8,795.00
265-30-0900-11	900	PN16	261	1	C	9,775.00
265-30-1000-11	1000	PN16	356	1	C	14,666.00
265-30-1200-11	1200	PN16	481	1	C	22,004.00
265-30-1600-11	1600	PN16	700			

265/50-001

Dismantling joint with tie rods (of zinc plated and passivated steel 8.8) & centre flange (of mild steel)
 Ductile Iron
 EPDM rubber
 Epoxy coated according to WIS 4-52-01 class B



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
265-50-0050-11	50	PN10/16	13	25	C	622.00
265-50-0065-11	65	PN10/16	16	20	C	685.00
265-50-0080-11	80	PN10/16	20	20	C	733.00
265-50-0100-11	100	PN10/16	25	14	C	810.00
265-50-0125-11	125	PN10/16	29	10	C	965.00
265-50-0150-11	150	PN10/16	36	9	C	1,274.00
265-50-0200-01	200	PN10	52	6	C	1,775.00
265-50-0200-11	200	PN16	56	6	C	1,949.00
265-50-0250-01	250	PN10	73	4	C	2,489.00
265-50-0250-11	250	PN16	78	4	C	2,545.00

**265/50-002**

Dismantling joint with tie rods (of zinc plated and passivated steel 8.8) & centre flange (of mild steel)

Steel
EPDM rubber
Epoxy coated according to WIS 4-52-01 class B



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
265-50-0300-01	300	PN10	72	3	C	3,014.00
265-50-0300-11	300	PN16	85	3	C	3,194.00
265-50-0350-01	350	PN10	93	2	C	3,874.00
265-50-0400-01	400	PN10	127	2	C	4,657.00
265-50-0400-11	400	PN16	156	2	C	5,762.00
265-50-0450-01	450	PN10	172	1	C	5,674.00
265-50-0450-11	450	PN16	213	1	C	6,839.00
265-50-0500-01	500	PN10	181	1	C	6,261.00
265-50-0500-11	500	PN16	273	1	C	8,207.00
265-50-0600-01	600	PN10	210	1	C	8,207.00
265-50-0600-11	600	PN16	342	1	C	12,317.00
265-50-0700-01	700	PN10	268	1	C	10,604.00
265-50-0700-11	700	PN16	342	1	C	13,195.00
265-50-0800-01	800	PN10	405	1	C	13,540.00
265-50-0800-11	800	PN16	499	1	C	17,405.00
265-50-1000-01	1000	PN10	688	1	C	22,004.00
265-50-1200-01	1200	PN10	880	1	C	31,697.00

873/00-001

Dismantling joint with tie rods and intermediate flange - PN10/16

Ductile Iron
EPDM rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
873-0040-00-141000	40	PN16	8.0		C	397.00
873-0050-00-141000	50	PN16	11		B	622.00
873-0065-00-141000	65	PN16	15		C	685.00
873-0080-00-141000	80	PN16	17		B	733.00
873-0100-00-141000	100	PN16	19		B	810.00
873-0125-00-141000	125	PN16	23		C	965.00
873-0150-00-141000	150	PN16	30		B	1,274.00
873-0200-00-041000	200	PN10	40		C	1,775.00
873-0200-00-141000	200	PN16	44		C	1,949.00
873-0250-00-041000	250	PN10	54		C	2,489.00
873-0250-00-141000	250	PN16	63		C	2,545.00
873-0300-00-041000	300	PN10	62		C	3,014.00
873-0300-00-141000	300	PN16	76		C	3,194.00
873-0350-00-041000	350	PN10	89		C	3,874.00
873-0350-00-141000	350	PN16	107		C	4,109.00
873-0400-00-041000	400	PN10	113		C	4,657.00
873-0400-00-141000	400	PN16	137		C	5,762.00
873-0450-00-041000	450	PN10	132		C	5,674.00
873-0450-00-141000	450	PN16	163		C	6,839.00
873-0500-00-041000	500	PN10	146		C	6,261.00
873-0500-00-141000	500	PN16	212		C	8,207.00
873-0600-00-041000	600	PN10	184		C	8,207.00
873-0600-00-141000	600	PN16	288		C	12,317.00
873-0700-00-041000	700	PN10	226		C	10,604.00
873-0700-00-141000	700	PN16	302		C	13,195.00
873-0800-00-041000	800	PN10	308		C	13,540.00
873-0800-00-141000	800	PN16	399		C	17,405.00
873-0900-00-041000	900	PN10	350		C	16,593.00
873-0900-00-141000	900	PN16	463		C	19,919.00
873-1000-00-041000	1000	PN10	419		C	22,004.00
873-1000-00-141000	1000	PN16	600		C	25,632.00
873-1200-00-041000	1200	PN10	632		C	31,697.00
873-1400-00-041000	1400	PN10	836			36,719.00
873-1400-00-141000	1400	PN16	1114		C	45,636.00
873-1500-00-041000	1500	PN10	899			47,394.00
873-1500-00-141000	1500	PN16	1476		C	57,678.00
873-1600-00-041000	1600	PN10	1248			57,583.00
873-1600-00-141000	1600	PN16	1671		C	74,855.00
873-1800-00-041000	1800	PN10	2350			68,946.00
873-1800-00-141000	1800	PN16	2520		C	83,945.00
873-2000-00-041000	2000	PN10	2650			86,767.00
873-2000-00-141000	2000	PN16	3168		C	110,314.00

**873/00-002**

Dismantling joint with tie rods and intermediate flange - PN25

Ductile Iron

EPDM rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
873-0040-00-741000	40	PN25	8.0		C	504.00
873-0050-00-741000	50	PN25	11		C	523.00
873-0065-00-741000	65	PN25	16		C	633.00
873-0080-00-741000	80	PN25	17		C	791.00
873-0100-00-741000	100	PN25	26		C	1,239.00
873-0150-00-741000	150	PN25	40		C	2,006.00
873-0200-00-741000	200	PN25	60		C	2,783.00
873-0250-00-741000	250	PN25	82		C	3,707.00
873-0300-00-741000	300	PN25	108		C	4,980.00
873-0350-00-741000	350	PN25	158		C	6,828.00
873-0400-00-741000	400	PN25	199		C	9,775.00
873-0450-00-741000	450	PN25	227		C	11,162.00
873-0500-00-741000	500	PN25	249		C	12,928.00
873-0600-00-741000	600	PN25	348		C	16,368.00
873-0700-00-741000	700	PN25	452		C	23,730.00
873-0800-00-741000	800	PN25	629		C	33,368.00
873-0900-00-741000	900	PN25	786		C	37,557.00
873-1000-00-741000	1000	PN25	850		C	53,535.00
873-1200-00-741000	1200	PN25	1300		C	70,550.00

601/A-005

Universal Supa® coupling with bolts of mild steel, Sheraplex fasteners

Ductile Iron

EPDM rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	Product PN Class	Seal range SR1 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
601-063-000-4100	40	PN16	46-63	2.9	54	B	181.00
601-074-000-4100	50	PN16	57-74	2.9	54	B	183.00
601-085-000-4100	65	PN16	68-85	4.3	40	C	224.00
601-106-000-4100	80	PN16	84-106	4.9	28	A	268.00
601-119-000-4100	100	PN16	99-119	5.2	24	A	277.00
601-133-000-4100	100	PN16	109-133	6.0	24	A	287.00
601-157-000-4100	125	PN16	132-157	6.5	30	A	328.00
601-183-000-4100	150	PN16	157-183	8.0	35	A	395.00
601-201-000-4100	150	PN16	176-201	9.0		B	417.00
601-215-000-4100	175	PN16	193-215	10	25	B	427.00
601-242-000-4100	200	PN16	218-242	12	8	A	543.00
601-268-000-4100	225	PN16	242-268	17	20	C	730.00
601-292-000-4100	250	PN16	266-292	19	6	A	782.00
601-306-000-4100	250	PN16	280-306	15	6	C	911.00
601-327-000-4100	300	PN16	301-327	21	12	B	966.00
601-350-000-4100	300	PN16	324-350	23	9	A	998.00
601-378-000-4100	350	PN16	352-378	24	5	A	1,358.00
601-396-000-4100	350	PN16	372-397	20		A	1,194.00
601-410-000-4100	350	PN16	384-410	25		C	1,197.00
601-436-000-4100	400	PN16	410-436	28		A	1,275.00
601-462-000-4100	400	PN16	436-462	29	2	A	1,511.00

**602/1-001**

Universal Supa® step
coupling with bolts of mild
steel

Ductile Iron

EPDM rubber

Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved



AVK ref. no.	DN/DN	Seal range SR1 mm	Seal range SR2 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
602-063-074-4100	40 - 50	46-63	57-74	3.2	54	B	170.00
602-063-085-4100	40 - 65	46-63	68-85	4.2	40	B	192.00
602-074-085-4100	50 - 65	57-74	68-85	4.2	40	B	219.00
602-074-106-4100	50 - 80	57-74	84-106	4.5	28	B	243.00
602-085-106-4100	65 - 80	68-85	84-106	4.9	28	B	236.00
602-106-119-4100	80 - 100	84-106	99-119	5.3	24	B	279.00
602-106-133-4100	80 - 100	84-106	109-133	5.3	24	B	256.00
602-119-133-4100	80 - 100	99-119	109-133	5.6	24	B	289.00
602-119-157-4100	80 - 125	99-119	132-157	6.4	15	B	282.00
602-133-157-4100	100 - 125	109-133	132-157	7.2	12	B	315.00
602-133-183-4100	100 - 150	109-133	157-183	7.4	12	B	371.00
602-157-183-4100	125 - 150	132-157	157-183	7.7	10	B	331.00
602-183-201-4100	150 - 150	157-183	176-201	10	10	B	436.00
602-201-215-4100	150 - 175	176-201	193-215	9.6	14	B	476.00
602-201-242-4100	175 - 200	176-201	218-242	14	14	B	525.00
602-215-242-4100	175 - 200	193-215	218-242	11	7	B	531.00
602-215-268-4100	175 - 225	193-215	242-268	16	7	B	605.00
602-242-268-4100	200 - 225	218-242	242-268	14		B	677.00
602-268-292-4100	225 - 250	242-268	266-292	15	6	B	761.00
602-292-306-4100	250 - 300	266-292	280-306	20	6	B	861.00
602-292-327-4100	250 - 300	266-292	301-327	20	5	B	818.00
602-327-350-4100	300 - 300	301-327	324-350	17	6	B	881.00
602-327-378-4100	300 - 350	301-327	352-378	19	6	B	1,161.00
602-350-378-4100	300 - 350	324-350	352-378	20	4	B	1,067.00
602-378-396-4100	350 - 350	352-378	372-397	26	2	B	1,289.00
602-396-410-4100	350 - 400	372-397	384-410	26	2	B	1,215.00
602-410-436-4100	400 - 400	384-410	410-436	22	1	B	1,258.00
602-436-462-4100	400 - 400	410-436	436-462	23	2	B	1,285.00

603/A-4100

Universal Supa® flange
adaptor with bolts of mild
steel

Ductile Iron

EPDM rubber

Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved



AVK ref. no.	DN mm	Product PN Class	Seal range SR1 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
603-063-000-4100	40/50	PN16	46-63	3.8			173.00
603-074-000-4100	50	PN16	57-74	3.9	28	B	180.00
603-074-001-4100	50/65	PN16	57-74	4.1	28	B	195.00
603-085-000-4100	50/65	PN16	68-85	4.2	30	A	201.00
603-106-000-4100	80	PN16	84-106	5.0	18	A	237.00
603-106-001-4100	80/100	PN16	84-106	5.9	18	B	228.00
603-119-000-4100	100	PN16	99-119	5.6	24	A	268.00
603-133-000-4100	100	PN16	109-133	5.8	24	A	256.00
603-133-001-4100	100/125	PN16	109-133	5.8	24	B	279.00
603-157-000-4100	125/150	PN16	132-157	8.3	15	A	345.00
603-183-000-4100	150	PN16	157-183	9.3	12	A	363.00
603-201-000-4100	150	PN16	176-201	11	12	B	452.00
603-215-000-4100	200	PN16	193-215	12	15	A	479.00
603-242-000-4100	200	PN16	218-242	12	7	A	536.00
603-268-000-4100	250	PN16	242-268	17	6	B	725.00
603-292-000-4100	250	PN16	266-292	19	5	A	768.00
603-306-000-4100	250	PN16	280-306	19	3	B	823.00
603-327-000-4100	300	PN16	301-327	22	3	A	954.00
603-350-000-4100	300	PN16	324-350	24	3	A	1,020.00
603-378-000-4100	350	PN16	352-378	25	4	B	1,048.00
603-396-000-4100	350	PN16	372-396	30	5	A	1,182.00
603-410-000-4100	350	PN16	384-410	30	2	A	1,203.00
603-436-000-4100	400	PN16	410-436	35	2	B	1,394.00
603-462-000-4100	400	PN16	436-462	38	2	B	1,486.00

**621/41-001**

Supa Plus™ coupling, tensile for PE/uPVC-pipes with bolts A2/nuts A4
Ductile Iron
EPDM rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
621-10-040-41001	40	40	PN16	3.8		B	215.00
621-10-050-41001	40	50	PN16	2.8		B	234.00
621-10-063-41001	50	63	PN16	4.3		A	251.00
621-10-075-41001	65	75	PN16	4.0		A	271.00
621-10-090-41001	80	90	PN16	5.0		A	311.00
621-10-110-41001	100	110	PN16	6.5		A	374.00
621-10-125-41001	125	125	PN16	8.0		A	433.00
621-10-140-41001	125	140	PN16	9.0		B	481.00
621-10-160-41001	150	160	PN16	9.1		A	550.00
621-10-180-41001	150	180	PN16	13		C	695.00
621-10-200-41001	200	200	PN16	13		A	986.00
621-10-225-41001	200	225	PN16	19		A	1,012.00
621-10-250-41001	250	250	PN16	27		B	1,433.00
621-10-280-41001	250	280	PN16	30		B	1,860.00
621-10-315-41001	300	315	PN16	36		B	2,189.00

623/10-004

Supa Plus™ flange adaptor tensile for PE/uPVC pipes - A2 bolts/A4 nuts
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Dd mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
623-10-040-6141001 ⁽¹⁾	40	40	PN10/16	6.3	70	B	209.00
623-10-050-6141001 ⁽¹⁾	40	50	PN10/16	3.7	55	B	194.00
623-10-063-6141001 ⁽¹⁾	50/65	63	PN10/16	4.0	54	A	208.00
623-10-075-6141001 ⁽¹⁾	60/65	75	PN10/16	4.3	35	A	214.00
623-10-090-6141001 ⁽¹⁾	80	90	PN10/16	4.7	40	A	236.00
623-10-110-6141001 ⁽¹⁾	100	110	PN10/16	6.0	24	A	303.00
623-10-125-6141001 ⁽¹⁾	125	125	PN10/16	7.8	15	B	370.00
623-10-125-6241001 ⁽¹⁾	100	125	PN10/16	6.8	15	B	422.00
623-10-140-6141001 ⁽¹⁾	125	140	PN10/16	8.9	15	A	394.00
623-10-160-6141001 ⁽¹⁾	150	160	PN10/16	8.3	15	A	428.00
623-10-180-6141001 ⁽¹⁾	150	180	PN10/16	10	25	A	721.00
623-10-200-6041001	200	200	PN10	13	7	A	723.00
623-10-200-6141001	200	200	PN16	14	7	B	761.00
623-10-225-6041001	200	225	PN10	15	7	A	748.00
623-10-225-6141001	200	225	PN16	15	7	A	702.00
623-10-250-6141001 ⁽¹⁾	250	250	PN10/16	21	5	A	1,027.00
623-10-250-6241001 ⁽¹⁾	200	250	PN10/16	25	5	A	1,010.00
623-10-280-6041001	250	280	PN10	25	4	A	1,160.00
623-10-280-6141001	250	280	PN16	25	4	B	1,109.00
623-10-315-6141001 ⁽¹⁾	300	315	PN10/16	26	3	A	1,528.00

⁽¹⁾ 10/16 = Universal drilling

**624/10-001**

Supa Plus™ end cap -
tensile for PE/uPVC-pipes
A2 bolts/A4 nuts
Ductile Iron
EPDM drinking water
approved
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
624-10-040-6100041 (1)	32	40	PN16	3.8	1	C	235.00
624-10-050-6100041 (1)	40	50	PN16	4.2	1	C	235.00
624-10-063-6100041 (1)	50	63	PN16	4.3	30	C	257.00
624-10-063-6100061 (2)	50	63	PN16	4.3	1	B	257.00
624-10-075-6100041 (1)	65	75	PN16	4.6	25	B	270.00
624-10-075-6100061 (2)	65	75	PN16	4.6	20	A	270.00
624-10-090-6100041 (1)	80	90	PN16	5.0	10	B	278.00
624-10-090-6100061 (2)	80	90	PN16	5.0	40	A	278.00
624-10-110-6100041 (1)	100	110	PN16	6.5	24	C	361.00
624-10-110-6100061 (2)	100	110	PN16	6.5	24	A	361.00
624-10-125-6100041 (1)	125	125	PN16	7.6		C	414.00
624-10-125-6100061 (2)	125	125	PN16	7.6		B	414.00
624-10-140-6100041 (1)	125	140	PN16	8.4	1	C	422.00
624-10-140-6100061 (2)	125	140	PN16	8.4	1	B	422.00
624-10-160-6100041 (1)	150	160	PN16	9.8	1	C	448.00
624-10-160-6100061 (2)	150	160	PN16	9.8	15	A	448.00
624-10-180-6100041 (1)	150	180	PN16	13	10	C	517.00
624-10-180-6100061 (2)	150	180	PN16	13	1	C	517.00
624-10-200-6100041 (1)	200	200	PN16	14	1	C	602.00
624-10-200-6100061 (2)	200	200	PN16	14	8	B	602.00
624-10-225-6100041 (1)	200	225	PN16	19	1	C	887.00
624-10-225-6100061 (2)	200	225	PN16	19	10	B	887.00
624-10-250-6100041 (1)	250	250	PN16	26	55	C	1,048.00
624-10-250-6100061 (2)	250	250	PN16	26	1	B	1,048.00
624-10-280-6100041 (1)	250	280	PN16	30		C	1,273.00
624-10-280-6100061 (2)	250	280	PN16	30	1	B	1,273.00
624-10-315-6100041 (1)	300	315	PN16	32	2	C	1,497.00
624-10-315-6100061 (2)	300	315	PN16	32	1	B	1,497.00

(1) 1 1/4" BSP thread, in line

(2) 2" BSP thread, in line, short model

258/30-006

Fabricated coupling for
ductile Iron pipes
Steel
EPDM rubber
Epoxy coated according to
WIS 4-52-01 class B



AVK ref. no.	DN mm	DP Nom. O.D. mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
258-30-0378-10	350	378	29	5	C	2,005.00
258-30-0429-10	400	429	32		C	2,134.00
258-30-0480-10	450	480	35		C	2,232.00
258-30-0532-10	500	532	39	5	C	2,373.00
258-30-0635-10	600	635	44		C	2,510.00
258-30-0738-10	700	738	50		C	2,737.00
258-30-0842-10	800	842	58		C	3,053.00
258-30-0945-10	900	945	62		C	2,445.00
258-30-1048-10	1000	1048	68		C	3,538.00
258-30-1255-10	1200	1255	81		C	3,923.00

258/30-007

Fabricated coupling for cast
iron AB pipes
Steel
EPDM rubber
Epoxy coated according to
WIS 4-52-01 class B



AVK ref. no.	DN mm	DP Nom. O.D. mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
258-30-0439-10	400	439	33		C	2,149.00
258-30-0492-10	450	492	37		C	2,267.00
258-30-0545-10	500	545	39		C	2,387.00
258-30-0650-10	600	650	46		C	2,570.00
258-30-0729-10	700	729	51		C	3,208.00
258-30-0807-10	800	807	56		C	3,271.00
258-30-0964-10	900	964	70		C	3,305.00
258-30-1121-10	1000	1121	80		C	4,227.00
258-30-1277-10	1200	1277	91		C	4,491.00

**258/30-008**

Fabricated coupling for cast iron CD pipes
Steel
EPDM rubber
Epoxy coated according to WIS 4-52-01 class B



AVK ref. no.	DN mm	DP Nom. O.D. mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
258-30-0399-10	350	399	30		C	2,156.00
258-30-0453-10	400	453	34		C	2,217.00
258-30-0507-10	500	507	37		C	1,528.00
258-30-0560-10	500	560	40		C	2,455.00
258-30-0667-10	600	667	47		C	2,637.00
258-30-0747-10	700	747	52		C	3,205.00
258-30-0985-10	900	985	64		C	3,377.00
258-30-1143-10	1000	1143	82		C	4,357.00
258-30-1300-10	1200	1300	92		C	4,569.00

258/30-009

Fabricated coupling for steel and PVC pipes
Steel
EPDM rubber
Epoxy coated according to WIS 4-52-01 class B



AVK ref. no.	DN mm	DP Nom. O.D. mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
258-30-0406-10	400	406	31		C	2,090.00
258-30-0457-10	450	457	34		C	2,203.00
258-30-0508-10	500	508	37		C	2,320.00
258-30-0711-10	700	711	48		C	2,841.00
258-30-1016-10	1000	1016	68	1	C	3,581.00

260/30-100

Fabricated flange adaptor for non standard pipe sizes
Ductile Iron
EPDM rubber
Epoxy coated according to WIS 4-52-01 class B



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
260-30-0355-10	350	356	PN10	34		C	2,532.00
260-30-0406-10	400	406	PN10	40		C	2,532.00
260-30-0457-10	450	457	PN10	46		C	3,126.00
260-30-0711-10	700	711	PN10	72		C	3,812.00
260-30-0812-10	800	813	PN10	85		C	4,444.00
260-30-0914-10	900	914	PN16	94		C	4,794.00
260-30-1016-10	1000	1016	PN10	114		C	5,914.00

631/00-001

Supa Maxi™ straight coupling, universal and tensile with A2 bolts/A4 nuts
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	Product PN Class	Seal range SR1 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
631-071-00-6	50	PN16	48-71	6.0	18	A	651.00
631-091-00-6	65	PN16	69-91	7.0	16	A	660.00
631-106-00-6	80	PN16	82-106	7.5	14	A	629.00
631-133-00-6	100	PN16	104-133	11	10	A	840.00
631-161-00-6	125	PN16	132-159	13	12	A	1,059.00
631-188-00-6	150	PN16	159-188	16	8	A	1,118.00
631-227-00-6	200	PN16	193-227	25	6	A	1,846.00
631-257-00-6	225	PN16	224-257	37	4	A	2,345.00
631-301-00-6	250	PN16	266-301	35	4	A	2,523.00
631-356-00-6	300	PN16	314-356	45	2	A	3,333.00
631-396-00-6 ⁽¹⁾	350	PN16	352-396	114	1	A	10,145.00
631-442-00-6 ⁽¹⁾	400	PN16	392-442	107	1	A	7,470.00
631-510-00-6 ⁽¹⁾	450	PN16	448-510	177	1	A	15,450.00
631-552-00-6 ⁽¹⁾	500	PN16	498-552	201	1	A	18,535.00
631-652-00-6 ⁽¹⁾	600	PN16	604-652	241	1	A	24,268.00

⁽¹⁾ KIWA EN 14525 approval is pending

**631/10-001**

Supa Maxi™ straight coupling universal and non tensile
A2 bolts/A4 nuts
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	Product PN Class	Seal range SR1 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
631-071-10-6	50	PN16	48-71	6.0	18	C	580.00
631-091-10-6	65	PN16	69-91	7.0	16	C	568.00
631-106-10-6	80	PN16	82-106	7.5	14	B	541.00
631-133-10-6	100	PN16	104-133	11	10	A	736.00
631-161-10-6	125	PN16	132-159	13		B	935.00
631-188-10-6	150	PN16	159-188	16	8	A	985.00
631-227-10-6	200	PN16	193-227	25	6	A	1,570.00
631-257-10-6	225	PN16	224-257	30		B	1,895.00
631-301-10-6	250	PN16	266-301	35		B	2,178.00
631-356-10-6	300	PN16	314-356	45	2	A	2,850.00
631-442-10-6	400	PN16	392-442	91	1	B	7,096.00

632/00-001


Supa Maxi™ step coupling
Universal and tensile
A2 bolts / A4 nuts
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN/DN	Seal range SR1 mm	Seal range SR2 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
632-071-091-006	50 - 65	48-71	69-91	6.5	14	A	665.00
632-071-106-006	50 - 80	48-71	82-106	7.0	14	A	659.00
632-091-106-006	65 - 80	69-91	82-106	7.5	12	A	655.00
632-106-133-006	80 - 100	82-106	104-133	10	10	A	762.00
632-133-161-006	100 - 125	104-133	132-159	13	10	A	889.00
632-133-188-006	100 - 150	104-133	159-188	14	8	A	1,034.00
632-161-188-006	125 - 150	132-159	159-188	15	8	A	1,059.00
632-188-227-006	150 - 200	159-188	193-227	21	6	A	1,402.00
632-188-257-006	150 - 225	159-188	224-257	27	6	A	1,623.00
632-227-257-006	200 - 225	193-227	224-257	32	4	A	1,992.00
632-227-301-006	200 - 250	193-227	266-301	32	4	A	2,074.00
632-257-301-006	225 - 250	224-257	266-301	36	2	A	2,252.00
632-301-356-006	250 - 300	266-301	314-356	42	2	A	2,735.00

633/00-001

Supa Maxi™ flange adaptor, universal and tensile with A2 bolts / A4 nuts
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	Product PN Class	Seal range SR1 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
633-071-00-006	40-50	PN16	48-77	5.0	24	A	422.00
633-091-00-006	50-65	PN16	69-91	6.0	24	A	471.00
633-106-00-006	80	PN16	82-106	6.5	20	A	522.00
633-133-00-006	100	PN16	104-133	9.0	15	A	627.00
633-133-01-006	80	PN16	104-133	9.0	15	A	691.00
633-161-00-006	100	PN16	132-159	11	12	A	987.00
633-161-01-006	150	PN16	132-159	11	12	A	987.00
633-188-00-006	150	PN16	159-188	12	8	A	918.00
633-227-00-006	200	PN16	193-227	19	6	A	1,379.00
633-257-00-006	250	PN16	224-257	25	4	A	1,469.00
633-257-01-006	200	PN16	224-257	25	4	C	1,469.00
633-301-00-006	250	PN16	266-301	28	3	A	1,718.00
633-356-00-006	300	PN16	314-356	38	2	A	2,251.00
633-396-00-006 ⁽¹⁾	350	PN16	352-396	87	1	A	7,859.00
633-442-00-006 ⁽¹⁾	400	PN16	392-442	80	1	A	6,026.00
633-510-00-006 ⁽¹⁾	450	PN16	448-510	145	1	A	10,849.00
633-552-00-006 ⁽¹⁾	500	PN16	498-552	166	1	A	12,584.00
633-652-00-006 ⁽¹⁾	600	PN16	604-652	213	1	A	18,981.00

⁽¹⁾ KIWA EN 14525 approval is pending

**633/10-001**

Supa Maxi™ flange adaptor universal and non-tensile A2 bolts/A4 nuts
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	Product PN Class	Seal range SR1 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
633-071-10-006	40/50	PN16	48-71	5.0	24	C	412.00
633-091-10-006	50/65	PN16	69-91	6.0	24	C	440.00
633-106-10-006	80	PN16	82-106	6.5	20	C	487.00
633-133-10-006	100	PN16	104-133	9.0	15	B	585.00
633-161-10-006	150	PN16	132-159	11	12	B	922.00
633-188-10-006	150	PN16	159-188	12	8	B	853.00
633-227-10-006	200	PN16	193-227	19	6	B	1,285.00
633-257-10-006	250	PN16	224-257	25	4	B	1,371.00
633-301-10-006	250	PN16	266-301	28	3	B	1,599.00
633-356-10-006	300	PN16	314-356	38		B	2,004.00
633-442-10-006	400	PN16	392-442	80	1	B	6,000.00

634/00-001

Supa Maxi™ end cap, universal and tensile with A2 bolts / A4 nuts
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	Product PN Class	Seal range SR1 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
634-071-00-016 (1)	50	PN16	48-71	4.0		A	408.00
634-071-01-016 (2)	50	PN16	48-71	3.8		C	408.00
634-071-01-036 (3)	50	PN16	48-71	3.8		C	408.00
634-071-01-056 (4)	50	PN16	48-71	3.8		C	429.00
634-071-01-066 (5)	50	PN16	48-71	3.8		C	429.00
634-091-00-016 (1)	65	PN16	69-91	5.0	24	B	429.00
634-091-00-036 (6)	65	PN16	69-91	5.0	24	A	429.00
634-091-01-016 (2)	65	PN16	69-91	4.4	24	C	446.00
634-091-01-036 (3)	65	PN16	69-91	4.4	24	C	446.00
634-091-01-056 (4)	65	PN16	69-91	4.4	24	C	446.00
634-091-01-066 (5)	65	PN16	69-91	4.4	24	C	454.00
634-106-00-016 (1)	80	PN16	82-106	5.5	20	A	450.00
634-106-00-036 (6)	80	PN16	82-106	5.5	20	A	450.00
634-133-00-016 (1)	100	PN16	104-133	8.0		C	702.00
634-133-00-036 (6)	100	PN16	104-133	8.0		A	702.00
634-161-00-016 (1)	125	PN16	132-159	9.0	12	C	796.00
634-161-00-036 (6)	125	PN16	132-159	9.0	12	A	796.00
634-188-00-016 (1)	150	PN16	159-188	11	8	B	791.00
634-188-00-036 (6)	150	PN16	159-188	11	8	A	791.00
634-227-00-016 (1)	200	PN16	193-227	16	6	C	1,223.00
634-227-00-036 (6)	200	PN16	193-227	16	6	A	1,223.00
634-257-00-016 (1)	225	PN16	224-257	19	4	B	1,657.00
634-257-00-036 (6)	225	PN16	224-257	19	4	A	1,657.00
634-301-00-016 (1)	250	PN16	266-301	22	3	C	1,696.00
634-301-00-036 (6)	250	PN16	266-301	22	3	A	1,696.00
634-356-00-016 (1)	300	PN16	314-356	29	2	B	1,995.00
634-356-00-036 (6)	300	PN16	314-356	29	2	A	1,995.00
634-396-00-016 (7)	350	PN16	352-396	65	1	A	5,741.00
634-396-00-036 (8)	350	PN16	352-396	65	1	A	5,741.00
634-442-00-016 (7)	400	PN16	392-442	58	1	C	5,528.00
634-442-00-036 (8)	400	PN16	392-442	58	1	A	5,528.00

(1) 1 1/4" BSP thread, in line

(2) 1 1/4" BSP thread, in line, short model

(3) 2" BSP thread, in line, short model

(4) 1 1/2" BSP thread, in line, short model

(5) 1" BSP thread, in line, short model

(6) 2" BSP thread, in line

(7) 1 1/4" BSP thread, in line. KIWA EN 14525 approval is pending

(8) 2" BSP thread, in line. KIWA EN 14525 approval is pending

**635/00-001**

Supa Maxi™ transition coupling - universal and tensile with PE 100/PN 16 pipe/SDR 11 -A2 bolts/A4 nuts



Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

AVK ref. no.	DN mm	OD mm	Product PN Class	Seal range SR1 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
635-071-00-166	50	63	PN16	48-71	4.5	13	B	516.00
635-091-00-166	65	75	PN16	69-91	5.6	11	B	622.00
635-105-00-166	80	90	PN16	82-106	7.5	10	C	720.00
635-106-00-166	80	110	PN16	82-106	6.0	9	B	824.00
635-133-00-166	100	110	PN16	104-133	10	9	C	926.00
635-161-00-166	125	160	PN16	132-159	16	6	C	1,032.00
635-188-00-166	150	160	PN16	159-188	18	5	B	1,133.00
635-227-00-166	200	200	PN16	193-227	27	4	C	1,649.00
635-257-00-166	225	250	PN16	224-257	49	2	C	2,483.00
635-301-00-166	250	250	PN16	266-301	49	2	B	2,431.00
635-356-00-166	300	315	PN16	314-356	64	1	B	2,262.00

635/00-002

Supa Maxi™ transition coupling
Universal and tensile with PE 100/PN 10 pipe/SDR 17 A2 bolts/A4 nuts



Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

AVK ref. no.	DN mm	OD mm	Product PN Class	Seal range SR1 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
635-071-00-266	50	63	PN10	48-71	4.5	13	C	516.00
635-091-00-266	65	75	PN10	69-91	5.6	11	C	622.00
635-105-00-266	80	90	PN10	82-106	7.5	10	A	720.00
635-106-00-266	80	110	PN10	82-106	6.0	9	B	824.00
635-133-00-266	100	110	PN10	104-133	10	9	A	926.00
635-161-00-266	125	160	PN10	132-159	16	6	B	1,032.00
635-188-00-266	150	160	PN10	159-188	18	5	A	1,133.00
635-227-00-266	200	200	PN10	193-227	27	4	B	1,649.00
635-228-00-266	200	225	PN10	193-227	27	4	B	1,756.00
635-257-00-266	225	250	PN10	224-257	49	2	A	2,483.00
635-301-00-266	250	250	PN10	266-301	49	2	C	2,350.00
635-356-00-266	300	315	PN10	314-356	64	1	C	3,306.00

**745/01-111**

Repico® G
Grip type coupling
Tensile/axial restraint
For metal pipes
Stainless steel
EPDM drinking water
approved



AVK ref. no.	DN	Tolerance	Pipe dia.	Working Pressure	Theoretical	Units/ pallet	Deliv. code	Gross Price EUR
	mm	mm	mm	bar	weight/kg			
745-01-0020-11101	15	19,5 - 20,5	20,0	42	0.2		B	212.00
745-01-0021-11101	15	21,2 - 22,2	21,3	42	0.2		B	215.00
745-01-0025-11101	20	24,5 - 25,5	25,0	42	0.3		B	255.00
745-01-0027-11101	20	26,7 - 27,7	26,7	42	0.3		B	258.00
745-01-0028-11101	25	27,5 - 29,0	28,2	42	0.4		B	267.00
745-01-0030-11101	25	29,5 - 30,5	30,0	42	0.4		B	271.00
745-01-0032-11101	25	31,5 - 32,5	32,0	42	0.4		B	274.00
745-01-0034-11101	25	33,0 - 34,6	33,4	42	0.4		B	278.00
745-01-0038-11101	32	37,5 - 38,5	38,0	42	0.4		B	289.00
745-01-0040-11101	32	39,5 - 41,5	40,0	42	0.4		B	292.00
745-01-0042-11101	32	41,9 - 43,0	42,2	42	0.4		B	297.00
745-01-0044-11101	32	44,0 - 45,0	44,5	42	0.4		B	301.00
745-01-0050-11101	50	49,5 - 51,5	50,8	42	0.4		B	328.00
745-01-0054-11101	50	53,4 - 54,6	54,0	42	0.7		B	334.00
745-01-0057-11101	50	56,4 - 57,6	57,0	42	0.7		B	339.00
745-01-0060-11101	50	59,0 - 61,5	60,3	42	0.7		B	343.00
745-01-0063-11101	50	62,4 - 63,6	63,0	42	0.7		B	348.00
745-01-0066-11101	65	65,2 - 67,3	66,7	37	0.7		B	391.00
745-01-0069-11101	65	68,0 - 70,1	69,0	37	0.7		B	396.00
745-01-0073-11101	65	71,5 - 74,1	73,0	37	0.8		B	402.00
745-01-0076-11101	65	75,0 - 77,2	76,1	37	0.8		B	407.00
745-01-0079-11101	80	78,8 - 80,8	79,9	37	1.4		B	449.00
745-01-0084-11101	80	83,0 - 84,9	84,0	37	1.4		B	456.00
745-01-0089-11101	80	87,8 - 91,0	88,9	37	1.5		B	462.00
745-01-0101-11101	100	100,4 - 102,0	101,6	37	1.5		B	471.00
745-01-0104-11101	100	103,0 - 104,0	104,0	37	1.6		B	494.00
745-01-0106-11101	100	105,0 - 107,0	106,3	37	1.6		B	500.00
745-01-0127-11101	125	125,6 - 128,0	127,0	37	2.1		B	790.00
745-01-0129-11101	115	127,5 - 130,0	129,0	37	2.1		B	800.00
745-01-0133-11101	125	131,6 - 134,0	131,7	37	2.1		B	813.00
745-01-0139-11101	125	137,7 - 140,0	139,7	37	2.2		B	825.00
745-01-0141-11101	125	139,7 - 142,0	141,3	37	2.2		B	838.00
745-01-0154-11101	150	151,5 - 155,0	154,0	32	2.3		B	900.00
745-01-0159-11101	150	156,5 - 160,0	157,7	32	2.3		B	914.00
745-01-0165-11101	150	163,3 - 166,0	165,2	32	2.4		B	928.00
745-01-0168-11101	150	166,6 - 170,0	168,3	32	2.4		B	941.00
745-01-0180-11101	175	178,0 - 182,0	180,0	26	2.5		B	957.00
745-01-0200-11101	200	198,2 - 201,0	200,0	21	4.6		B	1,426.00
745-01-0204-11101	200	202,7 - 206,0	204,0	21	4.7		B	1,448.00
745-01-0216-11101	200	214,5 - 218,0	216,3	21	4.8		B	1,467.00
745-01-0219-11101	200	217,0 - 221,0	219,1	21	4.9		B	1,491.00
745-01-0254-11101	225	251,4 - 256,0	254,0	21	5.3		B	1,810.00
745-01-0267-11101	250	264,8 - 270,0	267,4	21	5.5		B	1,836.00
745-01-0273-11101	250	270,4 - 275,0	273,0	21	5.6		B	1,865.00
745-01-0304-11101	275	301,5 - 306,0	304,0	18	6.0		B	1,961.00
745-01-0318-11101	300	316,0 - 322,0	318,5	18	6.2		B	2,019.00
745-01-0323-11101	300	321,0 - 327,0	323,9	18	6.3		B	2,050.00
745-01-0355-11101	350	352,0 - 360,0	355,6	18	6.7		B	2,353.00
745-01-0406-11101	400	402,0 - 410,0	406,4	16	7.4		B	2,551.00

**745/03-111**

Repico® GMP
Grip type coupling for
medium pressure
Tensile/axial restrain
For metal pipes
Stainless steel
EPDM drinking water
approved



AVK ref. no.	DN mm	Tolerance mm	Pipe dia. mm	Working Pressure bar	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
745-03-0020-11101	15	19.5 - 20.5	20,0	42	0.2		B	151.00
745-03-0021-11101	15	21.2 - 22.2	21.3	42	0.2		B	153.00
745-03-0025-11101	20	24.5 - 25.5	25,0	42	0.3		B	181.00
745-03-0027-11101	20	26.7 - 27.7	26.7	42	0.3		B	184.00
745-03-0028-11101	25	27.5 - 29	28.2	42	0.4		B	188.00
745-03-0030-11101	25	29.5 - 30.5	30,0	42	0.4		B	192.00
745-03-0032-11101	25	31.5 - 32.5	32,0	39	0.4		B	195.00
745-03-0034-11101	25	33 - 34.6	33.4	39	0.4		B	198.00
745-03-0038-11101	32	37.5 - 38.5	38,0	35	0.4		B	207.00
745-03-0040-11101	32	39.5 - 41.5	40,0	35	0.4		B	209.00
745-03-0042-11101	32	41.9 - 43	42.2	35	0.4		B	212.00
745-03-0044-11101	32	44 - 45	44.5	35	0.4		B	215.00
745-03-0048-11101	40	47.8 - 49	48.3	35	0.4		B	217.00
745-03-0050-11101	50	49.5 - 51.5	50.8	35	0.4		B	278.00
745-03-0054-11101	50	53.4 - 54.6	54,0	35	0.7		B	282.00
745-03-0057-11101	50	56.4 - 57.6	57,0	35	0.7		B	287.00
745-03-0060-11101	50	59 - 61.5	60.3	35	0.7		B	292.00
745-03-0063-11101	50	62.4 - 63.6	63,0	35	0.7		B	296.00
745-03-0066-11101	65	65.2 - 67.3	66.7	35	0.7		B	349.00
745-03-0069-11101	65	68 - 70.1	69,0	33	0.7		B	354.00
745-03-0073-11101	65	71.5 - 74.1	73,0	32	0.8		B	359.00
745-03-0076-11101	65	75 - 77.2	76.1	32	0.8		B	365.00
745-03-0079-11101	80	78.8 - 80.8	79.9	29	1.4		B	397.00
745-03-0084-11101	80	83 - 84.9	84,0	27	1.4		B	404.00
745-03-0089-11101	80	87.8 - 91	88.9	23	1.5		B	410.00
745-03-0101-11101	100	100.4 - 102	101.6	23	1.5		B	417.00
745-03-0104-11101	100	103 - 104	104,0	23	1.6		B	438.00
745-03-0106-11101	100	105 - 107	106.3	23	1.6		B	443.00
745-03-0108-11101	100	106.5 - 108	108,0	22	1.6		B	449.00
745-03-0114-11101	100	113.2 - 115	114.3	20	1.7		B	456.00
745-03-0127-11101	125	125.6 - 128	127,0	20	2.1		B	632.00
745-03-0129-11101	115	127.5 - 130	129,0	20	2.1		B	643.00
745-03-0133-11101	125	131.6 - 134	131.7	20	2.1		B	653.00
745-03-0139-11101	125	137.7 - 140	139.7	17	2.2		B	662.00
745-03-0141-11101	125	139.7 - 142	141.3	17	2.2		B	672.00
745-03-0154-11101	150	151.5 - 155	154,0	17	2.3		B	683.00
745-03-0159-11101	150	156.5 - 160	157.7	17	2.3		B	693.00
745-03-0165-11101	150	163.3 - 166	165.2	17	2.4		B	704.00
745-03-0168-11101	150	166.6 - 170	168.3	17	2.4		B	714.00
745-03-0180-11101	175	178 - 182	180,0	17	2.5		B	1,195.00
745-03-0200-11101	200	198.2 - 201	200,0	17	4.6		B	1,893.00
745-03-0204-11101	200	202.7 - 206	204,0	17	4.7		B	1,919.00
745-03-0216-11101	200	214.5 - 218	216.3	17	4.8		B	1,949.00
745-03-0219-11101	200	217 - 221	219.1	17	4.9		B	1,979.00

**745/20-111**

Repico® S
Slip type coupling
Non-tensile/flexible
For all pipe types
Stainless steel
EPDM drinking water
approved



AVK ref. no.	DN mm	Tolerance mm	Pipe dia. mm	Working Pressure bar	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
745-20-0020-111	15	19,5 - 20,5	20,0	42	0.2		B	197.00
745-20-0021-111	15	21,0 - 22,0	21,3	42	0.2		B	202.00
745-20-0025-111	20	24,0 - 26,0	25,0	42	0.3		B	243.00
745-20-0027-111	20	26,0 - 28,0	26,7	42	0.3		B	247.00
745-20-0028-111	25	26,4 - 29,0	28,2	42	0.3		B	255.00
745-20-0030-111	25	29,0 - 31,0	30,0	42	0.3		B	258.00
745-20-0032-111	25	31,0 - 33,0	32,0	42	0.3		B	265.00
745-20-0034-111	25	33,0 - 35,0	33,4	42	0.3		B	268.00
745-20-0038-111	32	37,0 - 39,0	38,0	42	0.4		B	268.00
745-20-0040-111	32	39,5 - 41,3	40,0	42	0.4		B	271.00
745-20-0042-111	32	42,0 - 44,0	42,2	42	0.4		B	273.00
745-20-0044-111	32	44,0 - 46,0	44,5	42	0.4		B	275.00
745-20-0048-111	40	47,5 - 49,5	48,3	42	0.4		B	278.00
745-20-0050-111	50	49,2 - 51,5	50,8	42	0.4		B	284.00
745-20-0054-111	50	53,0 - 55,0	54,0	42	0.6		B	287.00
745-20-0057-111	50	56,0 - 58,0	57,0	42	0.6		B	292.00
745-20-0060-111	50	59,0 - 61,5	60,3	42	0.6		B	297.00
745-20-0063-111	50	62,0 - 64,0	63,0	42	0.6		B	301.00
745-20-0066-111	65	65,4 - 68,3	66,7	37	0.6		B	311.00
745-20-0069-111	65	68,5 - 71,0	69,0	37	0.7		B	312.00
745-20-0073-111	65	72,5 - 75,5	73,0	37	0.7		B	313.00
745-20-0076-111	65	75,0 - 78,0	76,1	37	0.7		B	315.00
745-20-0079-111	80	78,8 - 82,0	79,9	37	1.3		B	316.00
745-20-0084-111	80	82,5 - 85,5	84,0	37	1.3		B	321.00
745-20-0089-111	80	88,0 - 91,0	88,9	37	1.3		B	326.00
745-20-0101-111	100	100,0 - 103,0	101,6	37	1.4		B	332.00
745-20-0104-111	100	102,0 - 105,0	104,0	37	1.4		B	338.00
745-20-0106-111	100	105,0 - 107,0	106,3	37	1.4		B	342.00
745-20-0108-111	100	106,0 - 109,0	108,0	37	1.4		B	345.00
745-20-0114-111	100	113,0 - 116,0	114,3	37	1.5		B	347.00
745-20-0127-111	125	125,0 - 129,0	127,0	37	1.8		B	457.00
745-20-0129-111	115	127,5 - 130,0	129,0	37	1.8		B	463.00
745-20-0133-111	125	131,0 - 135,0	131,7	37	1.8		B	471.00
745-20-0139-111	125	138,0 - 142,0	139,7	37	1.9		B	479.00
745-20-0141-111	125	139,5 - 143,0	141,3	37	1.9		B	485.00
745-20-0154-111	150	151,5 - 155,0	154,0	32	2.0		B	494.00
745-20-0159-111	150	156,0 - 160,0	157,7	32	2.0		B	501.00
745-20-0165-111	150	164,0 - 167,0	165,2	32	2.1		B	508.00
745-20-0168-111	150	166,0 - 170,0	168,3	32	2.1		B	517.00
745-20-0180-111	175	178,0 - 182,0	180,0	26	2.2		B	533.00
745-20-0200-111	200	198,0 - 203,0	200,0	21	4.2		B	877.00
745-20-0204-111	200	202,0 - 206,0	204,0	21	4.2		B	889.00
745-20-0216-111	200	214,0 - 218,0	216,3	21	4.4		B	903.00
745-20-0219-111	200	216,5 - 221,0	219,1	21	4.4		B	917.00
745-20-0254-111	225	251,0 - 257,0	254,0	21	4.8		B	957.00
745-20-0267-111	250	262,0 - 269,0	267,4	21	5.0		B	970.00
745-20-0273-111	250	270,0 - 276,0	273,0	21	5.0		B	984.00
745-20-0304-111	275	301,5 - 308,0	304,0	18	5.4		B	1,029.00
745-20-0318-111	300	316,0 - 322,0	318,5	18	5.5		B	1,059.00
745-20-0323-111	300	322,0 - 328,0	323,9	18	5.6		B	1,075.00
745-20-0355-111	350	352,0 - 360,0	355,6	18	6.0		B	1,230.00
745-20-0406-111	400	402,0 - 410,0	406,4	16	6.5		B	1,325.00
745-20-0457-111	450	453,0 - 460,0	457,2	16	7.1		B	1,471.00
745-20-0508-111	500	504,0 - 512,0	508,0	13	7.7		B	1,596.00
745-20-0558-111	550	555,0 - 563,0	558,8	12	8.3		B	1,724.00
745-20-0609-111	600	605,0 - 614,0	609,6	11	8.8		B	1,837.00

**05/E-008**Support bush for PE pipes
Stainless steel

AVK ref. no.	DN mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
05-032-54-002 (1)	25	0.1		A	1.00
05-040-54-002 (1)	32	0.2		A	6.00
05-050-54-002 (1)	40	0.3	2000	A	9.00
05-063-51-000	50	0.4		C	59.00
05-063-53-000	50	0.4	432	A	74.00
05-063-54-000	50	0.4	432	A	72.00
05-063-54-002 (1)	50	0.6	2000	A	58.00
05-075-51-000	65	0.5		C	63.00
05-075-53-000	65	0.5	300	A	80.00
05-075-54-000	65	0.5	300	A	78.00
05-090-51-000	80	0.7		C	74.00
05-090-53-000	80	0.7	250	A	92.00
05-090-54-000	80	0.7	208	A	90.00
05-110-71-000	100	0.8		C	76.00
05-110-73-000	100	0.8	300	A	96.00
05-110-74-000	100	0.8	140	A	93.00
05-110-76-000	100	0.8		C	75.00
05-125-71-000	125	1.0		C	80.00
05-125-73-000	125	1.0	108	A	100.00
05-125-74-000	125	1.0	108	A	98.00
05-125-76-000	125	1.0		C	78.00
05-140-71-000	140	1.1		C	100.00
05-140-73-000	140	1.1		A	100.00
05-140-74-000	140	1.1	80	A	123.00
05-140-76-000	140	1.1		C	98.00
05-160-71-000	150	1.3		C	109.00
05-160-73-000	150	1.3	100	A	138.00
05-160-74-000	150	1.3	100	A	134.00
05-160-76-000	150	1.3		C	107.00
05-180-71-000	175	1.4		C	117.00
05-180-73-000	175	1.4	48	A	145.00
05-180-74-000	175	1.4	48	A	142.00
05-180-76-000	175	1.4		C	113.00
05-200-71-000	200	1.4		C	128.00
05-200-73-000	200	1.4	50	A	161.00
05-200-74-000	200	1.4	30	A	153.00
05-200-76-000	200	1.4		C	120.00
05-225-71-000	225	1.9		C	142.00
05-225-73-000	225	1.9	60	A	177.00
05-225-74-000	225	2.0	50	A	172.00
05-225-76-000	225	2.0		C	138.00
05-250-71-000	250	2.3		C	151.00
05-250-73-000	250	2.3	30	A	191.00
05-250-74-000	250	2.5	100	A	184.00
05-250-76-000	250	2.4		C	147.00
05-280-71-000	275	2.7		C	162.00
05-280-73-000	275	2.7	25	A	203.00
05-280-74-000	275	3.3	16	A	194.00
05-280-76-000	275	3.0		C	155.00
05-315-71-000	300	3.5		C	178.00
05-315-73-000	300	3.5	20	A	223.00
05-315-74-000	300	3.3	20	A	214.00
05-315-76-000	300	3.4		C	171.00
05-355-73-000	350	4.0	20	A	422.00
05-355-74-000	350	3.8	30	A	410.00
05-400-73-000	400	4.5	20	A	449.00
05-400-74-000	400	4.3	30	A	435.00
05-450-73-000	450	3.0		A	538.00
05-450-74-000	450	2.7		C	538.00
05-500-73-000	500	5.3		A	538.00
05-500-74-000	500	5.1		A	538.00
05-630-73-000	600	5.8		A	654.00
05-630-74-000	600	5.5		A	654.00
05-710-73-000	700	10			1,896.00
05-710-74-000	700	10			1,896.00
05-800-73-000	800	11			2,378.00



AVK ref. no.	DN mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
05-800-74-000	800	11			2,378.00

(1) Made of polypropylene with a built-in chamfer. There is no wedge in this type of support bush

748/01-1111

FS10 - Single band stainless
steel repair clamp
Fingers
Vulcanized spannerplate
Stainless steel
NBR rubber



AVK ref. no.	T mm	L12 mm	Bolts (no x M x L)	Units/ pallet	Deliv. code	Gross Price EUR
748-01-004010-1111	40 - 45	100	1XM14X180		B	124.00
748-01-004020-1111	40 - 45	200	2XM14X180		B	164.00
748-01-004410-1111	44 - 50	100	1XM14X180		B	125.00
748-01-004710-1111	47 - 53	100	1XM14X180		B	125.00
748-01-004720-1111	47 - 53	200	2XM14X180		B	192.00
748-01-005210-1111	52 - 59	100	1XM14X180		B	126.00
748-01-005220-1111	52 - 59	200	2XM14X180		B	139.00
748-01-005410-1111	54 - 61	100	1XM14X180		B	126.00
748-01-005810-1111	58 - 65	100	1XM14X180		B	127.00
748-01-005820-1111	58 - 65	200	2XM14X180		B	194.00
748-01-005830-1111	58 - 65	300	3XM14X180		B	299.00
748-01-006010-1111	60 - 67	100	1XM14X180		B	128.00
748-01-006020-1111	60 - 67	200	2XM14X180		B	202.00
748-01-006030-1111	60 - 67	300	3XM14X180		B	301.00
748-01-006710-1111	67 - 74	100	1XM14X180		B	129.00
748-01-006730-1111	67 - 74	300	3XM14X180		B	306.00
748-01-007010-1111	70 - 77	100	1XM14X180		B	129.00
748-01-007020-1111	70 - 77	200	2XM14X180		B	200.00
748-01-007310-1111	73 - 80	100	1XM14X180		B	130.00
748-01-007320-1111	73 - 80	200	2XM14X180		B	195.00
748-01-007330-1111	73 - 80	300	3XM14X180		B	311.00
748-01-007610-1111	76 - 83	100	1XM14X180		B	130.00
748-01-007630-1111	76 - 83	300	3XM14X180		B	312.00
748-01-008210-1111	82 - 89	100	1XM14X180		B	131.00
748-01-008220-1111	82 - 89	200	2XM14X180		B	205.00
748-01-008230-1111	82 - 89	300	3XM14X180		B	315.00
748-01-008710-1111	87 - 94	100	1XM14X180		B	132.00
748-01-008715-1111	87 - 94	150	2XM14X180		B	175.00
748-01-008720-1111	87 - 94	200	2XM14X180		B	208.00
748-01-008730-1111	87 - 94	300	3XM14X180		B	317.00
748-01-009510-1111	95 - 102	100	1XM14X180		B	133.00
748-01-009820-1111	98 - 108	200	2XM14X180		B	214.00
748-01-009830-1111	98 - 108	300	3XM14X180		B	324.00
748-01-010210-1111	102 - 112	100	1XM14X180		B	135.00
748-01-010610-1111	106 - 116	100	1XM14X180		B	135.00
748-01-010810-1111	108 - 118	100	1XM14X180		B	137.00
748-01-010820-1111	108 - 118	200	2XM14X180		B	222.00
748-01-011310-1111	113 - 123	100	1XM14X180		B	139.00
748-01-011350-1111	113 - 123	500	5XM14X180		B	144.00
748-01-011810-1111	118 - 128	100	1XM14X180		B	139.00
748-01-012010-1111	120 - 131	100	1XM14X180		B	140.00
748-01-012060-1111	120 - 131	600	6XM14X180		B	245.00
748-01-012510-1111	125 - 136	100	1XM14X180		B	142.00
748-01-013510-1111	135 - 145	100	1XM14X180		B	144.00
748-01-013920-1111	139 - 150	200	2XM14X180		B	215.00
748-01-014410-1111	144 - 155	100	1XM14X180		B	147.00
748-01-015110-1111	151 - 161	100	1XM14X180		B	148.00
748-01-015910-1111	159 - 170	100	1XM14X180		B	149.00
748-01-016510-1111	165 - 175	100	1XM14X180		B	153.00
748-01-016740-1111	167 - 177	400	4XM14X180		B	515.00
748-01-019310-1111	193 - 203	100	1XM14X180		B	165.00
748-01-020010-1111	200 - 210	100	1XM14X180		B	168.00
748-01-020910-1111	209 - 220	100	1XM14X180		B	172.00
748-01-024310-1111	243 - 254	100	1XM14X180		B	197.00



748/01-1211

FS10- Single band stainless steel repair clamp
Fingers
Vulcanized spanner plate
Stainless steel
EPDM rubber



AVK ref. no.	T mm	L12 mm	Bolts (no x M x L)	Units/ pallet	Deliv. code	Gross Price EUR
748-01-004010-1211	40 - 45	100	1XM14X180		B	124.00
748-01-004015-1211	40 - 45	150	2XM14X180		B	164.00
748-01-004020-1211	40 - 45	200	2XM14X180		B	191.00
748-01-004410-1211	44 - 50	100	1XM14X180		B	125.00
748-01-004415-1211	44 - 50	150	2XM14X180		B	164.00
748-01-004420-1211	44 - 50	200	2XM14X180		B	192.00
748-01-004710-1211	47 - 53	100	1XM14X180		B	125.00
748-01-004715-1211	47 - 53	150	2XM14X180		B	165.00
748-01-004720-1211	47 - 53	200	2XM14X180		B	192.00
748-01-005215-1211	52 - 59	150	2XM14X180		B	166.00
748-01-005220-1211	52 - 59	200	2XM14X180		B	193.00
748-01-005230-1211	52 - 59	300	3XM14X180		B	297.00
748-01-005410-1211	54 - 61	100	1XM14X180		B	167.00
748-01-005810-1211	58 - 65	100	1XM14X180		B	127.00
748-01-005820-1211	58 - 65	200	2XM14X180		B	194.00
748-01-005830-1211	58 - 65	300	3XM14X180		B	299.00
748-01-006010-1211	60 - 67	100	1XM14X180		B	127.00
748-01-006020-1211	60 - 67	200	2XM14X180		B	195.00
748-01-006025-1211	60 - 67	250	3XM14X180		B	274.00
748-01-006030-1211	60 - 67	300	3XM14X180		B	302.00
748-01-006315-1211	63 - 70	150	2XM14X180		B	170.00
748-01-006320-1211	63 - 70	200	2XM14X180		B	197.00
748-01-006720-1211	67 - 74	200	2XM14X180		B	198.00
748-01-007020-1211	70 - 77	200	2XM14X180		B	200.00
748-01-007030-1211	70 - 77	300	3XM14X180		B	308.00
748-01-007315-1211	73 - 80	150	2XM14X180		B	173.00
748-01-007320-1211	73 - 80	200	2XM14X180		B	202.00
748-01-007325-1211	73 - 80	250	3XM14X180		B	280.00
748-01-007330-1211	73 - 80	300	3XM14X180		B	311.00
748-01-007620-1211	76 - 83	200	2XM14X180		B	204.00
748-01-007630-1211	76 - 83	300	3XM14X180		B	315.00
748-01-008220-1211	82 - 89	200	2XM14X180		B	205.00
748-01-008715-1211	87 - 94	150	2XM14X180		B	175.00
748-01-008720-1211	87 - 94	200	2XM14X180		B	197.00
748-01-008730-1211	87 - 94	300	3XM14X180		B	317.00
748-01-009115-1211	91 - 98	150	2XM14X180		B	176.00
748-01-009120-1211	91 - 98	200	2XM14X180		B	209.00
748-01-009515-1211	95 - 102	150	2XM14X180		B	177.00
748-01-009820-1211	98 - 108	200	2XM14X180		B	214.00
748-01-009830-1211	98 - 108	300	3XM14X180		B	216.00
748-01-010215-1211	102 - 112	150	2XM14X180		B	179.00
748-01-010220-1211	102 - 112	200	2XM14X180		B	218.00
748-01-010225-1211	102 - 112	250	3XM14X180		B	247.00
748-01-010615-1211	106 - 116	150	2XM14X180		B	180.00
748-01-010625-1211	106 - 116	250	3XM14X180		B	180.00
748-01-010630-1211	106 - 116	300	3XM14X180		B	337.00
748-01-010815-1211	108 - 118	150	2XM14X180		B	181.00
748-01-010820-1211	108 - 118	200	2XM14X180		B	222.00
748-01-010830-1211	108 - 118	300	3XM14X180		B	340.00
748-01-011320-1211	113 - 123	200	2XM14X180		B	223.00
748-01-011330-1211	113 - 123	300	3XM14X180		B	343.00
748-01-011820-1211	118 - 128	200	2XM14X180		B	225.00
748-01-012030-1211	120 - 131	300	3XM14X180		B	347.00
748-01-013220-1211	132 - 142	200	2XM14X180		B	231.00
748-01-013525-1211	135 - 145	250	3XM14X180		B	321.00
748-01-014410-1211	144 - 155	100	1XM14X180		B	147.00
748-01-014420-1211	144 - 155	200	2XM14X180		B	236.00
748-01-015120-1211	151 - 161	200	2XM14X180		B	239.00
748-01-015920-1211	159 - 170	200	2XM14X180		B	245.00
748-01-015925-1211	159 - 170	250	3XM14X180		B	338.00
748-01-016515-1211	165 - 175	150	2XM14X180		B	204.00
748-01-016520-1211	165 - 175	200	2XM14X180		B	240.00
748-01-016525-1211	165 - 175	250	3XM14X180		B	204.00
748-01-016530-1211	165 - 175	300	3XM14X180		B	377.00
748-01-016725-1211	167 - 177	250	3XM14X180		B	341.00
748-01-018025-1211	180 - 191	250	3XM14X180		B	352.00



Repair clamps and tapping saddles

AVK ref. no.	T mm	L12 mm	Bolts (no x M x L)	Units/ pallet	Deliv. code	Gross Price EUR
748-01-019325-1211	193 - 203	250	3XM14X180		B	361.00
748-01-021525-1211	215 - 225	250	3XM14X180		B	375.00
748-01-021530-1211	215 - 225	300	3XM14X180		B	422.00
748-01-027330-1211	273 - 283	300	3XM16X180		B	508.00
748-01-034030-1211	340 - 350	300	3XM16X180		B	585.00

748/02-1111

FS20 - Double band stainless steel repair clamp
Fingers
Vulcanized spannerplate
Stainless steel
NBR rubber



AVK ref. no.	T mm	L12 mm	Bolts (no x M x L)	Units/ pallet	Deliv. code	Gross Price EUR
748-02-025030-1111	250 - 270	300	6XM14X180		B	492.00
748-02-031530-1111	315 - 335	300	6XM16X180		B	989.00

748/02-1211

FS20 - Double band stainless steel repair clamp
Fingers
Vulcanized spanner plate
Stainless steel
EPDM rubber



AVK ref. no.	T mm	L12 mm	Bolts (no x M x L)	Units/ pallet	Deliv. code	Gross Price EUR
748-02-008815-1211	88 - 110	150	4XM14X180		B	307.00
748-02-008820-1211	88 - 110	200	4XM14X180		B	369.00
748-02-008825-1211	88 - 110	250	6XM14X180		B	519.00
748-02-008830-1211	88 - 110	300	6XM14X180		B	573.00
748-02-008840-1211	88 - 110	400	8XM14X180		B	777.00
748-02-010060-1211	100 - 120	600	12XM14X180		B	1,193.00
748-02-010525-1211	105 - 125	250	6XM14X180		B	528.00
748-02-010530-1211	105 - 125	300	6XM14X180		B	580.00
748-02-010540-1211	105 - 125	400	8XM14X180		B	785.00
748-02-010820-1211	108 - 128	200	4XM14X180		B	375.00
748-02-010825-1211	108 - 128	250	6XM14X180		B	531.00
748-02-010830-1211	108 - 128	300	6XM14X180		B	584.00
748-02-010840-1211	108 - 128	400	8XM14X180		B	786.00
748-02-010850-1211	108 - 128	500	10XM14X180		B	996.00
748-02-011430-1211	114 - 136	300	6XM14X180		B	587.00
748-02-013025-1211	130 - 150	250	6XM14X180		B	540.00
748-02-013030-1211	130 - 150	300	6XM14X180		B	596.00
748-02-013530-1211	135 - 155	300	6XM14X180		B	597.00
748-02-014025-1211	140 - 160	250	6XM14X180		B	544.00
748-02-014030-1211	140 - 160	300	6XM14X180		B	600.00
748-02-014040-1211	140 - 160	400	8XM14X180		B	812.00
748-02-014050-1211	140 - 160	500	10XM14X180		B	1,027.00
748-02-015920-1211	159 - 180	200	4XM14X180		B	615.00
748-02-015925-1211	159 - 180	250	6XM14X180		B	549.00
748-02-015930-1211	159 - 180	300	6XM14X180		B	615.00
748-02-015940-1211	159 - 180	400	8XM14X180		B	830.00
748-02-015950-1211	159 - 180	500	10XM14X180		B	1,048.00
748-02-015960-1211	159 - 180	600	12XM14X180		B	1,269.00
748-02-016530-1211	165 - 186	300	6XM14X180		B	618.00
748-02-016550-1211	165 - 186	500	10XM14X180		B	1,050.00
748-02-017630-1211	176 - 196	300	6XM14X180		B	643.00
748-02-019020-1211	190 - 210	200	4XM14X180		B	643.00
748-02-019030-1211	190 - 210	300	6XM14X180		B	645.00
748-02-021020-1211	210 - 230	200	4XM14X180		B	662.00
748-02-021030-1211	210 - 230	300	6XM14X180		B	662.00
748-02-021040-1211	210 - 230	400	8XM14X180		B	873.00
748-02-021060-1211	210 - 230	600	12XM14X180		B	2,136.00
748-02-021520-1211	215 - 238	200	4XM14X180		B	444.00
748-02-021530-1211	215 - 238	300	6XM14X180		B	668.00
748-02-021540-1211	215 - 238	400	8XM14X180		B	880.00
748-02-021550-1211	215 - 238	500	10XM14X180		B	1,133.00
748-02-022530-1211	225 - 246	300	6XM14X180		B	675.00
748-02-022540-1211	225 - 246	400	8XM14X180		B	906.00
748-02-023040-1211	230 - 250	400	8XM14X180		B	921.00
748-02-024020-1211	240 - 260	200	4XM14X180		B	457.00
748-02-024030-1211	240 - 260	300	6XM14X180		B	693.00




AVK ref. no.	T mm	L12 mm	Bolts (no x M x L)	Units/ pallet	Deliv. code	Gross Price EUR
748-02-024040-1211	240 - 260	400	8XM14X180		B	921.00
748-02-025030-1211	250 - 270	300	6XM14X180		B	733.00
748-02-026330-1211	263 - 285	300	6XM14X180		B	761.00
748-02-026340-1211	263 - 285	400	8XM14X180		B	1,016.00
748-02-026350-1211	263 - 285	500	10XM14X180		B	1,255.00
748-02-026920-1211	269 - 289	200	4XM14X180		B	526.00
748-02-026930-1211	269 - 289	300	6XM14X180		B	777.00
748-02-026940-1211	269 - 289	400	8XM14X180		B	1,037.00
748-02-027330-1211	273 - 293	300	6XM16X180		B	786.00
748-02-027340-1211	273 - 293	400	8XM16X180		B	1,041.00
748-02-028220-1211	282 - 302	200	4XM16X180		B	541.00
748-02-028240-1211	282 - 302	400	8XM16X180		B	1,059.00
748-02-029530-1211	295 - 315	300	6XM16X180		B	811.00
748-02-029550-1211	295 - 315	500	10XM16X180		B	1,338.00
748-02-031530-1211	315 - 335	300	6XM16X180		B	843.00
748-02-031540-1211	315 - 335	400	8XM16X180		B	1,114.00
748-02-031550-1211	315 - 335	500	10XM16X180		B	1,391.00
748-02-032230-1211	322 - 344	300	6XM16X180		B	849.00
748-02-032240-1211	322 - 344	400	8XM16X180		B	1,121.00
748-02-032250-1211	322 - 344	500	10XM16X180		B	1,405.00
748-02-033730-1211	337 - 361	300	6XM16X180		B	857.00
748-02-033750-1211	337 - 361	500	10XM16X180		B	1,418.00
748-02-034740-1211	347 - 370	400	8XM16X180		B	1,154.00
748-02-034750-1211	347 - 370	500	10XM16X180		B	1,438.00
748-02-034760-1211	347 - 370	600	12XM16X180		B	1,709.00
748-02-036530-1211	365 - 385	300	6XM16X180		B	599.00
748-02-036540-1211	365 - 385	400	8XM16X180		B	1,176.00
748-02-036550-1211	365 - 385	500	10XM16X180		B	1,462.00
748-02-039040-1211	390 - 410	400	8XM16X180		B	1,222.00
748-02-039625-1211	396 - 420	250	6XM16X180		B	825.00
748-02-039630-1211	396 - 420	300	6XM16X180		B	934.00
748-02-039640-1211	396 - 420	400	8XM16X180		B	1,251.00
748-02-039650-1211	396 - 420	500	10XM16X180		B	1,550.00
748-02-041025-1211	410 - 430	250	6XM16X180		B	872.00
748-02-041040-1211	410 - 430	400	8XM16X180		B	1,300.00
748-02-042030-1211	420 - 440	300	6XM16X180		B	988.00
748-02-042040-1211	420 - 440	400	8XM16X180		B	1,345.00
748-02-042050-1211	420 - 440	500	10XM16X180		B	1,660.00
748-02-042060-1211	420 - 440	600	12XM16X180		B	1,969.00
748-02-042070-1211	420 - 440	700	14XM16X180		B	1,971.00
748-02-044050-1211	440 - 465	500	10XM16X180		B	1,716.00
748-02-045050-1211	450 - 470	500	10XM16X180		B	1,675.00
748-02-049060-1211	490 - 510	600	12XM16X180		B	2,154.00
748-02-050530-1211	505 - 530	300	6XM16X180		B	1,107.00
748-02-050540-1211	505 - 530	400	8XM16X180		B	1,470.00
748-02-050550-1211	505 - 530	500	10XM16X180		B	1,799.00
748-02-050560-1211	505 - 530	600	12XM16X180		B	2,193.00
748-02-052040-1211	520 - 540	400	8XM16X180		B	1,484.00
748-02-052050-1211	520 - 540	500	10XM16X180		B	1,851.00
748-02-052060-1211	520 - 540	600	12XM16X180		B	2,214.00
748-02-052070-1211	520 - 540	700	14XM16X180		B	3,114.00
748-02-052530-1211	525 - 550	300	6XM16X180		B	1,128.00
748-02-054050-1211	540 - 565	500	10XM16X180		B	1,883.00
748-02-059060-1211	590 - 610	600	12XM16X180		B	2,362.00
748-02-060560-1211	605 - 630	600	12XM16X180		B	2,391.00
748-02-062070-1211	620 - 645	700	14XM16X180		B	3,010.00



10/00-001

Tapping saddle for PVC and PE pipes
DN 250-300 with stainless steel bend
Ductile Iron
EPDM rubber
AVK coating standard



AVK ref. no.	D mm	BSP thread Inch	DN mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
10-050-00-011	50	1"	40	1.4	108	A	101.00
10-050-40-011	50	3/4"	40	1.4	108	C	101.00
10-063-00-011	63	1"	50	0.8	75	A	117.00
10-063-10-011	63	1 1/4"	50	1.5	75	A	117.00
10-063-20-011	63	1 1/2"	50	1.5	75	A	117.00
10-063-30-011	63	2"	50	1.5	75	A	117.00
10-063-40-011	63	3/4"	50	1.5	75	A	117.00
10-075-00-011	75	1"	65	2.1	70	A	130.00
10-075-10-011	75	1 1/4"	65	2.1	70	A	130.00
10-075-20-011	75	1 1/2"	65	2.1	70	A	130.00
10-075-30-011	75	2"	65	2.1	70	A	130.00
10-075-40-011	75	3/4"	65	2.1	70	A	130.00
10-090-00-011	90	1"	80	2.3	63	A	133.00
10-090-10-011	90	1 1/4"	80	2.3	63	A	133.00
10-090-20-011	90	1 1/2"	80	2.5	63	A	133.00
10-090-30-011	90	2"	80	2.3	63	A	133.00
10-090-40-011	90	3/4"	80	2.3	63	A	133.00
10-110-00-011	110	1"	100	3.4	52	A	138.00
10-110-10-011	110	1 1/4"	100	3.4	52	A	138.00
10-110-20-011	110	1 1/2"	100	3.4	52	A	138.00
10-110-30-011	110	2"	100	3.4	52	A	138.00
10-110-40-011	110	3/4"	100	3.4	52	C	138.00
10-125-00-011	125	1"	125	3.5	45	A	140.00
10-125-10-011	125	1 1/4"	125	3.5	45	B	140.00
10-125-20-011	125	1 1/2"	125	3.5	45	B	140.00
10-125-30-011	125	2"	125	3.5	45	A	140.00
10-125-40-011	125	3/4"	125	3.5	45	C	140.00
10-140-00-011	140	1"	125	5.2	40	C	160.00
10-140-10-011	140	1 1/4"	125	5.2	40	B	160.00
10-140-20-011	140	1 1/2"	125	5.2	40	B	160.00
10-140-30-011	140	2"	125	5.2	40	B	160.00
10-140-40-011	140	3/4"	125	5.2	40	C	160.00
10-160-00-011	160	1"	150	5.8	33	A	176.00
10-160-10-011	160	1 1/4"	150	5.8	33	A	176.00
10-160-20-011	160	1 1/2"	150	5.8	33	A	176.00
10-160-30-011	160	2"	150	6.4	33	A	176.00
10-160-40-011	160	3/4"	150	5.7	33	C	176.00
10-180-00-011	180	1"	150	6.5	20	C	315.00
10-180-10-011	180	1 1/4"	150	6.5	20	B	315.00
10-180-20-011	180	1 1/2"	150	7.0	20	B	315.00
10-180-30-011	180	2"	150	7.0	30	B	315.00
10-180-40-011	180	3/4"	150	7.0	30	C	315.00
10-200-00-011	200	1"	200	8.7	12	A	281.00
10-200-10-011	200	1 1/4"	200	8.7	12	B	281.00
10-200-20-011	200	1 1/2"	200	8.7	12	B	281.00
10-200-30-011	200	2"	200	8.7	12	A	281.00
10-200-40-011	200	3/4"	200	10	12	C	281.00
10-225-00-011	225	1"	200	9.9	10	A	315.00
10-225-10-011	225	1 1/4"	200	9.5	10	A	315.00
10-225-20-011	225	1 1/2"	200	9.5	10	A	315.00
10-225-30-011	225	2"	200	9.9	10	A	315.00
10-225-40-011	225	3/4"	200	10	15	C	315.00
10-250-00-011	250	1"	250	10	12	C	362.00
10-250-10-011	250	1 1/4"	250	10	15	B	362.00
10-250-30-011	250	2"	250	10	15	B	362.00
10-250-40-011	250	3/4"	250	10	15	C	362.00
10-280-00-011	280	1"	250	4.2	12	A	361.00
10-280-10-011	280	1 1/4"	250	4.2	15	B	361.00
10-280-20-011	280	1 1/2"	250	4.2	15	B	361.00
10-280-30-011	280	2"	250	4.2	15	B	361.00
10-280-40-011	280	3/4"	250	4.2	15	C	361.00
10-315-00-011	315	1"	300	4.4	15	C	432.00
10-315-10-011	315	1 1/4"	300	4.4	15	B	432.00
10-315-20-011	315	1 1/2"	300	4.4	15	B	432.00
10-315-30-011	315	2"	300	4.4	15	A	432.00
10-315-40-011	315	3/4"	300	4.4	15	C	432.00



10/9/20-01

Tapping saddle SVK for underpressure drilling with integrated disc shut-off for PVC pipes

Ductile Iron

Fusion bonded epoxy coating to DIN 3476 part 1 and EN 14901 externally, enamel to DEV internally



AVK ref. no.	D mm	BSP thread Inch	DN mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
10-9-21-0712504081 ⁽¹⁾	125	125	12	20	C	1,729.00	
10-9-21-0712505081 ⁽²⁾	125	125	12	50	C	1,622.00	
10-9-21-0720003081 ⁽³⁾	200	200	16		C	1,948.00	
10-9-21-0720005081 ⁽²⁾	200	200	15		C	2,132.00	
10-9-21-0722505081 ⁽²⁾	225	225	18		C	1,778.00	
10-9-21-0728004081 ⁽¹⁾	250	280	19		C	1,724.00	

(1) 1 1/2" BSP thread

(2) 2" BSP thread

(3) 1 1/4" BSP thread

10/14-001

Tapping saddle for cast iron/ductile iron/steel pipes

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	BSP thread Inch	Tolerance mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
10-067-14-0104	50	1"	60 - 67	1.6		A	124.00
10-067-14-1104	50	1 1/4"	60 - 67	1.6	49	A	92.00
10-067-14-2104	50	1 1/2"	60 - 67	1.9		A	111.00
10-067-14-3104	50	2"	60 - 67	1.9		A	107.00
10-083-14-0104	65	1"	76 - 83	1.8		A	127.00
10-083-14-1104	65	1 1/4"	76 - 83	1.8		A	105.00
10-083-14-2104	65	1 1/2"	76 - 83	1.8		A	116.00
10-083-14-3104	65	2"	76 - 83	1.8		A	116.00
10-099-14-0104	80	1"	88 - 99	1.8		A	127.00
10-099-14-1104	80	1 1/4"	88 - 99	1.8		A	105.00
10-099-14-2104	80	1 1/2"	88 - 99	2.0		A	116.00
10-099-14-3104	80	2"	88 - 99	2.0		A	116.00
10-119-14-0104	100	1"	114 - 119	1.8		A	123.00
10-119-14-1104	100	1 1/4"	114 - 119	1.8	224	A	100.00
10-119-14-2104	100	1 1/2"	114 - 119	1.9	125	A	109.00
10-119-14-3104	100	2"	114 - 119	1.9	50	A	106.00
10-171-14-0104	150	1"	168 - 171	2.1		A	137.00
10-171-14-1104	150	1 1/4"	168 - 171	2.1	125	A	117.00
10-171-14-2104	150	1 1/2"	168 - 171	2.2		A	120.00
10-171-14-3104	150	2"	168 - 171	2.2	128	A	121.00
10-223-14-0104	200	1"	219 - 223	2.4		A	143.00
10-223-14-1104	200	1 1/4"	219 - 223	2.4	100	A	135.00
10-223-14-2104	200	1 1/2"	219 - 223	2.5	49	A	140.00
10-223-14-3104	200	2"	219 - 223	2.5		A	147.00
10-275-14-0104	250	1"	273 - 275	4.0	125	A	197.00
10-275-14-1104	250	1 1/4"	273 - 275	4.0	74	A	197.00
10-275-14-2104	250	1 1/2"	273 - 275	4.0	50	A	197.00
10-275-14-3104	250	2"	273 - 275	4.0	117	A	201.00
10-327-14-0104	300	1"	324 - 327	4.6		A	230.00
10-327-14-1104	300	1 1/4"	324 - 327	4.6	50	A	220.00
10-327-14-2104	300	1 1/2"	324 - 327	4.6	25	A	220.00
10-327-14-3104	300	2"	324 - 327	4.6	50	A	223.00

740/9-001

Universal tapping saddle head with blade shut-off for under pressure tapping on metal pipes

Ductile Iron

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	BSP thread Inch	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
740-9-050-264	50-200	3/4"	1.5			213.00
740-9-050-364	50-200	1"	1.5			221.00
740-9-050-464	50-200	1 1/4"	1.5			250.00
740-9-050-564	50-200	1 1/2"	1.5			252.00
740-9-080-264	80-300	3/4"	1.5		C	214.00
740-9-080-364	80-300	1"	1.5			219.00
740-9-080-464	80-300	1 1/4"	1.5			249.00
740-9-080-564	80-300	1 1/2"	1.5			252.00
740-9-080-664	80-300	2"	1.5		B	214.00



727/10-01

Tapping saddle for underpressure drilling for PE/PVC pipes
 Ductile Iron
 EPDM rubber
 Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	D mm	BSP thread Inch	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
727-10-063-0220000	50	63	3/4"	4.0		C	301.00
727-10-063-0320000	50	63	1"	4.0		A	301.00
727-10-063-0420000	50	63	1 1/4"	4.0		A	301.00
727-10-063-0520000	50	63	1 1/2"	4.0		B	309.00
727-10-090-0220000	80	90	3/4"	4.0	50	C	359.00
727-10-090-0320000	80	90	1"	4.0	50	A	359.00
727-10-090-0420000	80	90	1 1/4"	4.0	50	A	359.00
727-10-090-0520000	80	90	1 1/2"	4.0	70	A	359.00
727-10-090-0620000	80	90	2"	4.0	70	A	359.00
727-10-110-0220000	100	110	3/4"	5.0	30	C	387.00
727-10-110-0320000	100	110	1"	5.0	50	A	387.00
727-10-110-0420000	100	110	1 1/4"	5.0	30	A	387.00
727-10-110-0520000	100	110	1 1/2"	5.0	30	A	387.00
727-10-110-0620000	100	110	2"	5.0	56	A	387.00
727-10-125-0320000	125	125	1"	6.5	56	C	427.00
727-10-125-0420000	125	125	1 1/4"	6.5	56	A	427.00
727-10-125-0520000	125	125	1 1/2"	6.5		C	427.00
727-10-125-0620000	125	125	2"	6.5	56	A	427.00
727-10-140-0320000	125	140	1"	8.0		C	467.00
727-10-140-0420000	125	140	1 1/4"	8.0	18	A	467.00
727-10-140-0520000	125	140	1 1/2"	8.0		C	467.00
727-10-140-0620000	125	140	2"	8.0	18	C	467.00
727-10-160-0220000	150	160	3/4"	9.0	50	C	512.00
727-10-160-0320000	150	160	1"	9.0	50	A	512.00
727-10-160-0420000	150	160	1 1/4"	9.0	30	A	512.00
727-10-160-0520000	150	160	1 1/2"	9.0	23	C	512.00
727-10-160-0620000	150	160	2"	9.0	50	A	512.00
727-10-200-0220000	200	200	3/4"	15	50	C	691.00
727-10-200-0320000	200	200	1"	15	30	C	691.00
727-10-200-0420000	200	200	1 1/4"	15		C	691.00
727-10-200-0520000	200	200	1 1/2"	15	50	C	691.00
727-10-200-0620000	200	200	2"	15	12	A	691.00
727-10-225-0320000	200	225	1"	15		C	729.00
727-10-225-0420000	200	225	1 1/4"	15		C	729.00
727-10-225-0520000	200	225	1 1/2"	15		C	729.00
727-10-225-0620000	200	225	2"	15	10	B	729.00

727/19-01

Tapping saddle SWIC for underpressure drilling on PVC pipes
 Ductile Iron
 EPDM rubber
 Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	BSP thread Inch	Dd mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
727-19-04-016	80	1/2"	90	6.0		C	699.00
727-19-04-026	80	3/4"	90	6.0		C	699.00
727-19-04-036	80	1"	90	6.0		C	712.00
727-19-04-046	80	1 1/4"	90	6.0	20	C	699.00
727-19-04-056	80	1 1/2"	90	6.0		C	699.00
727-19-04-066	80	2"	90	6.0		C	699.00
727-19-05-016	100	1/2"	110	6.5		C	722.00
727-19-05-026	100	3/4"	110	6.5		C	722.00
727-19-05-036	100	1"	110	6.5		C	722.00
727-19-05-046	100	1 1/4"	110	6.5	20	C	722.00
727-19-05-056	100	1 1/2"	110	6.5		C	722.00
727-19-05-066	100	2"	110	6.5	20	C	722.00
727-19-08-016	150	1/2"	160	8.0		C	788.00
727-19-08-026	150	3/4"	160	8.0		C	788.00
727-19-08-036	150	1"	160	8.0		C	788.00
727-19-08-046	150	1 1/4"	160	8.0		C	788.00
727-19-08-056	150	1 1/2"	160	8.0		C	788.00
727-19-08-066	150	2"	160	8.0	15	C	788.00



727/09-01

Tapping saddle SWIC for underpressure drilling on PE/PVC pipes
 Ductile Iron
 NBR rubber
 Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Dd mm	BSP thread Inch	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
727-09-01-01601400	50	50	1/2"	4.8			658.00
727-09-01-02601400	50	50	3/4"	4.8			658.00
727-09-01-03601400	50	50	1"	4.8			658.00
727-09-01-04601400	50	50	1 1/4"	4.8			658.00
727-09-01-05601400	50	50	1 1/2"	4.8			658.00
727-09-01-06601400	50	50	2"	4.8			658.00
727-09-02-01601400	63	63	1/2"	5.0			679.00
727-09-02-02601400	63	63	3/4"	5.0			679.00
727-09-02-03601400	63	63	1"	5.0			679.00
727-09-02-04601400	63	63	1 1/4"	5.0		C	679.00
727-09-02-05601400	63	63	1 1/2"	5.0		C	679.00
727-09-02-06601400	63	63	2"	5.0			679.00
727-09-03-01601200	75	75	1/2"	5.8			730.00
727-09-03-02601200	75	75	3/4"	5.8			730.00
727-09-03-03601200	75	75	1"	5.8			730.00
727-09-03-04601200	75	75	1 1/4"	5.8		C	730.00
727-09-03-05601200	75	75	1 1/2"	5.8		C	730.00
727-09-03-06601200	75	75	2"	5.8			730.00
727-09-04-01601200	80	90	1/2"	6.0			714.00
727-09-04-02601200	80	90	3/4"	6.0			714.00
727-09-04-03601200	80	90	1"	6.0		C	714.00
727-09-04-04601200	80	90	1 1/4"	6.0		C	714.00
727-09-04-05601200	80	90	1 1/2"	6.0		C	714.00
727-09-04-06601200	80	90	2"	6.0		C	714.00
727-09-05-01601200	100	110	1/2"	7.2		B	761.00
727-09-05-02601200	100	110	3/4"	7.2			761.00
727-09-05-03601200	100	110	1"	7.2		C	761.00
727-09-05-04601200	100	110	1 1/4"	7.2		C	761.00
727-09-05-05601200	100	110	1 1/2"	7.2		C	761.00
727-09-05-06601200	100	110	2"	7.2		C	761.00
727-09-07-01601200	140	140	1/2"	9.8			851.00
727-09-07-02601200	140	140	3/4"	9.8			851.00
727-09-07-03601200	140	140	1"	9.8			851.00
727-09-07-04601200	140	140	1 1/4"	9.8			851.00
727-09-07-05601200	140	140	1 1/2"	9.8			851.00
727-09-07-06601200	140	140	2"	9.8			851.00
727-09-08-01601200	150	160	1/2"	12			844.00
727-09-08-02601200	150	160	3/4"	12			844.00
727-09-08-03601200	150	160	1"	12			844.00
727-09-08-04601200	150	160	1 1/4"	12			844.00
727-09-08-05601200	150	160	1 1/2"	12		C	844.00
727-09-08-06601200	150	160	2"	12		C	844.00
727-09-09-01601300	200	200	1/2"	15			952.00
727-09-09-02601300	200	200	3/4"	15			952.00
727-09-09-03601300	200	200	1"	15			952.00
727-09-09-04601300	200	200	1 1/4"	15			952.00
727-09-09-05601300	200	200	1 1/2"	15			952.00
727-09-09-06601300	200	200	2"	15			952.00
727-09-10-01601300	225	225	1/2"	16			987.00
727-09-10-02601300	225	225	3/4"	16			987.00
727-09-10-03601300	225	225	1"	16			987.00
727-09-10-04601300	225	225	1 1/4"	16			987.00
727-09-10-05601300	225	225	1 1/2"	16			987.00
727-09-10-06601300	225	225	2"	16			987.00



730/6-001

Stirrup for AVK universal tapping saddles
Stainless steel



AVK ref. no.	DN mm	T mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
730-6-088-021	50	50 - 88	0.9		C	114.00
730-6-118-021	80	88 - 118	0.9		A	137.00
730-6-133-021	100	105 - 133	1.0		A	148.00
730-6-159-021	125	133 - 159	1.0		C	144.00
730-6-186-021	150	156 - 186	1.0		C	151.00
730-6-216-021	175	186 - 216	1.1		C	155.00
730-6-244-021	200	210 - 244	1.1		C	174.00
730-6-270-021	225	240 - 270	1.2		C	168.00
730-6-298-021	250	265 - 298	1.2		C	176.00
730-6-330-021	275	299 - 330	1.3		C	181.00
730-6-345-021	300	315 - 345	1.3		C	187.00
730-6-360-021	300	325 - 360	1.3		A	194.00

730/5-01

Universal tapping saddle head with blade shut-off for underpressure drilling and tapping
Ductile Iron
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	BSP thread Inch	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
730-5-065-200	50-80	3/4"	3.2		C	263.00
730-5-065-300	50-80	1"	3.2		A	231.00
730-5-065-400	50-80	1 1/4"	3.2		A	231.00
730-5-065-500	50-80	1 1/2"	3.2		B	254.00
730-5-065-600	50-80	2"	3.2			254.00
730-5-085-200	80-300	3/4"	3.2		C	272.00
730-5-085-300	80-300	1"	3.2		A	224.00
730-5-085-400	80-300	1 1/4"	3.2		A	230.00
730-5-085-500	80-300	1 1/2"	3.2		A	271.00
730-5-085-600	80-300	2"	3.2		A	271.00

8001/0-001

Hydro Stop universal socket encapsulation collar
Steel
EPDM drinking water approved
Epoxy coated to WRAS



AVK ref. no.	DN mm	Product PN Class	Seal range SR1 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
8001-0-010-11031003500	250	PN10	265-295	188		B	7,380.00
8001-0-010-11031104000	250	PN16	265-295	188		B	7,380.00
8001-0-030-11031003500	300	PN10	310-340	195		B	8,611.00
8001-0-030-11031104000	300	PN16	310-340	195		B	8,611.00
8001-0-050-11031003500	300	PN10	330-360	200		B	9,181.00
8001-0-050-11031104000	300	PN16	330-360	200		B	9,181.00
8001-0-070-11031003500	350	PN10	345-375	209		B	10,104.00
8001-0-070-11031104000	350	PN16	345-375	209		B	10,104.00
8001-0-090-11031003500	350	PN10	363-393	215		B	10,965.00
8001-0-090-11031104000	350	PN16	363-393	215		B	10,965.00
8001-0-100-11031003500	350	PN10	385-410	222		B	12,651.00
8001-0-100-11031104000	350	PN16	385-410	222		B	12,651.00
8001-0-120-11031003500	400	PN10	415-445	244		B	13,496.00
8001-0-120-11031104000	400	PN16	415-445	244		B	13,496.00
8001-0-130-11031003500	400	PN10	430-462	252		B	19,084.00
8001-0-130-11031104000	400	PN16	430-462	252		B	19,084.00
8001-0-140-11031003500	450	PN10	440-472	262		B	19,284.00
8001-0-140-11031104000	450	PN16	440-472	262		B	19,284.00
8001-0-150-11031003500	450	PN10	465-500	268		B	19,504.00
8001-0-150-11031104000	450	PN16	465-500	268		B	19,504.00
8001-0-160-11031003500	450	PN10	480-520	277		B	20,119.00
8001-0-160-11031104000	450	PN16	480-520	277		B	20,119.00
8001-0-170-22031005500	500	PN10	500-540	285		B	20,558.00
8001-0-170-22031106000	500	PN16	500-540	285		B	20,558.00
8001-0-180-22031005500	500	PN10	530-570	302		B	21,350.00
8001-0-180-22031106000	500	PN16	530-570	302		B	21,350.00
8001-0-190-22031005500	500	PN10	550-590	310		B	21,876.00
8001-0-190-22031106000	500	PN16	550-590	310		B	21,876.00
8001-0-210-22031005500	600	PN10	600-640	318		B	22,932.00
8001-0-210-22031106000	600	PN16	600-640	318		B	22,932.00
8001-0-220-22031005500	650	PN10	660-700	330		B	23,283.00
8001-0-220-22031106000	650	PN16	660-700	330		B	23,283.00
8001-0-230-22031005500	650	PN10	680-720	342		B	23,722.00
8001-0-230-22031106000	650	PN16	680-720	342		B	23,722.00
8001-0-240-22031005500	700	PN10	700-740	350		B	24,512.00
8001-0-240-22031106000	700	PN16	700-740	350		B	24,512.00



AVK ref. no.	DN mm	Product PN Class	Seal range SR1 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
8001-0-260-22031005500	700	PN10	780-820	365		B	26,357.00
8001-0-260-22031106000	700	PN16	780-820	365		B	26,357.00
8001-0-270-22031005500	800	PN10	810-850	377		B	27,675.00
8001-0-270-22031106000	800	PN16	810-850	377		B	27,675.00
8001-0-280-22031005500	900	PN10	890-930	410		B	28,992.00
8001-0-280-22031106000	900	PN16	890-930	410		B	28,992.00
8001-0-300-22031005500	900	PN10	920-960	422		B	30,311.00
8001-0-300-22031106000	900	PN16	920-960	422		B	30,311.00
8001-0-320-22031005500	900	PN10	980-1020	438		B	31,628.00
8001-0-320-22031106000	900	PN16	980-1020	438		B	31,628.00
8001-0-330-23031005500	1000	PN10	1000-1040	445		B	32,947.00
8001-0-330-23031006000	1000	PN16	1000-1040	445		B	32,947.00
8001-0-340-23031005500	1000	PN10	1030-1070	451		B	34,264.00
8001-0-340-23031106000	1000	PN16	1030-1070	451		B	34,264.00
8001-0-360-23031005500	1000	PN10	1090-1130	478		B	36,900.00
8001-0-360-23031106000	1000	PN16	1090-1130	478		B	36,900.00
8001-0-370-23031005500	1100	PN10	1120-1160	485		B	38,219.00
8001-0-370-23031106000	1100	PN16	1120-1160	485		B	38,219.00
8001-0-390-23031005500	1100	PN10	1180-1220	497		B	40,853.00
8001-0-390-23031106000	1100	PN16	1180-1220	497		B	40,853.00
8001-0-400-23031005500	1200	PN10	1210-1250	505		B	42,172.00
8001-0-400-23031106000	1200	PN16	1210-1250	505		B	42,172.00
8001-0-420-23031005500	1200	PN10	1240-1280	520		B	43,489.00
8001-0-420-23031106000	1200	PN16	1240-1280	520		B	43,489.00
8001-0-450-23031005500	1300	PN10	1320-1360	564		B	45,686.00
8001-0-450-23031106000	1300	PN16	1320-1360	564		B	45,686.00
8001-0-460-23031005500	1300	PN10	1320-1360	570		B	47,444.00
8001-0-460-23031106000	1300	PN16	1320-1360	570		B	47,444.00
8001-0-490-23031005500	1400	PN10	1420-1460	598		B	51,397.00
8001-0-490-23031106000	1400	PN16	1420-1460	598		B	51,397.00
8001-0-500-23031005500	1400	PN10	1440-1480	610		B	52,715.00
8001-0-500-23031106000	1400	PN16	1440-1480	610		B	52,715.00
8001-0-520-23031005500	1500	PN10	1510-1550	656		B	54,473.00
8001-0-520-23031106000	1500	PN16	1510-1550	656		B	54,473.00
8001-0-530-24031005500	1600	PN10	1600-1640	684		B	57,987.00
8001-0-530-24031106000	1600	PN16	1600-1640	684		B	57,987.00
8001-0-540-24031005500	1600	PN10	1630-1670	695		B	59,743.00
8001-0-540-24031106000	1600	PN16	1630-1670	695		B	59,743.00
8001-0-570-24031005500	1800	PN10	1810-1850	778		B	65,015.00
8001-0-570-24031106000	1800	PN16	1810-1850	778		B	65,015.00
8001-0-580-24031005500	1800	PN10	1840-1880	791		B	66,772.00
8001-0-580-24031106000	1800	PN16	1840-1880	791		B	66,772.00
8001-0-590-24031005500	1800	PN10	1870-1910	802		B	68,530.00
8001-0-590-24031106000	1800	PN16	1870-1910	802		B	68,530.00
8001-0-600-24031005500	2000	PN10	2020-2060	875		B	70,287.00
8001-0-600-24031106000	2000	PN16	2020-2060	875		B	70,287.00
8001-0-610-24031005500	2000	PN10	2040-2080	890		B	72,043.00
8001-0-610-24031106000	2000	PN16	2040-2080	890		B	72,043.00

8001/2-001

Hydro Stop universal pipe encapsulation collar
Steel
EPDM drinking water approved
Epoxy coated to WRAS



AVK ref. no.	DN mm	Product PN Class	Seal range SR1 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
8001-2-020-00031003500	300	PN10	304-326	103		B	6,545.00
8001-2-020-00031104000	300	PN16	304-326	103		B	6,545.00
8001-2-040-00031003500	300	PN10	313-335	110		B	6,818.00
8001-2-040-00031104000	300	PN16	313-335	110		B	6,818.00
8001-2-060-00031003500	350	PN10	332-355	116		B	6,897.00
8001-2-060-00031104000	350	PN16	332-355	116		B	6,897.00
8001-2-080-00031003500	350	PN10	358-386	121		B	8,083.00
8001-2-080-00031104000	350	PN16	358-386	121		B	8,083.00
8001-2-100-00031003500	400	PN10	385-410	135		B	10,104.00
8001-2-100-00031104000	400	PN16	385-410	135		B	10,104.00
8001-2-110-00031003500	400	PN10	405-435	140		B	10,544.00
8001-2-110-00031104000	400	PN16	405-435	140		B	10,544.00
8001-2-130-00031003500	450	PN10	430-462	145		B	15,287.00
8001-2-130-00031104000	450	PN16	430-462	145		B	15,287.00



Repair clamps and tapping saddles

AVK ref. no.	DN mm	Product PN Class	Seal range SR1 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
8001-2-150-00031003500	450	PN10	465-500	151		B	15,604.00
8001-2-150-00031104000	450	PN16	465-500	151		B	15,604.00
8001-2-170-00031005500	500	PN10	500-540	160		B	16,429.00
8001-2-170-00031106000	500	PN16	500-540	160		B	16,429.00
8001-2-180-00031005500	500	PN10	530-570	169		B	17,088.00
8001-2-180-00031106000	500	PN16	530-570	169		B	17,088.00
8001-2-200-00031005500	600	PN10	570-610	182		B	17,747.00
8001-2-200-00031106000	600	PN16	570-610	182		B	17,747.00
8001-2-210-00031005500	600	PN10	600-640	190		B	18,362.00
8001-2-210-00031106000	600	PN16	600-640	190		B	18,362.00
8001-2-230-00031005500	700	PN10	680-720	205		B	18,978.00
8001-2-230-00031106000	700	PN16	680-720	205		B	18,978.00
8001-2-240-00031005500	700	PN10	700-740	212		B	19,593.00
8001-2-240-00031106000	700	PN16	700-740	212		B	19,593.00
8001-2-250-00031005500	700	PN10	730-770	220		B	20,471.00
8001-2-250-00031106000	700	PN16	730-770	220		B	20,471.00
8001-2-260-00031005500	800	PN10	780-820	225		B	21,086.00
8001-2-260-00031106000	800	PN16	780-820	225		B	21,086.00
8001-2-270-00031005500	800	PN10	810-850	234		B	22,139.00
8001-2-270-00031106000	800	PN16	810-850	234		B	22,139.00
8001-2-280-00031005500	900	PN10	890-930	252		B	23,194.00
8001-2-280-00031106000	900	PN16	890-930	252		B	23,194.00
8001-2-290-00031005500	900	PN10	910-950	261		B	24,072.00
8001-2-290-00031106000	900	PN16	910-950	261		B	24,072.00
8001-2-310-00031005500	900	PN10	940-980	269		B	25,303.00
8001-2-310-00031106000	900	PN16	940-980	269		B	25,303.00
8001-2-330-00031005500	1000	PN10	1000-1040	286		B	26,357.00
8001-2-330-00031106000	1000	PN16	1000-1040	286		B	26,357.00
8001-2-340-00031005500	1000	PN10	1030-1070	293		B	27,411.00
8001-2-340-00031106000	1000	PN16	1030-1070	293		B	27,411.00
8001-2-350-00031005500	1000	PN10	1060-1100	302		B	28,465.00
8001-2-350-00031106000	1000	PN16	1060-1100	302		B	28,465.00
8001-2-360-00031005500	1100	PN10	1090-1130	307		B	29,521.00
8001-2-360-00031106000	1100	PN16	1090-1130	307		B	29,521.00
8001-2-370-00031005500	1100	PN10	1120-1160	315		B	30,575.00
8001-2-370-00031106000	1100	PN16	1120-1160	315		B	30,575.00
8001-2-380-00031005500	1100	PN10	1150-1190	322		B	31,628.00
8001-2-380-00031106000	1100	PN16	1150-1190	322		B	31,628.00
8001-2-390-00031005500	1200	PN10	1180-1220	331		B	32,683.00
8001-2-390-00031106000	1200	PN16	1180-1220	331		B	32,683.00
8001-2-410-00031005500	1200	PN10	1220-1260	338		B	34,089.00
8001-2-410-00031106000	1200	PN16	1220-1260	338		B	34,089.00
8001-2-430-00031005500	1200	PN10	1260-1300	345		B	35,143.00
8001-2-430-00031106000	1200	PN16	1260-1300	345		B	35,143.00
8001-2-440-00031005500	1300	PN10	1270-1310	352		B	35,494.00
8001-2-440-00031106000	1300	PN16	1270-1310	352		B	35,494.00
8001-2-450-00031005500	1300	PN10	1320-1360	361		B	36,550.00
8001-2-450-00031106000	1300	PN16	1320-1360	361		B	36,550.00
8001-2-470-00031005500	1300	PN10	1360-1400	370		B	38,657.00
8001-2-470-00031106000	1300	PN16	1360-1400	370		B	38,657.00
8001-2-480-00031005500	1400	PN10	1390-1430	383		B	40,064.00
8001-2-480-00031106000	1400	PN16	1390-1430	383		B	40,064.00
8001-2-490-00031005500	1400	PN10	1420-1460	389		B	41,118.00
8001-2-490-00031106000	1400	PN16	1420-1460	389		B	41,118.00
8001-2-510-00031005500	1400	PN10	1460-1500	393		B	42,172.00
8001-2-510-00031106000	1400	PN16	1460-1500	393		B	42,172.00
8001-2-520-00031005500	1500	PN10	1510-1550	401		B	43,578.00
8001-2-520-00031106000	1500	PN16	1510-1550	401		B	43,578.00
8001-2-530-00031005500	1600	PN10	1600-1640	427		B	46,389.00
8001-2-530-00031106000	1600	PN16	1600-1640	427		B	46,389.00
8001-2-550-00031005500	1600	PN10	1640-1680	433		B	48,498.00
8001-2-550-00031106000	1600	PN16	1640-1680	433		B	48,498.00
8001-2-560-00031005500	1600	PN10	1660-1700	441		B	50,607.00
8001-2-560-00031106000	1600	PN16	1660-1700	441		B	50,607.00
8001-2-570-00031005500	1800	PN10	1810-1850	475		B	52,012.00
8001-2-570-00031106000	1800	PN16	1810-1850	475		B	52,012.00



AVK ref. no.	DN mm	Product PN Class	Seal range SR1 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
8001-2-580-00031005500	1800	PN10	1840-1880	483		B	53,418.00
8001-2-580-00031106000	1800	PN16	1840-1880	483		B	53,418.00
8001-2-600-00031005500	2000	PN10	2020-2060	528		B	56,230.00
8001-2-600-00031106000	2000	PN16	2020-2060	528		B	56,230.00
8001-2-620-00031005500	2000	PN10	2050-2090	534		B	58,338.00
8001-2-620-00031106000	2000	PN16	2050-2090	534		B	58,338.00

8002/0-001

Hydro Fast dedicated socket encapsulation collar
Steel
EPDM drinking water approved
Epoxy coated to WRAS



AVK ref. no.	DN mm	Pipe Type	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
8002-0-0010-000003500	300	CI	326	PN10	104		B	6,022.00
8002-0-0010-000104000	300	CI	326	PN16	104		B	6,022.00
8002-0-0020-000003500	350	CI	378	PN10	126		B	7,642.00
8002-0-0020-000104000	350	CI	378	PN16	126		B	7,642.00
8002-0-0030-000003500	400	CI	429	PN10	145		B	8,800.00
8002-0-0030-000104000	400	CI	429	PN16	145		B	8,800.00
8002-0-0040-000003500	450	CI	480	PN10	159		B	9,959.00
8002-0-0040-000104000	450	CI	480	PN16	159		B	9,959.00
8002-0-0050-000005500	500	CI	532	PN10	181		B	11,116.00
8002-0-0050-000106000	500	CI	532	PN16	181		B	11,116.00
8002-0-0060-000005500	600	CI	635	PN10	201		B	12,274.00
8002-0-0060-000106000	600	CI	635	PN16	201		B	12,274.00
8002-0-0070-000005500	700	CI	738	PN10	219		B	15,748.00
8002-0-0070-000106000	700	CI	738	PN16	219		B	15,748.00
8002-0-0080-000005500	800	CI	842	PN10	243		B	18,063.00
8002-0-0080-000106000	800	CI	842	PN16	243		B	18,063.00
8002-0-0090-000005500	900	CI	945	PN10	267		B	20,380.00
8002-0-0090-000106000	900	CI	945	PN16	267		B	20,380.00
8002-0-0100-000005500	1000	CI	1048	PN10	284		B	22,696.00
8002-0-0100-000106000	1000	CI	1048	PN16	284		B	22,696.00
8002-0-0110-000005500	1200	CI	1255	PN10	311		B	27,791.00
8002-0-0110-000106000	1200	CI	1255	PN16	311		B	27,791.00
8002-0-0120-000005500	1400	CI	1462	PN10	354		B	32,886.00
8002-0-0120-000106000	1400	CI	1462	PN16	354		B	32,886.00
8002-0-0130-000005500	1600	CI	1668	PN10	382		B	40,296.00
8002-0-0130-000106000	1600	CI	1668	PN16	382		B	40,296.00
8002-0-0140-000005500	1800	CI	1875	PN10	424		B	48,634.00
8002-0-0140-000106000	1800	CI	1875	PN16	424		B	48,634.00
8002-0-0150-000005500	2000	CI	2082	PN10	477		B	53,266.00
8002-0-0150-000106000	2000	CI	2082	PN16	477		B	53,266.00
8002-0-0200-000003500	300	ST	323.9	PN10	109		B	6,022.00
8002-0-0200-000104000	300	ST	323.9	PN16	109		B	6,022.00
8002-0-0210-000003500	350	ST	355.6	PN10	123		B	7,642.00
8002-0-0210-000104000	350	ST	355.6	PN16	123		B	7,642.00
8002-0-0220-000003500	400	ST	406.4	PN10	142		B	8,800.00
8002-0-0220-000104000	400	ST	406.4	PN16	142		B	8,800.00
8002-0-0230-000003500	450	ST	457.2	PN10	155		B	9,959.00
8002-0-0230-000104000	450	ST	457.2	PN16	155		B	9,959.00
8002-0-0240-000005500	500	ST	508	PN10	164		B	11,116.00
8002-0-0240-000106000	500	ST	508	PN16	164		B	11,116.00
8002-0-0250-000005500	600	ST	609.6	PN10	182		B	13,432.00
8002-0-0250-000106000	600	ST	609.6	PN16	182		B	13,432.00
8002-0-0260-000005500	700	ST	711.2	PN10	205		B	15,748.00
8002-0-0260-000106000	700	ST	711.2	PN16	205		B	15,748.00
8002-0-0270-000005500	800	ST	812.8	PN10	223		B	18,063.00
8002-0-0270-000106000	800	ST	812.8	PN16	223		B	18,063.00
8002-0-0280-000005500	900	ST	914.4	PN10	247		B	20,380.00
8002-0-0280-000106000	900	ST	914.4	PN16	247		B	20,380.00
8002-0-0290-000005500	1000	ST	1016	PN10	251		B	22,696.00
8002-0-0290-000106000	1000	ST	1016	PN16	251		B	22,696.00
8002-0-0300-000005500	1200	ST	1219.2	PN10	307		B	27,791.00
8002-0-0300-000106000	1200	ST	1219.2	PN16	307		B	27,791.00
8002-0-0310-000005500	1400	ST	1422.4	PN10	343		B	32,886.00
8002-0-0310-000106000	1400	ST	1422.4	PN16	343		B	32,886.00
8002-0-0320-000005500	1600	ST	1625.6	PN10	364		B	40,296.00
8002-0-0320-000106000	1600	ST	1625.6	PN16	364		B	40,296.00



Repair clamps and tapping saddles

AVK ref. no.	DN mm	Pipe Type	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
8002-0-0330-000005500	1800	ST	1828.8	PN10	405		B	48,634.00
8002-0-0330-000106000	1800	ST	1828.8	PN16	405		B	48,634.00
8002-0-0340-000005500	2000	ST	2032	PN10	454		B	55,581.00
8002-0-0340-000106000	2000	ST	2032	PN16	454		B	55,581.00
8002-0-0400-000003500	350	PE	355	PN10	135		B	7,642.00
8002-0-0400-000104000	350	PE	355	PN16	135		B	7,642.00
8002-0-0410-000003500	400	PE	400	PN10	152		B	7,642.00
8002-0-0410-000104000	400	PE	400	PN16	152		B	7,642.00
8002-0-0420-000003500	450	PE	450	PN10	161		B	8,800.00
8002-0-0420-000104000	450	PE	450	PN16	161		B	8,800.00
8002-0-0430-000005500	500	PE	500	PN10	172		B	9,959.00
8002-0-0430-000106000	500	PE	500	PN16	172		B	9,959.00
8002-0-0440-000005500	500	PE	560	PN10	184		B	12,274.00
8002-0-0440-000106000	500	PE	560	PN16	184		B	12,274.00
8002-0-0450-000005500	600	PE	630	PN10	231		B	13,432.00
8002-0-0450-000106000	600	PE	630	PN16	231		B	13,432.00
8002-0-0460-000005500	700	PE	710	PN10	244		B	15,748.00
8002-0-0460-000106000	700	PE	710	PN16	244		B	15,748.00
8002-0-0470-000005500	800	PE	800	PN10	167		B	16,906.00
8002-0-0470-000106000	800	PE	800	PN16	167		B	16,906.00
8002-0-0480-000005500	900	PE	900	PN10	288		B	18,990.00
8002-0-0480-000106000	900	PE	900	PN16	288		B	18,990.00
8002-0-0490-000005500	1000	PE	1000	PN10	308		B	21,537.00
8002-0-0490-000106000	1000	PE	1000	PN16	308		B	21,537.00
8002-0-0500-000005500	1100	PE	1100	PN10	331		B	23,622.00
8002-0-0500-000106000	1100	PE	1100	PN16	331		B	23,622.00
8002-0-0510-000005500	1200	PE	1200	PN10	356		B	26,401.00
8002-0-0510-000106000	1200	PE	1200	PN16	356		B	26,401.00
8002-0-0600-000003500	300	AC	344	PN10	96		B	6,022.00
8002-0-0600-000104000	300	AC	344	PN16	96		B	6,022.00
8002-0-0610-000003500	350	AC	400	PN10	108		B	7,642.00
8002-0-0610-000104000	350	AC	400	PN16	108		B	7,642.00
8002-0-0620-000003500	400	AC	456	PN10	122		B	9,959.00
8002-0-0620-000104000	400	AC	456	PN16	122		B	9,959.00
8002-0-0630-000003500	450	AC	512	PN10	138		B	11,116.00
8002-0-0630-000104000	450	AC	512	PN16	138		B	11,116.00
8002-0-0640-000005500	500	AC	570	PN10	168		B	12,274.00
8002-0-0640-000106000	500	AC	570	PN16	168		B	12,274.00
8002-0-0650-000005500	600	AC	680	PN10	216		B	14,358.00
8002-0-0650-000106000	600	AC	680	PN16	216		B	14,358.00
8002-0-0660-000005500	700	AC	795	PN10	228		B	16,906.00
8002-0-0660-000106000	700	AC	795	PN16	228		B	16,906.00
8002-0-0670-000005500	800	AC	905	PN10	254		B	20,380.00
8002-0-0670-000106000	800	AC	905	PN16	254		B	20,380.00
8002-0-0680-000005500	900	AC	1020	PN10	272		B	22,696.00
8002-0-0680-000106000	900	AC	1020	PN16	272		B	22,696.00
8002-0-0690-000005500	1000	AC	1135	PN10	293		B	25,204.00
8002-0-0690-000106000	1000	AC	1135	PN16	293		B	25,204.00

8002/2-001

Hydro Fast dedicated pipe encapsulation collar
Steel
EPDM drinking water approved
Epoxy coated to WRAS



AVK ref. no.	Pipe Type	DN mm	Product PN Class	Net Weight Lbs	Units/ pallet	Deliv. code	Gross Price EUR
8002-2-0800-000003500	CI	300	PN10	143		B	3,860.00
8002-2-0800-000104000	CI	300	PN16	143		B	3,860.00
8002-2-0810-000003500	CI	350	PN10	176		B	4,902.00
8002-2-0810-000104000	CI	350	PN16	176		B	4,902.00
8002-2-0820-000003500	CI	400	PN10	196		B	5,635.00
8002-2-0820-000104000	CI	400	PN16	196		B	5,635.00
8002-2-0830-000003500	CI	450	PN10	214		B	6,369.00
8002-2-0830-000104000	CI	450	PN16	214		B	6,369.00
8002-2-0840-000005500	CI	500	PN10	238		B	7,102.00
8002-2-0840-000106000	CI	500	PN16	238		B	7,102.00
8002-2-0850-000005500	CI	600	PN10	265		B	8,607.00
8002-2-0850-000106000	CI	600	PN16	265		B	8,607.00
8002-2-0860-000005500	CI	700	PN10	291		B	10,074.00
8002-2-0860-000106000	CI	700	PN16	291		B	10,074.00

Repair clamps and tapping saddles



AVK ref. no.	Pipe Type	DN mm	Product PN Class	Net Weight Lbs	Units/pallet	Deliv. code	Gross Price EUR
8002-2-0870-000005500	CI	800	PN10	333		B	11,580.00
8002-2-0870-000106000	CI	800	PN16	333		B	11,580.00
8002-2-0880-000005500	CI	900	PN10	373		B	13,046.00
8002-2-0880-000106000	CI	900	PN16	373		B	13,046.00
8002-2-0890-000005500	CI	1000	PN10	390		B	14,513.00
8002-2-0890-000106000	CI	1000	PN16	390		B	14,513.00
8002-2-0900-000005500	CI	1200	PN10	595		B	17,832.00
8002-2-0900-000106000	CI	1200	PN16	595		B	17,832.00
8002-2-0910-000005500	CI	1400	PN10	688		B	22,233.00
8002-2-0910-000106000	CI	1400	PN16	688		B	22,233.00
8002-2-0920-000005500	CI	1600	PN10	818		B	27,019.00
8002-2-0920-000106000	CI	1600	PN16	818		B	27,019.00
8002-2-0930-000005500	CI	1800	PN10	869		B	32,114.00
8002-2-0930-000106000	CI	1800	PN16	869		B	32,114.00
8002-2-0940-000005500	CI	2000	PN10	933		B	37,055.00
8002-2-0940-000106000	CI	2000	PN16	933		B	37,055.00
8002-2-1000-000003500	ST	300	PN10	150		B	3,860.00
8002-2-1000-000005500	ST	300	PN10	595		B	3,860.00
8002-2-1000-000104000	ST	300	PN16	150		B	3,860.00
8002-2-1000-000106000	ST	300	PN16	595		B	3,860.00
8002-2-1010-000003500	ST	350	PN10	168		B	4,902.00
8002-2-1010-000104000	ST	350	PN16	168		B	4,902.00
8002-2-1020-000003500	ST	400	PN10	187		B	5,635.00
8002-2-1020-000104000	ST	400	PN16	187		B	5,635.00
8002-2-1030-000003500	ST	450	PN10	205		B	6,369.00
8002-2-1030-000104000	ST	450	PN16	205		B	6,369.00
8002-2-1040-000005500	ST	500	PN10	229		B	7,102.00
8002-2-1040-000106000	ST	500	PN16	229		B	7,102.00
8002-2-1050-000005500	ST	600	PN10	254		B	8,607.00
8002-2-1050-000106000	ST	600	PN16	254		B	8,607.00
8002-2-1060-000005500	ST	700	PN10	284		B	10,074.00
8002-2-1060-000106000	ST	700	PN16	284		B	10,074.00
8002-2-1070-000005500	ST	800	PN10	317		B	11,580.00
8002-2-1070-000106000	ST	800	PN16	317		B	11,580.00
8002-2-1080-000005500	ST	900	PN10	353		B	13,046.00
8002-2-1080-000106000	ST	900	PN16	353		B	13,046.00
8002-2-1090-000005500	ST	1000	PN10	390		B	14,513.00
8002-2-1090-000106000	ST	1000	PN16	390		B	14,513.00
8002-2-1110-000005500	ST	1400	PN10	672		B	21,074.00
8002-2-1110-000106000	ST	1400	PN16	672		B	21,074.00
8002-2-1120-000005500	ST	1600	PN10	805		B	25,784.00
8002-2-1120-000106000	ST	1600	PN16	805		B	25,784.00
8002-2-1130-000005500	ST	1800	PN10	855		B	31,187.00
8002-2-1130-000106000	ST	1800	PN16	855		B	31,187.00
8002-2-1140-000005500	ST	2000	PN10	917		B	35,588.00
8002-2-1140-000106000	ST	2000	PN16	917		B	35,588.00
8002-2-1200-000003500	PE	350	PN10	168		B	4,902.00
8002-2-1200-000104000	PE	350	PN16	168		B	4,902.00
8002-2-1210-000003500	PE	400	PN10	183		B	5,635.00
8002-2-1210-000104000	PE	400	PN16	183		B	5,635.00
8002-2-1220-000003500	PE	450	PN10	203		B	5,635.00
8002-2-1220-000104000	PE	450	PN16	203		B	5,635.00
8002-2-1230-000005500	PE	500	PN10	225		B	7,102.00
8002-2-1230-000106000	PE	500	PN16	225		B	7,102.00
8002-2-1240-000005500	PE	500	PN10	243		B	7,874.00
8002-2-1240-000106000	PE	500	PN16	243		B	7,874.00
8002-2-1250-000005500	PE	600	PN10	260		B	8,607.00
8002-2-1250-000106000	PE	600	PN16	260		B	8,607.00
8002-2-1260-000005500	PE	700	PN10	284		B	10,074.00
8002-2-1260-000106000	PE	700	PN16	284		B	10,074.00
8002-2-1270-000005500	PE	800	PN10	313		B	11,580.00
8002-2-1270-000106000	PE	800	PN16	313		B	11,580.00
8002-2-1280-000005500	PE	900	PN10	344		B	13,046.00
8002-2-1280-000106000	PE	900	PN16	344		B	13,046.00
8002-2-1290-000005500	PE	1000	PN10	381		B	14,513.00
8002-2-1290-000106000	PE	1000	PN16	381		B	14,513.00



Repair clamps and tapping saddles

AVK ref. no.	Pipe Type	DN mm	Product PN Class	Net Weight Lbs	Units/pallet	Deliv. code	Gross Price EUR
8002-2-1300-000005500	PE	1100	PN10	390		B	14,513.00
8002-2-1300-000106000	PE	1100	PN16	390		B	14,513.00
8002-2-1310-000005500	PE	1200	PN10	567		B	17,832.00
8002-2-1310-000106000	PE	1200	PN16	567		B	17,832.00
8002-2-1400-000003500	AC	300	PN10	150		B	3,860.00
8002-2-1400-000104000	AC	300	PN16	150		B	3,860.00
8002-2-1410-000003500	AC	350	PN10	183		B	5,635.00
8002-2-1410-000104000	AC	350	PN16	183		B	5,635.00
8002-2-1420-000003500	AC	400	PN10	205		B	6,369.00
8002-2-1420-000104000	AC	400	PN16	205		B	6,369.00
8002-2-1430-000003500	AC	450	PN10	509		B	7,102.00
8002-2-1430-000106000	AC	450	PN16	231		B	7,102.00
8002-2-1440-000005500	AC	500	PN10	540		B	7,874.00
8002-2-1440-000106000	AC	500	PN16	245		B	7,874.00
8002-2-1450-000005500	AC	600	PN10	245		B	7,874.00
8002-2-1450-000106000	AC	600	PN16	276		B	8,955.00
8002-2-1460-000005500	AC	700	PN10	276		B	8,955.00
8002-2-1460-000106000	AC	700	PN16	311		B	10,808.00
8002-2-1470-000005500	AC	800	PN10	311		B	10,808.00
8002-2-1470-000106000	AC	800	PN16	346		B	13,046.00
8002-2-1480-000005500	AC	900	PN10	346		B	13,046.00
8002-2-1480-000106000	AC	900	PN16	386		B	14,513.00
8002-2-1490-000005500	AC	1000	PN10	386		B	14,513.00
8002-2-1490-000106000	AC	1000	PN16	397		B	17,832.00

8003/0-001

Hydro Smart dedicated socket encapsulation collar

Steel
EPDM drinking water approved

Epoxy coated to WRAS









AVK ref. no.	Pipe Type	DN mm	D mm	Product PN Class	Net Weight Lbs	Units/pallet	Deliv. code	Gross Price EUR
8003-0-0010-0001000	CI	50	56	PN16	44		B	1,455.00
8003-0-0020-0001000	CI	65	69	PN16	49		B	1,602.00
8003-0-0030-0001000	CI	80	82	PN16	49		B	1,689.00
8003-0-0040-0001000	CI	80	96	PN16	51		B	1,776.00
8003-0-0050-0001000	CI	100	122	PN16	55		B	2,122.00
8003-0-0060-0001000	CI	150	150	PN16	60		B	2,556.00
8003-0-0070-0001000	CI	150	177	PN16	68		B	2,729.00
8003-0-0080-0001000	CI	200	205	PN16	75		B	3,292.00
8003-0-0090-0001000	CI	200	232	PN16	77		B	3,422.00
8003-0-0100-0001000	CI	250	259	PN16	82		B	3,551.00
8003-0-0110-0001000	CI	250	286	PN16	88		B	3,812.00
8003-0-0120-0001000	ST	50	60	PN16	44		B	1,455.00
8003-0-0130-0001000	ST	65	76	PN16	49		B	1,602.00
8003-0-0140-0001000	ST	80	89	PN16	49		B	1,689.00
8003-0-0150-0001000	ST	100	114	PN16	51		B	2,122.00
8003-0-0160-0001000	ST	125	140	PN16	62		B	2,165.00
8003-0-0170-0001000	ST	150	168	PN16	66		B	2,642.00
8003-0-0180-0001000	ST	200	194	PN16	71		B	2,858.00
8003-0-0190-0001000	ST	200	219	PN16	75		B	3,292.00
8003-0-0200-0001000	ST	250	273	PN16	86		B	3,724.00
8003-0-0210-0001000	PE	50	50	PN16	44		B	1,455.00
8003-0-0220-0001000	PE	50	60	PN16	44		B	1,455.00
8003-0-0230-0001000	PE	65	63	PN16	49		B	1,602.00
8003-0-0240-0001000	PE	65	75	PN16	49		B	1,602.00
8003-0-0250-0001000	PE	80	90	PN16	49		B	1,689.00
8003-0-0260-0001000	PE	100	110	PN16	55		B	1,819.00
8003-0-0270-0001000	PE	125	140	PN16	62		B	2,165.00
8003-0-0280-0001000	PE	150	160	PN16	66		B	2,556.00
8003-0-0290-0001000	PE	150	180	PN16	68		B	2,729.00
8003-0-0300-0001000	PE	200	200	PN16	75		B	2,858.00
8003-0-0310-0001000	PE	200	225	PN16	77		B	3,292.00
8003-0-0320-0001000	PE	250	250	PN16	82		B	3,551.00
8003-0-0330-0001000	PE	250	280	PN16	88		B	3,812.00
8003-0-0340-0001000	DI	50	56	PN16	44		B	1,455.00
8003-0-0350-0001000	DI	65	66	PN16	49		B	1,455.00
8003-0-0360-0001000	DI	65	77	PN16	49		B	1,602.00
8003-0-0370-0001000	DI	80	82	PN16	49		B	1,689.00
8003-0-0380-0001000	DI	80	98	PN16	51		B	1,776.00

Repair clamps and tapping saddles



AVK ref. no.	Pipe Type	DN mm	D mm	Product PN Class	Net Weight Lbs	Units/pallet	Deliv. code	Gross Price EUR
8003-0-0390-0001000	DI	100	118	PN16	55		B	2,122.00
8003-0-0400-0001000	DI	125	144	PN16	62		B	2,165.00
8003-0-0410-0001000	DI	150	170	PN16	66		B	2,642.00
8003-0-0420-0001000	DI	200	222	PN16	75		B	3,292.00
8003-0-0430-0001000	DI	250	274	PN16	86		B	3,724.00
8003-0-0440-0001000	PVC	50	50	PN16	44		B	1,455.00
8003-0-0450-0001000	PVC	50	60	PN16	44		B	1,455.00
8003-0-0460-0001000	PVC	50	63	PN16	44		B	1,455.00
8003-0-0470-0001000	PVC	65	75	PN16	49		B	1,602.00
8003-0-0480-0001000	PVC	80	89	PN16	49		B	1,689.00
8003-0-0490-0001000	PVC	80	90	PN16	49		B	1,689.00
8003-0-0500-0001000	PVC	100	110	PN16	55		B	1,819.00
8003-0-0510-0001000	PVC	100	114	PN16	55		B	2,079.00
8003-0-0520-0001000	PVC	125	125	PN16	62		B	2,122.00
8003-0-0530-0001000	PVC	125	140	PN16	62		B	2,165.00
8003-0-0540-0001000	PVC	125	141	PN16	62		B	2,165.00
8003-0-0550-0001000	PVC	150	160	PN16	66		B	2,556.00
8003-0-0560-0001000	PVC	150	168	PN16	66		B	2,642.00
8003-0-0570-0001000	PVC	150	194	PN16	71		B	2,858.00
8003-0-0580-0001000	PVC	200	200	PN16	71		B	2,858.00
8003-0-0590-0001000	PVC	200	219	PN16	75		B	3,292.00
8003-0-0600-0001000	PVC	200	225	PN16	75		B	3,292.00
8003-0-0610-0001000	PVC	200	245	PN16	77		B	3,422.00
8003-0-0620-0001000	PVC	250	250	PN16	82		B	3,551.00
8003-0-0630-0001000	PVC	250	273	PN16	86		B	3,724.00
8003-0-0640-0001000	PVC	250	280	PN16	88		B	3,812.00
8003-0-0650-0001000	AC	50	69	PN16	44		B	1,602.00
8003-0-0660-0001000	AC	65	86	PN16	49		B	1,689.00
8003-0-0670-0001000	AC	80	96	PN16	51		B	1,776.00
8003-0-0680-0001000	AC	100	122	PN16	60		B	2,122.00
8003-0-0690-0001000	AC	125	126	PN16	62		B	2,122.00
8003-0-0700-0001000	AC	150	153	PN16	66		B	2,556.00
8003-0-0710-0001000	AC	150	177	PN16	68		B	2,729.00
8003-0-0720-0001000	AC	150	178	PN16	68		B	2,729.00
8003-0-0730-0001000	AC	200	232	PN16	75		B	3,422.00
8003-0-0740-0001000	AC	200	234	PN16	77		B	3,422.00
8003-0-0750-0001000	AC	200	240	PN16	77		B	3,551.00
8003-0-0760-0001000	AC	250	259	PN16	82		B	3,724.00
8003-0-0770-0001000	AC	250	268	PN16	86		B	3,724.00
8003-0-0780-0001000	AC	250	286	PN16	86		B	3,812.00
8003-0-0790-0001000	AC	250	288	PN16	86		B	3,812.00
8003-0-0800-0001000	AC	250	295	PN16	88		B	

<p>Series 95</p> <p>Factory certificate 2.2 according to EN 10204 <u>with</u> attachment</p> 	<p>9512210</p> <p style="text-align: right;">Nett. price per order 60</p>
<p>Series 95</p> <p>Factory certificate 2.2 according to EN 10204 <u>without</u> attachment</p> 	<p>9512200</p> <p style="text-align: right;">Nett. price per order 60</p>
<p>Series 95</p> <p>Factory certificate 3.1 according to EN 10204 <u>with</u> attachment</p> 	<p>9513110</p> <p style="text-align: right;">Nett. price per valve 9</p>
<p>Series 95</p> <p>Factory certificate 3.1 according to EN 10204 <u>without</u> attachment</p> 	<p>9513100</p> <p style="text-align: right;">Nett. price per valve 6</p>
<p>Series 95</p> <p>Factory certificate 2.2 according to EN 10204 <u>without</u> attachment</p> 	<p>9532200</p> <p style="text-align: right;">Nett. price per order 60</p>
<p>Series 95</p> <p>Certificate of conformity</p> 	<p>9540000</p> <p style="text-align: right;">Nett. price per order 60</p> <p style="text-align: center;">NOTE: PRICES FOR CERTIFICATES ARE NETT. PRICES</p>

**02/66-006**

Flanged gate valve with position indicator
Face-to-face dimension according to EN 558 Table 2 Basic Series 15
Ductile Iron
NBR rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
02-040-66-013	40	PN10/16	14	24	C	395.00
02-050-66-013	50	PN10/16	14	20	B	501.00
02-065-66-013	65	PN10/16	15	17	B	628.00
02-080-66-013	80	PN10/16	19	14	B	667.00
02-100-66-013	100	PN10/16	25	12	B	848.00
02-125-66-013	125	PN10/16	33	9	B	1,420.00
02-150-66-013	150	PN10/16	54	8	B	1,420.00
02-200-66-003	200	PN10	76	6	B	2,378.00
02-200-66-013	200	PN16	76	6	B	2,469.00
02-250-66-003	250	PN10	121	4	B	3,888.00
02-250-66-013	250	PN16	121	4	B	4,040.00
02-300-66-003647	300	PN10	127	4		5,516.00
02-350-66-013 ⁽¹⁾	350	PN16	332	2	A	12,834.00
02-400-66-013	400	PN16	360	2	A	16,137.00

⁽¹⁾ Valve having an increased bore (400 mm)

06/35-003

Flanged gate valve with position indicator
Face-to-face dimension according to EN 558 Table 2 Basic Series 14
Ductile Iron
EPDM drinking water approved
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
06-050-35-016	50	PN10/16	13	28	A	512.00
06-065-35-016	65	PN10/16	16	20	B	659.00
06-080-35-016	80	PN10/16	20	18	A	684.00
06-100-35-016	100	PN10/16	27	16	A	868.00
06-125-35-016	125	PN10/16	36	10	B	1,377.00
06-150-35-016	150	PN10/16	51	5	A	1,377.00
06-200-35-006	200	PN10	71	3	B	2,427.00
06-200-35-016	200	PN16	71	3	B	2,522.00
06-250-35-006	250	PN10	102	2	B	3,970.00
06-250-35-016	250	PN16	113	2	B	4,122.00
06-300-35-006	300	PN10	110	6	B	5,630.00
06-300-35-016	300	PN16	110	2	B	5,848.00
06-350-35-006	350	PN10	220	2	B	12,457.00
06-350-35-016	350	PN16	220	2	C	13,102.00
06-400-35-006	400	PN10	240	2	B	15,851.00
06-400-35-016	400	PN16	240	2	C	16,227.00

06/80-0035

Flanged gate valve
Face-to-face dimension according to EN 558 Table 2 Basic Series 14
Ductile Iron
NBR rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
06-040-80-0136499	40	PN10/16	7.7	25	B	348.00
06-050-80-0136499	50	PN10/16	8.5	21	A	348.00
06-065-80-0136499	65	PN10/16	11	16	A	484.00
06-080-80-0136499	80	PN10/16	14	20	A	484.00
06-100-80-0136499	100	PN10/16	17	15	A	569.00
06-125-80-0136499	125	PN10/16	22	15	A	979.00
06-150-80-0136499	150	PN10/16	31	10	A	979.00
06-200-80-0036499	200	PN10	48	10	A	1,703.00
06-200-80-0136499	200	PN16	48	10	B	1,887.00
06-250-80-0036499	250	PN10	78	7	A	2,739.00
06-250-80-0136499	250	PN16	78	7	B	2,881.00
06-300-80-0036487	300	PN10	110	6	A	3,880.00
06-300-80-0136487	300	PN16	110	6	B	4,086.00
06-350-80-002	350	PN10	220	2	B	8,351.00
06-400-80-002	400	PN10	240	2	A	11,847.00
06-400-80-013	400	PN16	240	2		12,206.00
06-450-80-003 ⁽¹⁾	450	PN10	487	1	B	18,112.00
06-450-80-013 ⁽¹⁾	450	PN16	487	1	C	17,849.00
06-500-80-003 ⁽¹⁾	500	PN10	559	1	A	22,170.00
06-500-80-013 ⁽¹⁾	500	PN16	519	1	B	21,848.00
06-600-80-003 ⁽¹⁾	600	PN10	762	1	A	28,973.00
06-600-80-013 ⁽¹⁾	600	PN16	722	1	B	28,551.00

⁽¹⁾ With F14 top flange

**06/84-0035**

Flanged gate valve with AISI 316 stem

Face-to-face dimension according to EN 558 Table 2 Basic Series 14

Ductile Iron

NBR rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
06-040-84-0136499	40	PN10/16	7.7	25	B	387.00
06-050-84-0136499	50	PN10/16	8.5	21	A	401.00
06-065-84-0136499	65	PN10/16	11	16	A	545.00
06-080-84-0136499	80	PN10/16	14	20	A	569.00
06-100-84-0136499	100	PN10/16	17	15	A	660.00
06-125-84-0136499	125	PN10/16	22	15	A	1,110.00
06-150-84-0136499	150	PN10/16	31	10	A	1,161.00
06-200-84-0036499	200	PN10	48	10	A	2,071.00
06-200-84-0136499	200	PN16	48	10	A	2,168.00
06-250-84-0036499	250	PN10	78	7	B	3,385.00
06-250-84-0136499	250	PN16	78	7	B	3,385.00
06-300-84-0036487	300	PN10	110	6	A	4,490.00
06-300-84-0136487	300	PN16	110	6	B	4,784.00
06-350-84-003	350	PN10	220	2	A	9,368.00
06-350-84-013	350	PN16	220	2	C	9,811.00
06-400-84-003	400	PN10	240	2	B	12,485.00
06-400-84-013	400	PN16	240	2	B	13,090.00
06-450-84-003 (1)	450	PN10	487	1	B	21,111.00
06-450-84-013 (1)	450	PN16	487	1	B	21,111.00
06-500-84-003 (1)	500	PN10	559	1	A	25,251.00
06-500-84-013 (1)	500	PN16	559	1	C	25,251.00
06-600-84-003 (1)	600	PN10	762	1	A	32,177.00
06-600-84-013 (1)	600	PN16	722	1	B	31,707.00

(1) With F14 top flange

06/89-003

Flanged gate valve with rising stem

Face-to-face dimension according to EN 558 Table 2 Basic Series 3 and 14

Ductile Iron

EPDM rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
06-050-89-014 (1)	50	PN10/16	19	30	C	1,077.00
06-065-89-014 (1)	65	PN10/16	22	18	C	1,236.00
06-080-89-014 (1)	80	PN10/16	24	16	C	1,236.00
06-100-89-014 (1)	100	PN10/16	33	12	C	1,447.00
06-125-89-014 (1)	125	PN10/16	41	15	C	2,015.00
06-150-89-014 (1)	150	PN10/16	53	8	C	2,015.00
06-200-89-004 (1)	200	PN10	84	8	C	2,839.00
06-200-89-014 (1)	200	PN16	84	6	C	3,125.00
06-250-89-004 (1)	250	PN10	95	4	C	4,263.00
06-250-89-014 (1)	250	PN16	95	2	C	4,688.00
06-300-89-004 (1)	300	PN10	165	4	C	6,225.00
06-300-89-014 (1)	300	PN16	165	2	C	6,848.00
06-350-89-004 (2)	350	PN10	221	4	C	11,216.00
06-400-89-004 (2)	400	PN10	231	2	C	11,994.00

(1) Face to face according to EN558 Table 2 Series14 / DIN 3202 - F4

(2) Face to face according to EN 558 Table 2 Basic Series 3

06/30-029

Flanged gate valve

Face-to-face dimension according to EN 558 Table 2 Series 14 / DIN 3202 - F4

Ductile Iron

EPDM rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close

Bevelgear with handwheel:

753-900-20-10011

With stemcap:

753-900-20-10050

Spurgear with handwheel:

753-900-40-10011

With stemcap:

753-900-40-10050



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
06-700-30-00464	700	PN10	1403	1	A	56,544.00
06-700-30-01464	700	PN16	1447	1	C	62,500.00
06-800-30-00464	800	PN10	1467	1	A	61,402.00
06-800-30-01464	800	PN16	1543	1	C	75,642.00
06-900-30-00464	900	PN10	3098	1	A	101,638.00
06-900-30-01464	900	PN16	3131	1	A	105,582.00
06-1000-30-09043164	1000	PN10	3141	1	A	103,092.00
06-1000-30-09143164	1000	PN16	3203	1	A	106,015.00

**06/30-030**

Flanged gate valve with by-pass

Face-to-face dimension according to EN 558 Table 2 Series 14 / DIN 3202 - F4

Ductile Iron

EPDM rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close

Bevelgear with handwheel:

753-900-20-10011

With stemcap:

753-900-20-10050

Spurgear with handwheel:

753-900-40-10011

With stemcap:

753-900-40-10050



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
06-700-30-0046411	700	PN10	1415	1		57,855.00
06-700-30-0146411	700	PN16	1458	1		67,777.00
06-800-30-0046411	800	PN10	1496	1	C	62,714.00
06-800-30-0146411	800	PN16	1554	1		73,412.00
06-900-30-0046411	900	PN10	3111	1		102,949.00
06-900-30-0146411	900	PN16	3144	1		106,893.00
06-1000-30-090431641	1000	PN10	3144	1	C	104,403.00
06-1000-30-091431641	1000	PN16	3207	1	C	107,328.00

126/99-001

By-pass gate valve DN80 for AVK series 06 gate valves DN700, DN900 and DN1000

Ductile Iron

EPDM rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close



AVK ref. no.	Units/ pallet	Deliv. code	Gross Price EUR
126-1000-99-1039464	16	C	571.00

15/42-0035

Flanged gate valve prepared for actuator

Face-to-face dimension according to EN 558 Table 2 Basic Series 14

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Actuator Flange	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
15-040-40-016	40	PN10/16	F10	13	36	B	1,054.00
15-050-40-016	50	PN10/16	F10	14	30	A	1,071.00
15-065-42-016 ⁽¹⁾	65	PN10/16	F10	17	25	B	844.00
15-080-42-01464099	80	PN10/16	F10	15	20	A	844.00
15-100-42-01464099	100	PN10/16	F10	18	20	A	969.00
15-125-42-01464099	125	PN10/16	F10	22	15	B	1,874.00
15-150-42-01464099	150	PN10/16	F10	31	10	A	1,500.00
15-200-42-00464099	200	PN10	F10	49	10	A	2,418.00
15-200-42-01464099	200	PN16	F10	49	10	A	2,418.00
15-250-42-006 ⁽¹⁾	250	PN10	F14	113	8	A	3,768.00
15-250-42-016 ⁽¹⁾	250	PN16	F14	113	8	B	3,768.00
15-300-42-006 ⁽¹⁾	300	PN10	F14	160	6	A	5,198.00
15-300-42-016 ⁽¹⁾	300	PN16	F14	160	6	A	5,198.00
15-350-40-006	350	PN10	F14	223	2	B	14,949.00
15-350-40-016	350	PN16	F14	223	2	B	15,493.00
15-400-40-006	400	PN10	F14	243	2	A	15,092.00
15-400-40-016	400	PN16	F14	243	2	B	15,092.00

⁽¹⁾ Type BS glandflange

**15/42-006**

Flanged gate valve prepared for actuator

Face-to-face dimension according to EN 558 Table 2 Basic Series 14

Ductile Iron

NBR rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
15-040-40-013	40	PN10/16	13	36	C	1,076.00
15-050-40-013	50	PN10/16	14	30	C	1,071.00
15-065-42-013 ⁽¹⁾	65	PN10/16	17	25	B	844.00
15-080-42-01364099	80	PN10/16	15	20	B	844.00
15-100-42-01364099	100	PN10/16	18	20	B	969.00
15-125-42-01364099	125	PN10/16	22	15	C	1,874.00
15-150-42-01364099	150	PN10/16	31	10	B	2,418.00
15-200-42-00364099	200	PN10	49	10	B	2,418.00
15-200-42-01364099	200	PN16	49	10	B	3,732.00
15-250-42-003 ⁽¹⁾	250	PN10	113	8	B	3,768.00
15-250-42-013 ⁽¹⁾	250	PN16	113	8	B	3,768.00
15-300-42-003 ⁽¹⁾	300	PN10	160	6	B	5,198.00
15-300-42-013 ⁽¹⁾	300	PN16	160	6	C	5,198.00
15-350-40-003	350	PN10	223	2	B	15,493.00
15-400-40-003	400	PN10	243	2	B	15,092.00
15-400-40-013	400	PN16	243	2	B	15,092.00

⁽¹⁾ Type BS glandflange

15/72-0035

Flanged gate valve prepared for actuator

Face-to-face dimension according to EN 558 Table 2 Basic Series 15

Ductile Iron

EPDM drinking water approved

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Actuator Flange	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
15-040-70-016	40	PN10/16	F10	14		C	1,098.00
15-050-70-016	50	PN10/16	F10	15	30	B	1,107.00
15-080-72-01464099	80	PN10/16	F10	17	14	B	863.00
15-100-72-01464099	100	PN10/16	F10	19	12	B	988.00
15-125-72-01464099	125	PN10/16	F10	25	9	B	1,452.00
15-150-72-01464099	150	PN10/16	F10	34	8	B	1,544.00
15-200-72-00464099	200	PN10	F10	53	6	B	2,485.00
15-200-72-01464099	200	PN16	F10	53	6	B	2,485.00
15-250-72-006 ⁽¹⁾	250	PN10	F14	121	4	C	3,877.00
15-250-72-016 ⁽¹⁾	250	PN16	F14	121	4	C	3,877.00
15-300-72-006 ⁽¹⁾	300	PN10	F14	171	2	C	5,349.00
15-300-72-016 ⁽¹⁾	300	PN16	F14	171	2	C	5,349.00
15-350-72-006 ⁽²⁾	350	PN10	F14	332	2	C	11,709.00
15-350-72-016 ⁽²⁾	350	PN16	F14	332	2	C	11,709.00
15-400-72-006 ⁽¹⁾	400	PN10	F14	353	2	C	15,092.00
15-400-72-016 ⁽¹⁾	400	PN16	F14	353	2	C	15,092.00
15-450-72-006 ⁽³⁾	450	PN10	F14	372	1	C	15,017.00
15-450-72-016 ⁽³⁾	450	PN16	F14	372	1	C	15,447.00
15-500-72-006 ⁽³⁾	500	PN10	F14	430	1	C	22,830.00
15-500-72-016 ⁽³⁾	500	PN16	F14	430	1	C	23,184.00

⁽¹⁾ Type BS bonnet / glandflange

⁽²⁾ Valve having an increased bore (400 mm). Type BS bonnet / glandflange

⁽³⁾ Valve having a reduced bore (400 mm). Type BS bonnet / glandflange

715/30-003

Pneumatically controlled gate valve with solenoid valve kit and proximity switch

Double-acting

Face-to-face dimension according to EN 558 Table 2 Basic Series 14

Ductile Iron

NBR rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
715-065-30-03009	65	PN10/16	18	6	B	5,039.00
715-080-30-03009	80	PN10/16	22	5	B	5,402.00
715-100-30-03009	100	PN10/16	27	6	A	5,590.00
715-125-30-03009	125	PN10/16	33		B	7,322.00
715-150-30-03009	150	PN10/16	52	3	A	7,322.00
715-200-30-03009	200	PN10	75	2	B	16,025.00
715-250-30-03009	250	PN10	112	1	C	17,850.00
715-300-30-03009	300	PN10	180	1	C	21,974.00
715-350-30-03009	350	PN10	252		C	38,220.00

**36/84-116**

Gate valve with PE ends,
PE100 PN16 SDR11
black/blue pipes
Ductile iron
NBR rubber
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved
Clockwise to Close



AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
36-075-84-163	65	75	PN16	12	5		738.00
36-090-84-16306499	80	90	PN16	12	4		911.00
36-110-84-16306499	100	110	PN16	17	4	B	1,064.00
36-125-84-16306499	125	125	PN16	26	2		1,503.00
36-140-84-16306499	125	140	PN16	26	2		2,052.00
36-160-84-16306499	150	160	PN16	36	2		2,063.00
36-200-84-16306499	200	200	PN16	63	2		3,446.00
36-225-84-16306499	200	225	PN16	72	2		4,023.00
36-250-84-163	250	250	PN16	118	2	C	5,880.00
36-280-84-163	250	280	PN16	126	2		6,287.00
36-315-84-163	300	315	PN16	189	1		10,098.00

820/00-024

Centric butterfly valve with
loose liner
Wafer with bare shaft
Face-to-face dimension
according to DIN/EN 558-1,
series 20 (K1)
Ductile iron/ 1.4408 disc
EPDM high temperature
Blue epoxy RAL 5017 200
µm up to DN400. Above PUR
coating 250 µm
Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
820-0025-00-521L0160002	25	PN16	1.0			231.00
820-0032-00-521L0160002	32	PN16	1.0			231.00
820-0040-00-521L0160002	40	PN16	1.3			231.00
820-0050-00-521L0160002	50	PN16	1.8		B	240.00
820-0065-00-521L0160002	65	PN16	2.3			263.00
820-0080-00-521L0160002	80	PN16	2.3		B	294.00
820-0100-00-521L0160002	100	PN16	3.9			385.00
820-0125-00-521L0160002	125	PN16	5.0		B	515.00
820-0150-00-521L0160002	150	PN16	5.9			678.00
820-0200-00-521L0130002	200	PN16	9.3			1,139.00
820-0250-00-521L0130002	250	PN16	17			1,919.00
820-0300-00-521L0130002	300	PN16	24			2,682.00
820-0350-00-02020130002	350	PN10	42		C	3,278.00
820-0400-00-02020130002	400	PN10	57			4,784.00
820-0450-00-02060031002 (1)	450	PN10	95			9,779.00
820-0500-00-02060031002 (1)	500	PN10	120			12,196.00
820-0600-00-02060031002 (1)	600	PN10	180			19,894.00
820-0700-00-02060031002 (1)	700	PN10	265			23,704.00
820-0800-00-02060031002 (1)	800	PN10	387			31,750.00
820-0900-00-02060031002 (1)	900	PN10	502			42,141.00
820-1000-00-02060031002 (1)	1000	PN10	710			55,997.00

(1) 250 my PUR coating on body

820/10-028

Centric butterfly valve with
loose liner
Lug with bare shaft
Face-to-face dimension
according to DIN/EN 558-1,
series 20 (K1)
Ductile iron/ 1.4408 disc
EPDM high temperature
Blue epoxy RAL 5017 200
µm up to DN400. Above PUR
coating 250 µm
Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
820-0025-10-521L0160002	25	PN16	1.5			265.00
820-0032-10-521L0160002	32	PN16	1.5			265.00
820-0040-10-521L0160002	40	PN16	1.9			271.00
820-0050-10-521L0160002	50	PN16	2.4		C	268.00
820-0065-10-521L0160002	65	PN16	4.8			324.00
820-0080-10-521L0160002	80	PN16	4.2		C	400.00
820-0100-10-521L0160002	100	PN16	6.2			495.00
820-0125-10-521L0160002	125	PN16	7.7			633.00
820-0150-10-521L0160002	150	PN16	8.4			839.00
820-0200-10-521L0030002	200	PN10	17			1,322.00
820-0250-10-521L0030002	250	PN10	24			2,458.00
820-0300-10-521L0030002	300	PN10	32			3,907.00
820-0350-10-02020030002	350	PN10	62			4,640.00
820-0400-10-02020030002	400	PN10	75			6,377.00
820-0450-10-02020030002 (1)	450	PN10	150			10,126.00
820-0500-10-02020030002 (1)	500	PN10	170			12,528.00
820-0600-10-02020030002 (1)	600	PN10	240			19,174.00

(1) 250 my PUR coating on body



820/20-024

Centric butterfly valve with loose linern
U-section with bare shaft
Face-to-face dimension according to DIN/EN 558-1, series 20 (K1)
Ductile iron/ 1.4408 disc
EPDM high temperature
Blue epoxy RAL 5017 200 µm up to DN400. Above PUR coating 250 µm
Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
820-0150-20-021L0160002	150	PN16	15			1,431.00
820-0200-20-021L0160002	200	PN16	20			1,982.00
820-0250-20-021L0160002	250	PN16	31			2,940.00
820-0300-20-021L0160002	300	PN16	44			3,934.00
820-0350-20-02020030002	350	PN10	59			4,746.00
820-0400-20-02020030002	400	PN10	82			6,650.00
820-0450-20-02060031002 (1)	450	PN10	118			12,861.00
820-0500-20-02060031002 (1)	500	PN10	175			14,133.00
820-0600-20-02060031002 (1)	600	PN10	250			22,801.00
820-0700-20-02060031002 (1)	700	PN10	345			28,114.00
820-0800-20-02060031002 (1)	800	PN10	510			40,678.00
820-0900-20-02060031002 (1)	900	PN10	660			50,306.00
820-1000-20-02060031002 (1)	1000	PN10	790			65,451.00
820-1100-20-02060031002 (1)	1100	PN10	850			84,744.00
820-1200-20-02060031002 (1)	1200	PN10	1180			113,404.00
820-1400-20-02060031002 (1)	1400	PN10	1700			174,900.00
820-1600-20-02060031002 (1)	1600	PN10	2600			314,117.00

(1) 250 my PUR coating on body

41/60-003

Swing check valve with free shaft end
Resilient seated
Face-to-face dimension according to EN 558 Table 2 Basic Series 48
Ductile Iron
EPDM rubber wedge, WRAS appr.
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
41-050-60-018	50	PN10/16	13	20	A	1,180.00
41-065-60-018	65	PN10/16	16	15	A	1,328.00
41-080-60-018	80	PN10/16	20	16	A	1,481.00
41-100-60-018	100	PN10/16	26	12	A	1,785.00
41-125-60-018	125	PN10/16	36	8	A	2,252.00
41-150-60-018	150	PN10/16	51	6	A	2,891.00
41-200-60-008	200	PN10	83	4	A	4,593.00
41-200-60-018	200	PN16	83	4	A	4,690.00
41-250-60-008	250	PN10	183	2	A	9,114.00
41-250-60-018	250	PN16	183	2	A	9,263.00
41-300-60-008	300	PN10	231	2	A	10,929.00
41-300-60-018	300	PN16	231	2	A	11,137.00

41/61-003

Swing check valve with closed bushings
Resilient seated
Face-to-face dimension according to EN 558 Table 2 Basic Series 48
Ductile Iron
EPDM rubber wedge, WRAS appr.
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
41-050-61-018	50	PN10/16	12	20	A	922.00
41-065-61-018	65	PN10/16	15	15	A	1,044.00
41-080-61-018	80	PN10/16	17	16	A	1,180.00
41-100-61-018	100	PN10/16	21	12	A	1,454.00
41-125-61-018	125	PN10/16	40	8	A	1,870.00
41-150-61-018	150	PN10/16	42	6	A	2,360.00
41-200-61-008	200	PN10	67	4	A	3,679.00
41-200-61-018	200	PN16	67	5	A	3,780.00
41-250-61-008	250	PN10	183	2	A	7,516.00
41-250-61-018	250	PN16	186	2	A	7,666.00
41-300-61-008	300	PN10	197	2	A	9,752.00
41-300-61-018	300	PN16	196	2	A	9,962.00

41/36-009

Swing check valve with lever and weight
Metal seated
Face-to-face dimension according to EN 558 Table 2 Basic Series 10
Ductile Iron
EPDM rubber wedge, WRAS appr.
Blue epoxy RAL 5017 250 µm



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
41-050-36-01800	50	PN10/16	13			918.00
41-080-36-01800	80	PN10/16	19			995.00
41-100-36-01800	100	PN10/16	22			1,068.00
41-150-36-01800	150	PN10/16	41			1,849.00
41-200-36-00800	200	PN10	74			5,445.00
41-200-36-01800	200	PN16	64			5,445.00
41-250-36-00800	250	PN10	145			5,489.00
41-250-36-01800	250	PN16	145			5,489.00
41-300-36-00800	300	PN10	195			8,357.00
41-300-36-01800	300	PN16	195			8,357.00



41/36-001

Swing check valve with lever and weight
Metal seated
Face-to-face dimension according to EN 558 Table 2
Basic Series 48
Ductile Iron
EPDM rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
41-350-36-00800	350	PN10	307	1	A	16,366.00
41-350-36-01800	350	PN16	307	1	C	16,366.00
41-400-36-00800	400	PN10	447	1	A	19,510.00
41-400-36-01800	400	PN16	447	1	A	19,510.00
41-450-36-00800	450	PN10	575	1	A	26,287.00
41-450-36-01800	450	PN16	583	1	A	26,287.00
41-500-36-00800	500	PN10	750	1	A	34,600.00
41-500-36-01800	500	PN16	750	1	A	34,600.00
41-600-36-00800	600	PN10	1006	1	A	41,148.00
41-600-36-01800	600	PN16	1006	1	A	41,148.00

41/35-001

Swing check valve with closed bushings
Metal seated
Face-to-face dimension according to EN 558 Table 2
Basic Series 48
Ductile Iron
EPDM rubber wedge, WRAS appr.
Blue epoxy RAL 5017 250 µm



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
41-350-35-00800	350	PN10	312			11,181.00
41-350-35-01800	350	PN16	312			11,181.00
41-400-35-00800	400	PN10	370	1		13,443.00
41-400-35-01800	400	PN16	370	1		13,443.00
41-450-35-00800	450	PN10	538	1		17,763.00
41-450-35-01800	450	PN16	538	1		17,763.00
41-500-35-00800	500	PN10	745	1		21,400.00
41-500-35-01800	500	PN16	745	1		21,400.00
41-600-35-00800	600	PN10	951	1		26,491.00
41-600-35-01800	600	PN16	951	1		26,491.00

41/32-001

Swing check valve spring kit
Ductile Iron
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN/DN	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
41-050-32-000	50 - 50	2.0		C	859.00
41-065-32-000	65 - 65	2.0	50	A	862.00
41-080-32-000	80 - 80	3.0	25	A	827.00
41-100-32-000	100 - 100	3.4		A	853.00
41-125-32-000	125 - 125	3.4		C	935.00
41-150-32-000	150 - 150	3.4	20	A	935.00
41-200-32-000	200 - 200	3.4		A	942.00
41-300-32-000	250 - 300	3.4	2	C	2,914.00

41/D-001

Swing check valve lever and weight kit
Ductile Iron
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901



AVK ref. no.	DN/DN	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
41-080-23-000	50 - 80	2.8	120	A	197.00
41-100-23-000	100 - 100	2.9	60	A	197.00
41-150-23-000	125 - 150	5.6		A	279.00
41-200-23-000	200 - 200	5.7	20	A	279.00
41-300-23-000	250 - 300	13		A	819.00

41/I-002

Swing check valve guard kit
ABS plastic



AVK ref. no.	DN/DN	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
41-080-50-009	50 - 80	2.0	20	C	812.00
41-100-50-009	100 - 100	2.2	20	C	818.00
41-150-50-009	125 - 150	5.0	20	C	987.00
41-200-50-009	200 - 200	7.0	20	C	1,041.00
41-300-50-009	250 - 300	10	15	C	1,697.00

**96/00-008**Proximity sensor M30 x 1.5
for series 41 guard

AVK ref. no.	Units/ pallet	Deliv. code	Gross Price EUR
96-400-00022		C	550.00

53/35-003Ball check valve with flanges
Face-to-face dimension
according to EN 558 Table 2
Basic Series 48
Ductile Iron
NBR rubber
AVK coating standard

AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
53-050-35-1007	50	PN10/16	7.5	30	A	437.00
53-065-35-1007	65	PN10/16	10	23	A	484.00
53-080-35-1007	80	PN10/16	12	20	A	546.00
53-100-35-1007	100	PN10/16	16	15	A	678.00
53-125-35-1007	125	PN10/16	35	8	A	921.00
53-150-35-1007	150	PN10/16	32	8	A	1,195.00
53-200-35-0007	200	PN10	68	4	A	2,123.00
53-200-35-1007	200	PN16	68	4	B	2,287.00
53-250-35-0007	250	PN10	112	4	A	4,340.00
53-250-35-1007	250	PN16	112	4	C	4,492.00
53-300-35-0007	300	PN10	163	2	A	8,255.00
53-300-35-1007	300	PN16	163	2	C	8,464.00
53-350-35-0007	350	PN10	289	1	B	11,939.00
53-350-35-1007	350	PN16	289	1		12,172.00
53-400-35-0007	400	PN10	416	1	A	14,729.00
53-400-35-1007	400	PN16	416	1	C	15,175.00
53-500-35-0007 ⁽¹⁾	500	PN10	712	1	B	62,861.00
53-600-35-0207 ⁽²⁾	600	PN10	1200	1	B	146,400.00

⁽¹⁾ Approximate TÜV test⁽²⁾ Approximate TÜV test. Supplied with PUR lined ball as standard**53/30-005**Ball check valve with BSP
threads
Ductile Iron
NBR rubber
AVK coating standard

AVK ref. no.	DN mm	Product PN Class	BSP thread Inch	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
53-032-30-9007	32	PN10	1¼	2.0	91	A	187.00
53-040-30-9007	40	PN10	1½	2.0	91	A	215.00
53-050-30-9007	50	PN10	2	3.0	60	A	277.00

53/42-001Ball check valve with flanges
Face-to-face dimension
according to EN 558 Table 2
Basic Series 48
Stainless steel
NBR rubber

AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
53-080-42-1090	80	PN10/16	12	20	A	1,725.00
53-100-42-1090	100	PN10/16	16	15	A	2,264.00
53-150-42-1090	150	PN10/16	31	8	A	4,018.00

53/40-005Ball check valve with BSP
threads
Stainless steel
NBR rubber

AVK ref. no.	DN mm	Product PN Class	BSP thread Inch	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
53-032-40-9090	32	PN10	1¼	2.0	91	A	294.00
53-040-40-9090	40	PN10	1½	2.0	91	A	331.00
53-050-40-9090	50	PN10	2	3.0	66	A	574.00
53-065-40-9090	65	PN10	2½	7.0		A	734.00
53-080-40-9090	80	PN10	3	7.0	30	B	975.00



702/10-103

Knife gate valve with non-rising stem and handwheel
Face-to-face dimension according to DIN/EN 558-1, series 20 (K1), up to and incl. DN 350
Ductile Iron
NBR rubber
UV-resistant polyester



AVK ref. no.	DN mm	Flange drilling	Working Pressure bar	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
702-050-10-134	50	PN10/16	10	7.0	12	C	1,323.00
702-065-10-134	65	PN10/16	10	9.0	12	C	1,358.00
702-080-10-134	80	PN10/16	10	11	12	C	1,477.00
702-100-10-134	100	PN10/16	10	15	15	C	1,517.00
702-125-10-134	125	PN10/16	10	19	4	B	1,736.00
702-150-10-134	150	PN10/16	10	30	12	C	2,170.00
702-200-10-034	200	PN10	10	45	12	C	2,826.00
702-250-10-034	250	PN10	10	65	6	C	3,426.00
702-300-10-034	300	PN10	10	94	6	C	4,635.00
702-350-10-034	350	PN10	6	128	4	C	5,895.00
702-400-10-034	400	PN10	6	161	5	C	7,816.00
702-450-10-034	450	PN10	4	265	2	C	11,609.00
702-500-10-034	500	PN10	4	278	2	C	12,410.00
702-600-10-034	600	PN10	4	380	2	C	21,021.00

702/20-103

Knife gate valve with rising stem and handwheel
Face-to-face dimension according to DIN/EN 558-1, series 20 (K1), up to and incl. DN 350
Ductile Iron
NBR rubber
UV-resistant polyester



AVK ref. no.	DN mm	Flange drilling	Working Pressure bar	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
702-050-20-134	50	PN10/16	10	7.0		C	1,172.00
702-065-20-134	65	PN10/16	10	9.0		C	1,211.00
702-080-20-134	80	PN10/16	10	11	10	C	1,475.00
702-100-20-134	100	PN10/16	10	15	20	C	1,597.00
702-125-20-134	125	PN10/16	10	19		C	1,636.00
702-150-20-134	150	PN10/16	10	30		C	2,004.00
702-200-20-034	200	PN10	10	45		C	2,569.00
702-250-20-034	250	PN10	10	65	10	C	3,316.00
702-300-20-034	300	PN10	10	94		C	4,403.00
702-350-20-034	350	PN10	6	128		C	5,193.00
702-400-20-034	400	PN10	6	161	4	C	7,726.00
702-450-20-034	450	PN10	4	265		C	11,190.00
702-500-20-034	500	PN10	4	278	2	C	11,879.00
702-600-20-034	600	PN10	4	380		C	20,039.00

702/30-103

Knife gate valve with quick operation lever
Face-to-face dimension according to DIN/EN 558-1, series 20 (K1), up to and incl. DN 350
Ductile Iron
NBR rubber
UV-resistant polyester



AVK ref. no.	DN mm	Flange drilling	Working Pressure bar	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
702-050-30-134	50	PN10/16	5	9.5		C	1,226.00
702-065-30-134	65	PN10/16	5	12		C	1,253.00
702-080-30-134	80	PN10/16	5	17		C	1,569.00
702-100-30-134	100	PN10/16	5	20		C	1,592.00
702-125-30-134 ⁽¹⁾	125	PN10/16	5	23		C	1,666.00
702-150-30-134 ⁽¹⁾	150	PN10/16	2	36	15	C	1,998.00

⁽¹⁾ Without a replaceable top packing gland

702/40-103

Knife gate valve with pneumatic double-acting actuator
Face-to-face dimension according to DIN/EN 558-1, series 20 (K1), up to and incl. DN 350
Ductile Iron
NBR rubber
UV-resistant polyester



AVK ref. no.	DN mm	Flange drilling	Working Pressure bar	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
702-050-40-134	50	PN10/16	10	8.0		C	1,794.00
702-065-40-134	65	PN10/16	10	10		C	1,866.00
702-080-40-134	80	PN10/16	10	12		C	2,002.00
702-100-40-134	100	PN10/16	10	16	10	C	2,159.00
702-125-40-134	125	PN10/16	10	25		C	2,672.00
702-150-40-134	150	PN10/16	10	32	6	C	3,151.00
702-200-40-034	200	PN10	10	55		C	4,743.00
702-250-40-034	250	PN10	10	77		C	5,876.00
702-300-40-034	300	PN10	10	115		C	6,657.00
702-350-40-034	350	PN10	6	160		C	12,587.00
702-400-40-034	400	PN10	6	200		C	13,815.00
702-450-40-034	450	PN10	4	313		C	22,674.00
702-500-40-034	500	PN10	4	325		C	22,322.00
702-600-40-034	600	PN10	4	446		C	30,419.00

**702/50-103**

Knife gate valve with rising stem and ISO flange prepared for el-act.

Face-to-face dimension according to DIN/EN 558-1, series 20 (K1), up to and incl. DN 350

Ductile Iron
NBR rubber
UV-resistant polyester



AVK ref. no.	DN mm	Flange drilling	Working Pressure bar	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
702-050-50-134	50	PN10/16	10	8.4	15	C	1,667.00
702-065-50-134	65	PN10/16	10	9.9		C	1,740.00
702-080-50-134	80	PN10/16	10	15	10	C	1,740.00
702-100-50-134	100	PN10/16	10	15	15	C	1,857.00
702-125-50-134	125	PN10/16	10	21	10	C	2,055.00
702-150-50-134	150	PN10/16	10	29	10	C	2,182.00
702-200-50-034	200	PN10	10	52	10	C	2,756.00
702-250-50-034	250	PN10	10	77	12	C	3,543.00
702-300-50-034	300	PN10	10	86	10	C	4,741.00
702-350-50-034	350	PN10	6	120		C	5,949.00
702-400-50-034	400	PN10	6	161		C	7,712.00
702-450-50-034	450	PN10	4	268		C	10,912.00
702-500-50-034	500	PN10	4	279	2	C	12,529.00
702-600-50-034	600	PN10	4	365	1	C	20,989.00

702/70-103

Knife gate valve with electric actuator

Face-to-face dimension according to DIN/EN 558-1, series 20 (K1), up to and incl. DN 350

Ductile Iron
NBR rubber
UV-resistant polyester



AVK ref. no.	DN mm	Flange drilling	Working Pressure bar	Actuator	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
702-050-70-134	50	PN10/16	10	SA 07.2	28		C	12,300.00
702-065-70-134	65	PN10/16	10	SA 07.2	30		C	13,151.00
702-080-70-134	80	PN10/16	10	SA 07.2	35		C	13,151.00
702-100-70-134	100	PN10/16	10	SA 07.2	38		C	13,760.00
702-125-70-134	125	PN10/16	10	SA 07.2	42		C	14,188.00
702-150-70-134	150	PN10/16	10	SA 07.6	53		C	14,735.00
702-200-70-034	200	PN10	10	SA 07.6	73		C	15,465.00
702-250-70-034	250	PN10	10	SA 10.2	97		C	18,324.00
702-300-70-034	300	PN10	10	SA 10.2	125		C	19,513.00
702-350-70-034	350	PN10	6	SA 10.2	144		C	20,625.00
702-400-70-034	400	PN10	6	SA 10.2	187		C	22,478.00
702-450-70-034	450	PN10	4	SA 14.6	323		C	34,396.00
702-500-70-034	500	PN10	4	SA 14.6	336		C	34,643.00
702-600-70-034	600	PN10	4	SA 14.6	448		C	44,586.00

702/73-103

Knife gate valve with linear actuator

Face-to-face dimension according to DIN/EN 558-1, series 20 (K1)

Ductile Iron
NBR rubber
UV-resistant polyester



AVK ref. no.	DN mm	Flange drilling	Working Pressure bar	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
702-050-73-034	50	PN10	10	8.0		C	7,934.00
702-065-73-034	65	PN10	10	9.0		C	8,079.00
702-080-73-034	80	PN10	10	13		C	8,125.00
702-100-73-034	100	PN10	10	15		C	8,237.00
702-125-73-034	125	PN10	10	20		C	8,675.00
702-150-73-034	150	PN10	10	31		C	8,974.00
702-200-73-034	200	PN10	10	48		C	9,587.00
702-250-73-034	250	PN10	10	63		C	10,805.00
702-300-73-034	300	PN10	10	93		C	12,356.00



702/099-010

Control unit and battery back-up for knife gate valves series 702/73.



The control unit (WCU) performs the opening and closing of valves. The external battery back-up WCU-UPS can be connected to the WCU to ensure a fully operational valve unit in case of failure in the main power supply.

AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
702-099-010 (1)	-		C	3,715.00
702-099-012 (2)	-		C	7,375.00
702-099-016 (3)	-		C	2,676.00
702-099-020 (4)	-		C	62.00
702-099-022 (5)	-		C	123.00
702-099-024 (6)	-		C	307.00
702-099-026 (7)	-		C	79.00
702-099-028 (8)	-		C	188.00
702-099-030 (9)	-		C	263.00

- (1) Control unit WCU Basic, on/off, reg 4-20 mA
- (2) Control unit WCU Bus, on/ off, reg 4-20 mA
- (3) Battery back-up WCU UPS
- (4) Cable 1,5 m for motor
- (5) Cable 5,0 m for motor
- (6) Cable 10,0 m for motor
- (7) Cable 1,5 m for signal
- (8) Cable 5,0 m for signal
- (9) Cable 10,0 m for signal

702/099-011

Programme interface for control units for knife gate valves series 702/73 used for changing and copying parameters as well as monitoring dynamic values in driver units.



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
702-099-018	-		C	407.00

772/61-001

AVK wall penstock with non-rising stem
Closed frame for wall mounting
Stainless steel
EPDM rubber



AVK ref. no.	Size mm	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
772-02000200-61-521001 (1)	200 - 200	16		C	2,399.00
772-03000300-61-521001 (1)	300 - 300	23		C	2,982.00
772-04000400-61-521001 (1)	400 - 400	41		C	4,684.00
772-05000500-61-521001 (1)	500 - 500	52		C	5,580.00
772-06000600-61-521001 (1)	600 - 600	67		C	6,699.00
772-07000700-61-521001 (1)	700 - 700	80		C	8,423.00
772-08000800-61-521001 (1)	800 - 800	96		C	9,398.00
772-09000900-61-521001 (1)	900 - 900	147		C	13,323.00
772-10001000-61-521001 (1)	1000 - 1000	168		C	14,645.00
772-11001100-61-221021 (2)	1100 - 1100	209		C	20,654.00
772-12001200-61-221021 (2)	1200 - 1200	242		C	23,926.00

- (1) Seating/unseating head pressure mwc: 10
- (2) Seating/unseating head pressure mwc: 6

772/7172-001

AVK channel penstock with non-rising stem
For embedding in concrete
Stainless steel
EPDM rubber



AVK ref. no.	Size mm	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
772-02000200-71-651001	200 - 200	16		C	4,821.00
772-03000300-71-651001	300 - 300	22		C	5,288.00
772-04000400-71-651001	400 - 400	28		C	6,001.00
772-05000500-71-651001	500 - 500	35		C	6,483.00
772-06000600-71-651001	600 - 600	53		C	8,414.00
772-07000700-71-651001	700 - 700	64		C	10,065.00
772-08000800-71-651001	800 - 800	75		C	11,222.00
772-09000900-71-651001	900 - 900	93		C	13,443.00
772-10001000-71-651001	1000 - 1000	107		C	14,464.00
772-11001100-71-751001	1100 - 1100	146		C	17,132.00
772-12001200-71-751001	1200 - 1200	179		C	18,547.00
772-13001300-71-751001	1300 - 1300	198		C	23,999.00
772-14001400-71-751001	1400 - 1400	218		C	25,453.00
772-15001500-71-751021	1500 - 1500	252		C	30,137.00

**701/33-010**Air & vacuum valve
SteelFusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901

AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
701-080-33-11003	80	PN16	24		C	9,560.00
701-100-33-11003	100	PN16	26		C	10,508.00

701/70-010Combination air valve
SteelFusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901

AVK ref. no.	DN mm	Connection	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
701-050-70-11003	50	50 MM FL	17	9	A	5,931.00
701-051-70-91003	50	2" BSP	16	6	A	5,931.00
701-080-70-11003	80	80 MM FL	18	12	A	6,029.00
701-100-70-11003	100	100 MM FL	19	9	A	6,377.00
701-150-70-11003	150	150 MM FL	21	9	C	6,737.00
701-200-70-01001 ⁽¹⁾	200	200 MM FL	24	1	C	7,598.00
701-200-70-11003	200	200 MM FL	24	18	C	7,598.00

⁽¹⁾ PN10**701/75-010**Short combination air valve -
PN10

Reinforced polyamide



AVK ref. no.	DN mm	Connection	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
701-050-75-09001	50	50 MM	4.2	30	B	4,613.00
701-051-75-09001	50	2" BSP	3.7	12	A	4,316.00
701-080-75-09001	80	80 MM	4.3	12	B	4,928.00
701-081-75-09001	80	3" BSP	3.8	30	C	4,571.00
701-100-75-09001	100	100 MM	6.0	2	A	5,041.00

701/95-010Short combination air valve -
PN16

Reinforced polyamide



AVK ref. no.	DN mm	Connection	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
701-050-95-190033	50	50 MM	7.5		C	5,079.00
701-051-95-99003	50	2" BSP	6.8		C	4,910.00
701-080-95-190033	80	80 MM	7.8		C	5,231.00
701-081-95-99003	80	3" BSP	6.9		C	5,090.00
701-100-95-190033	100	100 MM	8.0		C	5,627.00

701/96-010Short combination air valve -
PN16

Stainless steel



AVK ref. no.	DN mm	Connection	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
701-051-96-990032	50	2" BSP	13		C	7,493.00
701-081-96-990032	80	3" BSP	13		C	7,493.00

701/78-010Large combination air valve
SteelFusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901

AVK ref. no.	DN mm	Flange drilling	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
701-080-78-11003	80	PN10/16	PN16	25	15	C	6,286.00
701-100-78-11003	100	PN10/16	PN16	27	15	C	7,146.00
701-150-78-11003	150	PN10/16	PN16	28		C	9,228.00
701-200-78-01003	200	PN10	PN16	30		C	10,463.00
701-200-78-11003	200	PN16	PN16	30		C	10,463.00

**701/79-011**

Underground air valve system, high or low
Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	H3 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
701-080-79-190010 ⁽¹⁾	80	PN10	970	38		C	13,285.00
701-081-79-190010 ⁽²⁾	80	PN10	970	38		C	17,897.00
701-082-79-190013 ⁽³⁾	80	PN10	970	38	12	C	13,285.00
701-083-79-190013 ⁽⁴⁾	80	PN10	970	38		C	17,897.00
701-084-79-190010 ⁽¹⁾	80	PN10	1170	39		C	13,833.00
701-085-79-190010 ⁽²⁾	80	PN10	1170	39		C	18,440.00
701-086-79-190013 ⁽³⁾	80	PN10	1170	39	4	C	13,833.00
701-087-79-190013 ⁽⁴⁾	80	PN10	1170	39		C	18,440.00
701-100-79-190013 ⁽⁵⁾	100	PN10	970	38	2	C	13,285.00
701-101-79-190013 ⁽⁶⁾	100	PN10	970	38		C	17,897.00
701-102-79-190013 ⁽⁵⁾	100	PN10	1170	39		C	13,833.00
701-103-79-190013 ⁽⁶⁾	100	PN10	1170	39		C	18,440.00

- (1) 3" thread, nylon
 (2) 3" thread, stainless steel
 (3) 3" flanged, nylon
 (4) 3" flanged, stainless steel
 (5) 4" flanged, nylon
 (6) 4" flanged, stainless steel

16/54-010

Service connection valve with
tensile socket joints for PE
pipes
Polyoxymethylene (POM)
NBR rubber
Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
16-032-54-003	25	32	PN16	1.3	50	B	296.00
16-040-54-003	32	40	PN16	1.4	40	B	312.00
16-050-54-003	40	50	PN16	4.4	28	B	408.00
16-063-54-003	50	63	PN16	4.9	20	B	471.00

36/8X-015

Service connection valve with
SDR11 PE ends – PE100
PN16 black/blue pipes
Ductile Iron
NBR rubber
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved
Clockwise to Close



AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
36-032-84-16306499	25	32	PN16	2.7	7	B	299.00
36-040-84-16306499	32	40	PN16	3.4	6	B	312.00
36-050-84-163	40	50	PN16	5.6		B	454.00
36-063-84-163	50	63	PN16	6.8		B	492.00

**745/01-112**

Repico® G
Grip type coupling
Tensile / axial restraint
For metal pipes
Stainless steel
NBR rubber



AVK ref. no.	DN	Tolerance	Pipe dia.	Working Pressure	Theoretical	Units/ pallet	Deliv. code	Gross Price EUR
	mm	mm	mm	bar	weight/kg			
745-01-0020-11201	15	19,5 - 20,5	20,0	42	0.2		B	212.00
745-01-0021-11201	15	21,2 - 22,2	21,3	42	0.2		B	215.00
745-01-0025-11201	20	24,5 - 25,5	25,0	42	0.3		B	255.00
745-01-0027-11201	20	26,7 - 27,7	26,7	42	0.3		B	258.00
745-01-0028-11201	25	27,5 - 29,0	28,2	42	0.4		B	267.00
745-01-0030-11201	25	29,5 - 30,5	30,0	42	0.4		B	271.00
745-01-0032-11201	25	31,5 - 32,5	32,0	42	0.4		B	274.00
745-01-0034-11201	25	33,0 - 34,6	33,4	42	0.4		B	278.00
745-01-0038-11201	32	37,5 - 38,5	38,0	42	0.4		B	289.00
745-01-0040-11201	32	39,5 - 41,5	40,0	42	0.4		B	292.00
745-01-0042-11201	32	41,9 - 43,0	42,2	42	0.4		B	297.00
745-01-0044-11201	32	44,0 - 45,0	44,5	42	0.4		B	301.00
745-01-0048-11201	40	47,8 - 49,0	48,3	42	0.4		B	307.00
745-01-0050-11201	50	49,5 - 51,5	50,8	42	0.4		B	328.00
745-01-0054-11201	50	53,4 - 54,6	54,0	42	0.7		B	334.00
745-01-0057-11201	50	56,4 - 57,6	57,0	42	0.7		B	339.00
745-01-0060-11201	50	59,0 - 61,5	60,3	42	0.7		B	343.00
745-01-0063-11201	50	62,4 - 63,6	63,0	42	0.7		B	348.00
745-01-0066-11201	65	65,2 - 67,3	66,7	37	0.7		B	391.00
745-01-0069-11201	65	68,0 - 70,1	69,0	37	0.7		B	396.00
745-01-0073-11201	65	71,5 - 74,1	73,0	37	0.8		B	402.00
745-01-0076-11201	65	75,0 - 77,2	76,1	37	0.8		B	407.00
745-01-0079-11201	80	78,8 - 80,8	79,9	37	1.4		B	449.00
745-01-0084-11201	80	83,0 - 84,9	84,0	37	1.4		B	456.00
745-01-0089-11201	80	87,8 - 91,0	88,9	37	1.5		B	462.00
745-01-0101-11201	100	100,4 - 102,0	101,6	37	1.5		B	471.00
745-01-0104-11201	100	103,0 - 104,0	104,0	37	1.6		B	494.00
745-01-0106-11201	100	105,0 - 107,0	106,3	37	1.6		B	500.00
745-01-0108-11201	100	106,5 - 108,0	108,0	37	1.6		B	508.00
745-01-0114-11201	100	113,2 - 115,0	114,3	37	1.7		B	516.00
745-01-0127-11201	125	125,6 - 128,0	127,0	37	2.1		B	790.00
745-01-0129-11201	115	127,5 - 130,0	129,0	37	2.1		B	800.00
745-01-0133-11201	125	131,6 - 134,0	131,7	37	2.1		B	813.00
745-01-0139-11201	125	137,7 - 140,0	139,7	37	2.2		B	825.00
745-01-0141-11201	125	139,7 - 142,0	141,3	37	2.2		B	838.00
745-01-0154-11201	150	151,5 - 155,0	154,0	32	2.3		B	900.00
745-01-0159-11201	150	156,5 - 160,0	157,7	32	2.3		B	914.00
745-01-0165-11201	150	163,3 - 166,0	165,2	32	2.4		B	928.00
745-01-0168-11201	150	166,6 - 170,0	168,3	32	2.4		B	941.00
745-01-0180-11201	175	178,0 - 182,0	180,0	26	2.5		B	957.00
745-01-0200-11201	200	198,2 - 201,0	200,0	21	4.6		B	1,426.00
745-01-0204-11201	200	202,7 - 206,0	204,0	21	4.7		B	1,448.00
745-01-0216-11201	200	214,5 - 218,0	216,3	21	4.8		B	1,467.00
745-01-0219-11201	200	217,0 - 221,0	219,1	21	4.9		B	1,491.00
745-01-0254-11201	225	251,4 - 256,0	254,0	21	5.3		B	1,810.00
745-01-0267-11201	250	264,8 - 270,0	267,4	21	5.5		B	1,836.00
745-01-0273-11201	250	270,4 - 275,0	273,0	21	5.6		B	1,865.00
745-01-0304-11201	275	301,5 - 306,0	304,0	18	6.0		B	1,961.00
745-01-0318-11201	300	316,0 - 322,0	318,5	18	6.2		B	2,019.00
745-01-0323-11201	300	321,0 - 327,0	323,9	18	6.3		B	2,050.00
745-01-0355-11201	350	352,0 - 360,0	355,6	18	6.7		B	2,353.00
745-01-0406-11201	400	402,0 - 410,0	406,4	16	7.4		B	2,551.00

**745/03-112**

Repico® GMP
Grip type coupling for
medium pressure
Tensile / axial restraint
For metal pipes
Stainless steel
NBR rubber



AVK ref. no.	DN mm	Tolerance mm	Pipe dia. mm	Working Pressure bar	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
745-03-0020-11201	15	19.5 - 20.5	20,0	42	0.2		B	151.00
745-03-0025-11201	20	24.5 - 25.5	25,0	42	0.3		B	181.00
745-03-0027-11201	20	26.7 - 27.7	26.7	42	0.3		B	184.00
745-03-0028-11201	25	27.5 - 29	28.2	42	0.4		B	188.00
745-03-0030-11201	25	29.5 - 30.5	30,0	42	0.4		B	192.00
745-03-0032-11201	25	31.5 - 32.5	32,0	39	0.4		B	195.00
745-03-0034-11201	25	33 - 34.6	33.4	39	0.4		B	198.00
745-03-0038-11201	32	37.5 - 38.5	38,0	35	0.4		B	207.00
745-03-0040-11201	32	39.5 - 41.5	40,0	35	0.4		B	209.00
745-03-0042-11201	32	41.9 - 43	42.2	35	0.4		B	212.00
745-03-0044-11201	32	44 - 45	44.5	35	0.4		B	215.00
745-03-0048-11201	40	47.8 - 49	48.3	35	0.4		B	217.00
745-03-0050-11201	50	49.5 - 51.5	50.8	35	0.4		B	278.00
745-03-0054-11201	50	53.4 - 54.6	54,0	35	0.7		B	282.00
745-03-0057-11201	50	56.4 - 57.6	57,0	35	0.7		B	287.00
745-03-0060-11201	50	59 - 61.5	60.3	35	0.7		B	292.00
745-03-0063-11201	50	62.4 - 63.6	63,0	35	0.7		B	296.00
745-03-0066-11201	65	65.2 - 67.3	66.7	35	0.7		B	349.00
745-03-0069-11201	65	68 - 70.1	69,0	33	0.7		B	354.00
745-03-0073-11201	65	71.5 - 74.1	73,0	32	0.8		B	359.00
745-03-0076-11201	65	75 - 77.2	76.1	32	0.8		B	365.00
745-03-0079-11201	80	78.8 - 80.8	79.9	29	1.4		B	397.00
745-03-0084-11201	80	83 - 84.9	84,0	27	1.4		B	404.00
745-03-0089-11201	80	87.8 - 91	88.9	23	1.5		B	410.00
745-03-0101-11201	100	100.4 - 102	101.6	23	1.5		B	438.00
745-03-0104-11201	100	103 - 104	104,0	23	1.6		B	438.00
745-03-0106-11201	100	105 - 107	106.3	23	1.6		B	443.00
745-03-0108-11201	100	106.5 - 108	108,0	22	1.6		B	449.00
745-03-0114-11201	100	113.2 - 115	114.3	20	1.7		B	456.00
745-03-0127-11201	125	125.6 - 128	127,0	20	2.1		B	632.00
745-03-0129-11201	115	127.5 - 130	129,0	20	2.1		B	643.00
745-03-0133-11201	125	131.6 - 134	131.7	20	2.1		B	653.00
745-03-0139-11201	125	137.7 - 140	139.7	17	2.2		B	662.00
745-03-0141-11201	125	139.7 - 142	141.3	17	2.2		B	667.00
745-03-0154-11201	150	151.5 - 155	154,0	17	2.3		B	683.00
745-03-0159-11201	150	156.5 - 160	157.7	17	2.3		B	693.00
745-03-0165-11201	150	163.3 - 166	165.2	17	2.4		B	704.00
745-03-0168-11201	150	166.6 - 170	168.3	17	2.4		B	714.00
745-03-0180-11201	175	178 - 182	180,0	17	2.5		B	1,195.00
745-03-0200-11201	200	198.2 - 201	200,0	17	4.6		B	1,893.00
745-03-0204-11201	200	202.7 - 206	204,0	17	4.7		B	1,919.00
745-03-0216-11201	200	214.5 - 218	216.3	17	4.8		B	1,949.00
745-03-0219-11201	200	217 - 221	219.1	17	4.9		B	1,979.00

**745/20-112**

Repico® S
Slip type coupling
Non-tensile / flexible
For all pipe types
Stainless steel
NBR rubber



AVK ref. no.	DN mm	Tolerance mm	Pipe dia. mm	Working Pressure bar	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
745-20-0020-112	15	19,5 - 20,5	20,0	42	0.2		B	197.00
745-20-0021-112	15	21,0 - 22,0	21,3	42	0.2		B	202.00
745-20-0025-112	20	24,0 - 26,0	25,0	42	0.3		B	243.00
745-20-0027-112	20	26,0 - 28,0	26,7	42	0.3		B	247.00
745-20-0028-112	25	26,4 - 29,0	28,2	42	0.3		B	255.00
745-20-0030-112	25	29,0 - 31,0	30,0	42	0.3		B	258.00
745-20-0032-112	25	31,0 - 33,0	32,0	42	0.3		B	265.00
745-20-0034-112	25	33,0 - 35,0	33,4	42	0.3		B	268.00
745-20-0038-112	32	37,0 - 39,0	38,0	42	0.4		B	268.00
745-20-0040-112	32	39,5 - 41,3	40,0	42	0.4		B	271.00
745-20-0042-112	32	42,0 - 44,0	42,2	42	0.4		B	273.00
745-20-0044-112	32	44,0 - 46,0	44,5	42	0.4		B	275.00
745-20-0048-112	40	47,5 - 49,5	48,3	42	0.4		B	278.00
745-20-0050-112	50	49,2 - 51,5	50,8	42	0.4		B	284.00
745-20-0054-112	50	53,0 - 55,0	54,0	42	0.6		B	287.00
745-20-0057-112	50	56,0 - 58,0	57,0	42	0.6		B	292.00
745-20-0060-112	50	59,0 - 61,5	60,3	42	0.6		B	297.00
745-20-0063-112	50	62,0 - 64,0	63,0	42	0.6		B	301.00
745-20-0066-112	65	65,4 - 68,3	66,7	37	0.6		B	311.00
745-20-0069-112	65	68,5 - 71,0	69,0	37	0.7		B	312.00
745-20-0073-112	65	72,5 - 75,5	73,0	37	0.7		B	313.00
745-20-0076-112	65	75,0 - 78,0	76,1	37	0.7		B	315.00
745-20-0079-112	80	78,8 - 82,0	79,9	37	1.3		B	316.00
745-20-0084-112	80	82,5 - 85,5	84,0	37	1.3		B	321.00
745-20-0101-112	100	100,0 - 103,0	101,6	37	1.4		B	332.00
745-20-0104-112	100	102,0 - 105,0	104,0	37	1.4		B	338.00
745-20-0106-112	100	105,0 - 107,0	106,3	37	1.4		B	342.00
745-20-0108-112	100	106,0 - 109,0	108,0	37	1.4		B	345.00
745-20-0114-112	100	113,0 - 116,0	114,3	37	1.5		B	347.00
745-20-0127-112	125	125,0 - 129,0	127,0	37	1.8		B	457.00
745-20-0129-112	115	127,5 - 130,0	129,0	37	1.8		B	463.00
745-20-0133-112	125	131,0 - 135,0	131,7	37	1.8		B	471.00
745-20-0139-112	125	138,0 - 142,0	139,7	37	1.9		B	479.00
745-20-0141-112	125	139,5 - 143,0	141,3	37	1.9		B	485.00
745-20-0154-112	150	151,5 - 155,0	154,0	32	2.0		B	494.00
745-20-0159-112	150	156,0 - 160,0	157,7	32	2.0		B	501.00
745-20-0165-112	150	164,0 - 167,0	165,2	32	2.1		B	508.00
745-20-0180-112	175	178,0 - 182,0	180,0	26	2.2		B	533.00
745-20-0200-112	200	198,0 - 203,0	200,0	21	4.2		B	877.00
745-20-0204-112	200	202,0 - 206,0	204,0	21	4.2		B	889.00
745-20-0216-112	200	214,0 - 218,0	216,3	21	4.4		B	903.00
745-20-0219-112	200	216,5 - 221,0	219,1	21	4.4		B	917.00
745-20-0254-112	225	251,0 - 257,0	254,0	21	4.8		B	957.00
745-20-0267-112	250	262,0 - 269,0	267,4	21	5.0		B	970.00
745-20-0273-112	250	270,0 - 276,0	273,0	21	5.0		B	984.00
745-20-0304-112	275	301,5 - 308,0	304,0	18	5.4		B	1,029.00
745-20-0318-112	300	316,0 - 322,0	318,5	18	5.5		B	1,059.00
745-20-0323-112	300	322,0 - 328,0	323,9	18	5.6		B	1,075.00
745-20-0355-112	350	352,0 - 360,0	355,6	18	6.0		B	1,230.00
745-20-0406-112	400	402,0 - 410,0	406,4	16	6.5		B	1,325.00
745-20-0457-112	450	453,0 - 460,0	457,2	16	7.1		B	1,471.00
745-20-0508-112	500	504,0 - 512,0	508,0	13	7.7		B	1,596.00
745-20-0558-112	550	555,0 - 563,0	558,8	12	8.3		B	1,724.00
745-20-0609-112	600	605,0 - 614,0	609,6	11	8.8		B	1,837.00


**631/80-001**

Supa Maxi™ straight coupling, universal and tensile with A2 bolts / A4 nuts

Ductile Iron

NBR rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	Seal range SR1 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
631-071-80-2	50	48-71	6.0	18	A	453.00
631-091-80-2	65	69-91	7.0	16	A	627.00
631-106-80-2	80	82-106	7.5	14	A	583.00
631-133-80-2	100	104-133	11	10	A	683.00
631-161-80-2	125	132-159	13	12	A	1,114.00
631-188-80-2	150	159-188	16	8	A	1,178.00
631-227-80-2	200	193-227	25	6	A	1,870.00
631-257-80-2	225	224-257	37	4	A	2,206.00
631-301-80-2	250	266-301	35	4	A	2,260.00
631-356-80-2	300	314-356	45	2	A	2,671.00
631-396-80-2 ⁽¹⁾	350	352-396	114		B	10,679.00
631-442-80-2 ⁽¹⁾	400	392-442	107	1	A	7,864.00
631-510-80-2 ⁽¹⁾	450	448-510	177	1	B	16,263.00
631-552-80-2 ⁽¹⁾	500	498-552	201	1	B	19,510.00
631-652-80-2 ⁽¹⁾	600	604-652	241	1	B	25,544.00

⁽¹⁾ KIWA EN 14525 approval is pending

633/80-001

Supa Maxi™ flange adaptor, universal and tensile with A2 bolts / A4 nuts

Ductile Iron







NBR rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved



AVK ref. no.	DN mm	Seal range SR1 mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
633-071-80-002	40	48-71	10/16	5.0	30	A	391.00
633-091-80-002	65	69-91	10/16	6.0	24	A	495.00
633-106-80-002	80	82-106	10/16	6.5	20	A	549.00
633-133-80-002	100	104-133	10/16	9.0	15	A	660.00
633-161-80-002	100	132-159	10/16	11	12	A	1,040.00
633-188-80-002	150	159-188	10/16	12	8	A	967.00
633-227-80-002	200	193-227	10/16	19	6	A	1,451.00
633-257-80-002	225	224-257	10/16	25	4	A	1,548.00
633-301-80-002	250	266-301	10/16	28	3	A	1,807.00
633-356-80-002	300	314-356	10/16	38	2	A	2,246.00
633-396-80-002 ⁽¹⁾	350	352-396	10/16	87	2	B	8,272.00
633-442-80-002 ⁽¹⁾	400	392-442	10/16	80	1	A	6,343.00
633-510-80-002 ⁽¹⁾	450	448-510	10/16	145	1	B	11,421.00
633-552-80-002 ⁽¹⁾	500	498-552	10/16	166	1	B	13,245.00
633-652-80-002 ⁽¹⁾	600	604-652	10/16	213	1	B	19,979.00

⁽¹⁾ KIWA EN 14525 approval is pending

<p>Series 95</p> <p>Factory certificate 2.2 according to EN 10204 <u>with</u> attachment</p> 	<p>9512210</p> <p style="text-align: right;">Nett. price per order 60</p>
<p>Series 95</p> <p>Factory certificate 2.2 according to EN 10204 <u>without</u> attachment</p> 	<p>9512200</p> <p style="text-align: right;">Nett. price per order 60</p>
<p>Series 95</p> <p>Factory certificate 3.1 according to EN 10204 <u>with</u> attachment</p> 	<p>9513110</p> <p style="text-align: right;">Nett. price per valve 9</p>
<p>Series 95</p> <p>Factory certificate 3.1 according to EN 10204 <u>without</u> attachment</p> 	<p>9513100</p> <p style="text-align: right;">Nett. price per valve 6</p>
<p>Series 95</p> <p>Factory certificate 2.2 according to EN 10204 <u>without</u> attachment</p> 	<p>9532200</p> <p style="text-align: right;">Nett. price per order 60</p>
<p>Series 95</p> <p>Certificate of conformity</p> 	<p>9540000</p> <p style="text-align: right;">Nett. price per order 60</p> <p style="text-align: center;">NOTE: PRICES FOR CERTIFICATES ARE NETT. PRICES</p>

**02/70-003**

Flanged gate valve
Face-to-face dimension
according to EN 558 Table 2
Basic Series 15
Ductile Iron
NBR rubber
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
02-040-70-01237	40	PN10/16	11	24	B	686.00
02-050-70-01237	50	PN10/16	12	20	B	705.00
02-065-70-01237	65	PN10/16	15	17	B	881.00
02-080-70-01237	80	PN10/16	19	14	A	881.00
02-100-70-01237	100	PN10/16	25	12	A	988.00
02-125-70-01237	125	PN10/16	33	9	B	1,515.00
02-150-70-01237	150	PN10/16	49	8	A	1,515.00
02-200-70-00237	200	PN10	70	6	A	2,511.00
02-200-70-01237	200	PN16	70	6	B	2,637.00
02-250-70-00237	250	PN10	110	4	C	4,118.00
02-250-70-01237 (1)	250	PN16	110	4	C	4,329.00
02-300-70-00237	300	PN10	160	2	B	4,380.00
02-300-70-01237 (1)	300	PN16	160	2	B	5,897.00
02-350-70-00237 (2)	350	PN10	320	2	C	11,616.00
02-350-70-01237 (2)	350	PN16	320	2	B	11,616.00
02-400-70-00237 (1)	400	PN10	330	2	C	14,464.00
02-400-70-01237 (1)	400	PN16	330	2	B	15,187.00
02-500-70-00237 (3)	500	PN10	417	1	C	21,297.00
02-500-70-01237 (3)	500	PN16	417	1	B	22,362.00

(1) Not ÖVGW approved

(2) Valve having an increased bore (400 mm). Not ÖVGW approved

(3) Valve having a reduced bore (400 mm). Not ÖVGW approved

02/59-003

Flanged gate valve with
position indicator
Face-to-face dimension
according to EN 558 Table 2
Basic Series 15
Ductile Iron
NBR rubber
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
02-400-59-01337	400	PN16	330		C	19,250.00
02-500-59-01337	500	PN16	417		C	26,754.00

06/70-003

Flanged gate valve
Face-to-face dimension
according to EN 558 Table 2
Basic Series 14
Ductile Iron
NBR rubber
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
06-040-70-01237	40	PN10/16	10	30	B	658.00
06-050-70-01237	50	PN10/16	10	30	A	683.00
06-065-70-01237	65	PN10/16	13	25	B	851.00
06-080-70-01237	80	PN10/16	15	20	A	851.00
06-100-70-01237	100	PN10/16	22	20	A	960.00
06-125-70-01237	125	PN10/16	27	15	B	1,466.00
06-150-70-01237	150	PN10/16	36	10	A	1,466.00
06-200-70-00237	200	PN10	52	10	B	2,548.00
06-200-70-01237	200	PN16	54	10	A	2,548.00
06-250-70-00237	250	PN10	79	8	B	4,174.00
06-250-70-01237 (1)	250	PN16	80	8	B	4,174.00
06-300-70-00237	300	PN10	116	6	C	5,697.00
06-300-70-01237 (1)	300	PN16	116	6	B	5,697.00
06-350-70-00337 (1)	350	PN10	220	2	C	10,667.00
06-350-70-01337 (1)	350	PN16	220	2	B	11,217.00
06-400-70-00337 (1)	400	PN10	240	2	C	13,379.00
06-400-70-01337 (1)	400	PN16	240	2	B	14,114.00
06-450-70-01337 (2)	450	PN16	487	1	A	19,707.00
06-500-70-00337 (2)	500	PN10	559	1	B	19,060.00
06-500-70-01337 (2)	500	PN16	559	1	A	20,968.00
06-600-70-00337 (3)	600	PN10	762	1	B	25,612.00
06-600-70-01337 (3)	600	PN16	762	1	B	25,612.00

(1) Not ÖVGW approved

(2) With F14 top flange. Not ÖVGW approved

(3) With F14 top flange. Not ÖVGW nor SVGW approved

**06/59-003**

Flanged gate valve with position indicator
Face-to-face dimension according to EN 558 Table 2 Basic Series 14
Ductile Iron
NBR rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight / kg	Units/ pallet	Deliv. code	Gross Price EUR
06-050-59-01337	50	PN10/16	12		B	846.00
06-065-59-01337	65	PN10/16	15		A	1,015.00
06-080-59-01337	80	PN10/16	19		B	1,042.00
06-100-59-01337	100	PN10/16	21		B	1,260.00
06-150-59-01337	150	PN10/16	36		A	1,849.00
06-200-59-01337	200	PN16	52		B	3,258.00
06-250-59-01337	250	PN16	79		B	5,325.00
06-300-59-01337	300	PN16	110		B	7,331.00
06-400-59-01337	400	PN16	240		A	18,151.00

15/78-003

Flanged gate valve prepared for actuator
Face-to-face dimension according to EN 558 Table 2 Basic Series 14
Ductile Iron
NBR rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Actuator Flange	Units/ pallet	Deliv. code	Gross Price EUR
15-050-78-01337	50	PN10/16	13	F10	30	C	2,922.00
15-065-78-01337	65	PN10/16	14	F10		C	3,264.00
15-080-78-01337	80	PN10/16	20	F10		C	3,366.00
15-100-78-01337	100	PN10/16	26	F10	20	C	3,508.00
15-125-78-01337	125	PN10/16	40	F10		C	4,048.00
15-150-78-01337	150	PN10/16	50	F10		C	4,750.00
15-200-78-00337	200	PN10	71	F10	10	C	5,905.00
15-200-78-01337	200	PN16	71	F10	10	C	6,017.00
15-250-78-00337	250	PN10	112	F14		C	7,972.00
15-250-78-01337	250	PN16	112	F14		C	8,001.00
15-300-78-00337	300	PN10	162	F14		C	9,639.00
15-300-78-01337	300	PN16	162	F14		C	9,896.00
15-350-78-00337	350	PN10	223	F14		C	11,482.00
15-350-78-01337	350	PN16	223	F14		C	11,768.00
15-400-78-00337	400	PN10	243	F14	1	C	14,159.00
15-400-78-01337	400	PN16	243	F14	1	C	14,728.00

15/78-010

Flanged gate valve prepared for actuator
Face-to-face dimension according to EN 558 Table 2 Basic Series 14
Ductile Iron
NBR rubber
With external PUR coating
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Actuator Flange	Units/ pallet	Deliv. code	Gross Price EUR
15-050-78-01380	50	PN10/16	13	F10		C	3,050.00
15-065-78-01380	65	PN10/16	14	F10		C	3,467.00
15-080-78-01380	80	PN10/16	20	F10		C	3,650.00
15-100-78-01380	100	PN10/16	26	F10		C	3,809.00
15-125-78-01380	125	PN10/16	40	F10		C	4,404.00
15-150-78-01380	150	PN10/16	50	F10		C	5,124.00
15-200-78-00380	200	PN10	71	F10	10	C	6,406.00
15-200-78-01380	200	PN16	71	F10	10	C	6,511.00
15-250-78-00380	250	PN10	112	F14		C	8,517.00
15-250-78-01380	250	PN16	112	F14		C	8,554.00
15-300-78-00380	300	PN10	162	F14		C	10,248.00
15-300-78-01380	300	PN16	162	F14		C	10,526.00
15-350-78-00380	350	PN10	223	F14		C	11,940.00
15-350-78-01380	350	PN16	223	F14		C	12,482.00
15-400-78-00380	400	PN10	243	F14	1	C	14,728.00
15-400-78-01380	400	PN16	243	F14	1	C	15,158.00

**36/90-170**

Gate valve with PE100/PE100
-RC PN10 SDR11 pipes acc.
to EN 1555-2



Ductile Iron
NBR rubber
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901
Clockwise to Close

AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
36-075-90-703037	65	75	PN10	15	7	B	1,288.00
36-090-90-703037	80	90	PN10	20	6	A	1,353.00
36-110-90-703037	100	110	PN10	27	5	A	1,538.00
36-125-90-703037	125	125	PN10	39	4	A	1,971.00
36-160-90-703037	150	160	PN10	52	3	A	2,703.00
36-180-90-703037	150	180	PN10	58	3	A	2,976.00
36-200-90-703037	200	200	PN10	88	2	A	4,950.00
36-225-90-703037	200	225	PN10	91	2	A	5,227.00
36-250-90-703037	250	250	PN10	118	2	A	7,537.00
36-280-90-703037	250	280	PN10	126	2	B	8,149.00
36-315-90-703037	300	315	PN10	140	1	A	13,234.00
36-355-90-703037	300	355	PN10	270	1	B	31,258.00
36-400-90-703037	400	400	PN10	376	1	B	34,151.00

36/90-171

Gate valve with PE100/PE100
-RC PN10 SDR11 pipes
machined to PN5 SDR17 acc.
to EN 1555-2



Ductile Iron
NBR rubber
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901
Clockwise to Close

AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
36-075-90-713037	65	75	PN 5	15	7	C	1,288.00
36-090-90-713037	80	90	PN 5	20	6	C	1,353.00
36-110-90-713037	100	110	PN 5	27	5	A	1,538.00
36-125-90-713037	125	125	PN 5	39	4	B	1,971.00
36-160-90-713037	150	160	PN 5	52	3	A	2,703.00
36-180-90-713037	150	180	PN 5	58	3	B	2,976.00
36-200-90-713037	200	200	PN 5	88	2	C	5,204.00
36-225-90-713037	200	225	PN 5	91	2	A	5,227.00
36-250-90-713037	250	250	PN 5	118	2	C	7,426.00
36-280-90-713037	250	280	PN 5	126	2	B	8,149.00
36-315-90-713037	300	315	PN 5	140	1	B	13,234.00

36/90-185

Gate valve with PE100/PE100
-RC PN10 SDR11 pipes acc.
to EN 1555-2



Ductile Iron
NBR rubber
With external PUR coating
Clockwise to Close

AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
36-075-90-701	65	75	PN10	15	7	C	1,767.00
36-090-90-701	80	90	PN10	20	6	B	1,977.00
36-110-90-701	100	110	PN10	27	5	B	2,239.00
36-125-90-701	125	125	PN10	39	4	B	2,852.00
36-160-90-701	150	160	PN10	52	3	B	3,712.00
36-200-90-701	200	200	PN10	88	2	B	6,811.00
36-225-90-701	200	225	PN10	91	2	B	6,835.00
36-250-90-701	250	250	PN10	118	2	B	11,441.00
36-280-90-701	250	280	PN10	126	1	B	13,648.00
36-315-90-701	300	315	PN10	140	1	B	15,504.00
36-355-90-701	300	355	PN10	270	1	B	33,300.00
36-400-90-701	400	400	PN10	376	1	B	36,667.00

36/78-003

Gate valve prepared for
actuator with
PE100 PN10 SDR11 pipes
acc. to EN 1555-2



Ductile Iron
NBR rubber
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901
Clockwise to Close

AVK ref. no.	DN mm	Dd mm	Product PN Class	Actuator Flange	Units/ pallet	Deliv. code	Gross Price EUR
36-090-78-703037	80	90	PN10	F10		C	2,825.00
36-110-78-703037	100	110	PN10	F10		C	3,048.00
36-160-78-703037	150	160	PN10	F10		C	4,667.00
36-180-78-703037	150	160	PN10	F10		C	5,140.00
36-200-78-703037	200	200	PN10	F10		C	9,078.00
36-225-78-703037	200	225	PN10	F10		C	9,581.00
36-250-78-703037	250	250	PN10	F14		C	13,227.00
36-280-78-703037	250	280	PN10	F14		C	14,300.00
36-315-78-703037	300	315	PN10	F14	1	C	22,574.00

**36/78-010**

Gate valve prepared for actuator with PE100 PN10 SDR11 pipes acc. to EN 1555-2

Ductile Iron
NBR rubber
With external PUR coating
Clockwise to Close



AVK ref. no.	DN mm	Dd mm	Product PN Class	Actuator Flange	Units/ pallet	Deliv. code	Gross Price EUR
36-090-78-701	80	90	PN10	F10		C	3,438.00
36-110-78-701	100	110	PN10	F10		C	3,768.00
36-125-78-701	125	125	PN10	F10	3	C	4,558.00
36-160-78-701	150	160	PN10	F10		C	5,705.00
36-200-78-701	200	200	PN10	F10		C	10,652.00
36-225-78-701	200	225	PN10	F10		C	11,159.00
36-250-78-701	250	250	PN10	F14		C	17,164.00
36-280-78-701	250	280	PN10	F14		C	19,688.00
36-315-78-701	300	315	PN10	F14	1	C	24,803.00

38/90-118

Gate valve with flange/PE end, PE100 PN10 SDR11

Ductile Iron
NBR rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901
Clockwise to Close



AVK ref. no.	DN mm	D mm	Flange drilling	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
38-063-90-703037	50	63	PN10/16	PN10	12	9	C	870.00
38-090-90-703037	80	90	PN10/16	PN10	20	6	C	1,602.00
38-110-90-703037	100	110	PN10/16	PN10	27	5	C	2,203.00
38-125-90-703037	125	125	PN10/16	PN10	39		C	3,007.00
38-160-90-703037	150	160	PN10/16	PN10	52	3	C	3,156.00
38-180-90-703037	150	180	PN10/16	PN10	58	4	C	3,762.00
38-225-90-703037	200	225	PN10	PN16	91	1	C	7,190.00

46/64-005

Gate valve with short spigot ends

End to end according to EN12982 Basic Series 15

Cast steel
NBR rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901
Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
46-050-64-01237	50	PN16	8.0	32	B	1,864.00
46-080-64-01237	80	PN16	14	21	B	2,409.00
46-100-64-01237	100	PN16	25	15	A	2,760.00
46-150-64-01237	150	PN16	49	9	A	4,236.00
46-200-64-01237	200	PN16	70	6	A	4,539.00
46-250-64-01237	250	PN16	88	4	B	5,899.00
46-300-64-01337	300	PN16	126		C	9,758.00

46/64-010

Gate valve with short spigot ends

End to end according to EN12982 Basic Series 15

Cast steel
NBR rubber
With external PUR coating
Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
46-050-64-01280	50	PN16	8.0	32	B	2,172.00
46-080-64-01280	80	PN16	16	20	A	2,881.00
46-100-64-01280	100	PN16	22	15	A	3,045.00
46-150-64-01280	150	PN16	38	8	A	4,757.00
46-200-64-01280	200	PN16	61	6	A	7,377.00
46-250-64-01280	250	PN16	86	4	B	11,036.00
46-300-64-01380	300	PN16	126	2	C	14,809.00

46/70-005

Gate valve with long spigot ends

Cast steel
NBR rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901
Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
46-050-70-01237	50	PN16	13	12	A	1,973.00
46-080-70-01237	80	PN16	15	10	B	2,524.00
46-100-70-01237	100	PN16	26	8	A	2,890.00
46-150-70-01237	150	PN16	40	6	B	4,437.00
46-200-70-01237	200	PN16	72	4	B	6,402.00
46-250-70-01237	250	PN16	93	3	B	9,391.00
46-300-70-01337	300	PN16	130	2	B	13,019.00

**46/70-010**

Gate valve with long spigot ends
Cast steel
NBR rubber
With external PUR coating
Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
46-050-70-01280	50	PN16	13	11	B	2,274.00
46-080-70-01280	80	PN16	16	9	B	3,017.00
46-100-70-01280	100	PN16	21	8	B	3,186.00
46-150-70-01280	150	PN16	38	5	B	4,983.00
46-200-70-01280	200	PN16	63	4	B	7,725.00
46-250-70-01280	250	PN16	86	3	B	10,847.00
46-300-70-01380	300	PN16	126	2	B	15,503.00
46-400-70-01380	400	PN16	199	1	A	33,095.00
46-500-70-01380 ⁽¹⁾	500	PN16	526	1	B	58,168.00
46-600-70-01380 ⁽¹⁾	600	PN16	750	1	B	74,102.00

⁽¹⁾ With F14 top flange

46/78-003

Gate valve with long spigot ends, prepared for actuator
Cast steel
NBR rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901
Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Actuator Flange	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
46-050-78-01337	50	PN16	F10	14		C	4,302.00
46-080-78-01337	80	PN16	F10	17	10	C	5,378.00
46-100-78-01337	100	PN16	F10	23	8	C	5,841.00
46-150-78-01337	150	PN16	F10	39	6	C	7,817.00
46-200-78-01337	200	PN16	F10	63	4	C	11,942.00
46-250-78-01337	250	PN16	F14	88	3	C	16,856.00
46-300-78-01337	300	PN16	F14	128	2	C	22,591.00
46-400-78-01337	400	PN16	F14	242		C	48,918.00

46/78-010

Gate valve with long spigot ends, prepared for actuator
Cast steel
NBR rubber
With external PUR coating
Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Actuator Flange	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
46-050-78-01380	50	PN16	F10	14	11	C	4,624.00
46-080-78-01380	80	PN16	F10	17		C	5,650.00
46-100-78-01380	100	PN16	F10	23	8	C	6,171.00
46-150-78-01380	150	PN16	F10	39	6	C	8,178.00
46-200-78-01380	200	PN16	F10	63	4	C	12,412.00
46-250-78-01380	250	PN16	F14	88	3	C	17,152.00
46-300-78-01380	300	PN16	F14	128	2	C	23,219.00
46-400-78-01380	400	PN16	F14	242			

46/80-010

Gate valve with long spigot ends for steel pipes and up-and downstream purge points
Cast steel
NBR rubber
With external PUR coating
Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
46-080-80-01380	80	PN16	31		B	7,791.00
46-100-80-01380	100	PN16	36		B	8,224.00
46-150-80-01380	150	PN16	53		B	9,534.00
46-200-80-01380	200	PN16	101		B	11,062.00
46-250-80-01380	250	PN16	129		B	14,270.00
46-300-80-01380	300	PN16	184		B	19,070.00
46-400-80-01380	400	PN16	335		B	36,667.00
46-500-80-01380	500	PN16	617		B	63,464.00
46-600-80-01380	600	PN16	782		B	80,425.00

46/90-003

Gate valve with PE/steel spigot ends for SDR11 PE100/PE100-RC pipes and gas steel pipes
Cast steel
NBR rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901
Clockwise to Close



AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
46-063-90-0033770	50	63	PN10	9.0	13	B	2,543.00
46-090-90-0033770	80	90	PN10	15	8	B	3,021.00
46-110-90-0033770	100	110	PN10	21	6	B	3,562.00
46-160-90-0033770	150	160	PN10	39	4	B	5,857.00
46-225-90-0033770	200	225	PN10	65	2	B	8,470.00
46-250-90-0033770	250	250	PN10	95	2	B	13,377.00
46-315-90-0033770	300	315	PN10	145	1	B	18,596.00

**46/90-010**

Gate valve with PE/steel spigot ends for SDR11 PE100/PE100-RC pipes and gas steel pipes
Cast steel
NBR rubber
With external PUR coating
Clockwise to Close



AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
46-063-90-0038070	50	63	PN10	9.0	13	B	2,797.00
46-090-90-0038070	80	90	PN10	15	8	B	3,373.00
46-110-90-0038070	100	110	PN10	21	6	B	3,918.00
46-160-90-0038070	150	160	PN10	39	4	B	6,290.00
46-225-90-0038070	200	225	PN10	65	2	B	8,948.00
46-250-90-0038070	250	250	PN10	95	2	B	13,892.00
46-315-90-0038070	300	315	PN10	145	1	B	19,027.00

85/30-002

Universal PE ball valve AVK Certus™
Water PN16 / Gas MOP10 SDR11
Polyethylene (PE)
NBR rubber
Clockwise to Close



AVK ref. no.	DN mm	D4 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
85-020-30-23203001	25	20	0.8		C	155.00
85-032-30-23203001	25	32	0.8		C	155.00
85-040-30-13203001	32	40	0.9		C	275.00
85-063-30-23203001	50	63	1.8		C	299.00
85-090-30-23203001	80	90	3.8		C	540.00
85-110-30-21203001	100	110	5.5		C	729.00
85-125-30-11203001	100	125	5.9		C	754.00
85-160-30-21203001	150	160	14		C	2,155.00
85-180-30-11203001	150	180	14		C	2,193.00

04/F-031

Extension spindle for PE ball valves, type Certus -
Telescopic in different lengths
Polyethylene (PE)



AVK ref. no.	OD mm	L8 mm	D mm	F3 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
04-032-2-00010033	20 - 63	450 - 700	98	14 - 22	5.8		C	193.00
04-032-2-00030033	20 - 63	450 - 700	98	12 - 15	5.8		C	193.00
04-032-2-05010033	20 - 63	650 - 1100	98	14 - 22	6.0		C	218.00
04-032-2-05030033	20 - 63	650 - 1100	98	12 - 15	6.0		C	218.00
04-032-2-10010033	20 - 63	1050 - 1750	98	14 - 22	6.4		C	246.00
04-032-2-10030033	20 - 63	1050 - 1750	98	12 - 15	6.4		C	246.00
04-080-2-00020033	90	450 - 700	98	23 - 32	5.8		C	171.00
04-080-2-05020033	90	650 - 1100	98	23 - 32	6.0		C	196.00
04-080-2-10020033	90	1050 - 1750	98	23 - 32	6.4		C	229.00
04-100-2-00020033	110 - 125	450 - 700	98	23 - 32	5.8		C	375.00
04-100-2-05020033	110 - 125	650 - 1100	98	23 - 32	6.0		C	272.00
04-100-2-10020033	110 - 125	1050 - 1750	98	23 - 32	6.4		C	294.00
04-150-2-00020033	160 - 180	450 - 700	98	23 - 32	5.8		C	302.00
04-150-2-05020033	160 - 180	650 - 1100	98	23 - 32	6.0		C	201.00
04-150-2-10020033	160 - 180	1050 - 1750	98	23 - 32	6.4		C	221.00

03/25-004

Service connection valve with internal thread
Ductile Iron
NBR rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901
Clockwise to Close



AVK ref. no.	DN mm	Dd mm	BSP internal	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
03-032-25-00237 ⁽¹⁾	25	32	1"	PN10	3.0		B	442.00
03-040-25-00237	32	40	1 1/4"	PN10	3.0	80	B	414.00
03-050-25-00237	40	50	1 1/2"	PN10	5.2		B	740.00
03-063-25-00237	50	63	2"	PN10	6.0	48	B	618.00

⁽¹⁾ Not CE approved

36/9X-170

Service connection valve with PE100/PE100-RC PN10 SDR11 pipes
Ductile Iron
NBR rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901
Clockwise to Close



AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
36-032-90-703037 ⁽¹⁾	25	32	PN10	5.1	18	A	647.00
36-040-90-703037 ⁽¹⁾	32	40	PN10	5.5	14	A	647.00
36-050-90-703037 ⁽¹⁾	40	50	PN10	7.1	12	A	960.00
36-063-90-703037	50	63	PN10	8.0	9	A	1,064.00
36-063-90-713037 ⁽²⁾	50	63	PN 5	8.0	9	C	1,115.00

⁽¹⁾ Not CE approved

⁽²⁾ Machined to PN5 SDR17 pipe

**36/9X-185**

Service connection valve with
PE100/PE100-RC PN10
SDR11 pipes
Ductile Iron
NBR rubber
With external PUR coating
Clockwise to Close



AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
36-032-90-701 ⁽¹⁾	25	32	PN10	5.1	18	B	952.00
36-040-90-701 ⁽¹⁾	32	40	PN10	5.5	14	B	982.00
36-050-90-701 ⁽¹⁾	40	50	PN10	7.1	12	C	1,441.00
36-063-90-701	50	63	PN10	8.0	9	B	1,586.00
36-063-90-711 ⁽²⁾	50	63	PN 5	8.0	9	C	1,782.00

⁽¹⁾ Not CE approved

⁽²⁾ Machined to PN5 SDR17 pipe

80/37-000

Fixed height surface box for
distribution valves and district
heating
Cast iron lid
According to DIN 3584
DVGW approved
Also available with synthetic
lid (black/colour)
HDPE body



AVK ref. no.	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
80-37-0000001	66	4	B	2,613.00

80/36-100

Height adjustable surface box
for distribution valves and
district heating
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
80-36-1000001	42	4	C	1,818.00

80/36-000

Fixed height surface box for
distribution valves and district
heating
Cast iron lid
According to DIN 3583
DVGW approved
Also available with synthetic
lid (black/colour)
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
80-36-0000004	37	4	C	362.00

80/35-400

Height adjustable surface box
for distribution valves and
district heating
Reinforced rim
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
80-35-4000000	19	24	C	732.00

80/35-100

Height adjustable surface box
for distribution valves and
district heating
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
80-35-1000002	18	24		589.00

**80/35-000**

Fixed height surface box for distribution valves and district heating
Cast iron lid
According to DIN 3582
DVGW approved
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-35-0000004	17	24	B	552.00

80/34-400

Height adjustable surface box for distribution valves
Reinforced rim
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-34-4000000	7.8	60	C	357.00

80/34-100

Height adjustable surface box for distribution valves
Cast iron lid
According to DIN 3581V
DVGW approved
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-34-1000000	7.3	60	B	306.00

80/34-000

Fixed height surface box for distribution valves
Cast iron lid
According to DIN 3581
DVGW approved
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-34-0000000	6.7	60	B	248.00

80/40-000

Fixed height surface box for distribution valves
Pera
Cast iron lid
HDPE body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-40-0000001 ⁽¹⁾	5.6	75		194.00

⁽¹⁾ Inscription plate: WATER (blue)

80/33-400

Height adjustable surface box for service connection valves
Reinforced rim
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-33-4000000	4.3	96	C	238.00

**80/33-100**

Height adjustable surface box
for service connection valves
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-33-1000000	4.0	96	C	214.00

80/33-000

Fixed height surface box for
service connection valves
Cast iron lid
PA+ body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-33-0000000	3.3	96	B	168.00
80-33-0000002 ⁽¹⁾	3.3			

⁽¹⁾ Inscription: water logo

80/46-000

Support tile I for surface
boxes 80/31, 80/32, 80/33,
80/34, 80/40 and 80/42
HDPE body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-46-00000	0.8	150	A	33.00

80/46-001

Support tile I FSL with large
spindle fixation, for surface
boxes 80/31, 80/32, 80/33,
80/34, 80/40 and 80/42
HDPE body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-46-000-01	0.8	150	A	33.00

80/46-002

Support tile I FSS with small
spindle fixation, for surface
boxes 80/31, 80/32, 80/33,
80/34, 80/40 and 80/42
HDPE body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-46-00002	0.8	150	C	33.00

80/46-003

Support tile I SI with spindle
interface, for surface boxes
80/31, 80/32, 80/33, 80/34,
80/40 and 80/42
HDPE body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-46-00003	0.7	150		33.00

**80/46-005**

Support tile II for surface boxes 80/30 and 80/35
HDPE body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-46-00005	2.0	80	B	64.00

80/46-010

Support tile III for surface boxes 80/30, 80/35 and 80/41
HDPE body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-46-00010	1.8	80	C	69.00

80/46-015


Support tile IV for surface boxes 80/32, 80/33, 80/42 and 80/43
HDPE body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-46-00015	1.6	200	C	64.00

80/46-051


Top frame for surface boxes 80/32, 80/33, 80/42 and 80/43
HDPE body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-46-00051	6.1	60	B	168.00

80/46-052

Top frame for surface boxes 80/31, 80/34 and 80/40
HDPE body



AVK ref. no.	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
80-46-00052	6.1	60	B	164.00

631/70-004

Supa Maxi™ straight coupling
Universal and tensile
A2 bolts / A4 nuts
Ductile Iron
NBR rubber
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved



AVK ref. no.	DN mm	Product PN Class	Seal range SR1 mm	Theoretical weight/kg	Units/pallet	Deliv. code	Gross Price EUR
631-071-70-2	50	PN10	48-71	6.0		B	1,108.00
631-091-70-2	65	PN10	69-91	7.0		B	1,007.00
631-106-70-2	80	PN10	82-106	7.5	14	B	1,029.00
631-133-70-2	100	PN10	104-133	11		B	1,251.00
631-161-70-2	125	PN10	132-159	13	12	B	1,188.00
631-188-70-2	150	PN10	159-188	16		B	1,697.00
631-227-70-2	200	PN10	193-227	25		B	2,301.00
631-257-70-2	225	PN10	224-257	30		B	2,935.00
631-301-70-2	250	PN10	266-301	35		B	3,081.00
631-356-70-2	300	PN10	314-356	45		B	4,289.00
631-442-70-2	400	PN10	392-442	91	1	B	8,674.00

**632/70-004**

Supa Maxi™ step coupling
Universal and A4 nuts
Ductile Iron
NBR rubber
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved



AVK ref. no.	DN/DN	Seal range SR1 mm	Seal range SR2 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
632-071-091-702	50 - 65	48-71	69-91	6.5		C	1,067.00
632-071-106-702	50 - 80	48-71	82-106	7.0		C	1,067.00
632-091-106-702	65 - 80	69-91	82-106	7.5		C	1,034.00
632-106-133-702	80 - 100	82-106	104-133	10		C	1,142.00
632-133-161-702	100 - 125	104-133	132-159	13		C	1,305.00
632-133-188-702	100 - 150	104-133	159-188	14		C	1,499.00
632-161-188-702	125 - 150	132-159	159-188	15		C	1,532.00
632-188-227-702	150 - 200	159-188	193-227	21		C	1,976.00
632-188-257-702	150 - 225	159-188	224-257	27		C	2,204.00
632-227-257-702	200 - 225	193-227	224-257	32		C	2,384.00
632-227-301-702	200 - 250	193-227	266-301	32		C	2,474.00
632-257-301-702	225 - 250	224-257	266-301	36		C	2,745.00
632-301-356-702	250 - 300	266-301	314-356	42		B	4,447.00

633/70-004

Supa Maxi™ flange adaptor
Universal and tensile
A2 bolts / A4 nuts
Ductile Iron
NBR rubber
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved



AVK ref. no.	DN mm	Product PN Class	Seal range SR1 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
633-071-70-002	40-50	PN10	48-71	5.0		B	763.00
633-091-70-002	50-65	PN10	69-91	6.0		C	763.00
633-106-70-002	80	PN10	82-106	6.5		B	785.00
633-133-70-002	100	PN10	104-133	9.0		B	949.00
633-161-70-002	100	PN10	132-159	11	12	C	1,107.00
633-161-71-002	100	PN10	132-159	11	12	B	1,107.00
633-188-70-002	150	PN10	159-188	12		B	1,226.00
633-227-70-002	200	PN10	193-227	19	6	B	1,547.00
633-257-70-002	250	PN10	224-257	25		B	1,660.00
633-257-71-002	200	PN10	224-257	25	4	C	1,650.00
633-301-70-002	250	PN10	266-301	28		B	2,113.00
633-356-70-002	300	PN10	314-356	38		B	3,625.00
633-442-70-002	400	PN10	392-442	80	1	C	6,994.00

634/70-004

Supa Maxi™ end cap
Universal and tensile
A2 bolts / A4 nuts
Ductile Iron
NBR rubber
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved



AVK ref. no.	DN mm	Product PN Class	Seal range SR1 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
634-071-70-012 (1)	50	PN10	48-71	4.0		C	785.00
634-091-70-012 (1)	65	PN10	69-91	5.0		C	748.00
634-091-70-032 (2)	65	PN10	69-91	5.0		C	748.00
634-106-70-012 (1)	80	PN10	82-106	5.5		C	784.00
634-106-70-032 (2)	80	PN10	82-106	5.5		C	784.00
634-133-70-012 (1)	100	PN10	104-133	8.0		C	937.00
634-133-70-032 (2)	100	PN10	104-133	8.0		C	937.00
634-161-70-012 (1)	125	PN10	132-159	9.0	12	C	924.00
634-161-70-032 (2)	125	PN10	132-159	9.0	12	C	924.00
634-188-70-012 (1)	150	PN10	159-188	11		B	1,239.00
634-188-70-032 (2)	150	PN10	159-188	11		C	1,239.00
634-227-70-012 (1)	200	PN10	193-227	16	6	C	1,520.00
634-227-70-032 (2)	200	PN10	193-227	16	6	C	1,520.00
634-257-70-012 (1)	225	PN10	224-257	19	4	C	1,918.00
634-257-70-032 (2)	225	PN10	224-257	19	4	C	1,918.00
634-301-70-012 (1)	250	PN10	266-301	22	3	C	1,966.00
634-301-70-032 (2)	250	PN10	266-301	22	3	C	1,966.00
634-356-70-012 (1)	300	PN10	314-356	29	2	C	2,315.00
634-356-70-032 (2)	300	PN10	314-356	29		C	3,178.00

(1) 1 1/4" BSP thread, in line

(2) 2" BSP thread, in line

**79-002**


Flange gasket in straight KGS design
NBR rubber



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
79-050-2-42	50	PN 10/40	0.0		C	24.00
79-065-2-42	65	PN 10/40	0.0		C	24.00
79-080-2-42	80	PN 10/40	0.1		C	25.00
79-100-2-22	100	PN 10/16	0.1		C	30.00
79-125-2-22	125	PN 10/16	0.1		C	36.00
79-150-2-22	150	PN 10/16	0.1		C	42.00
79-200-2-22	200	PN 10/16	0.2		C	49.00
79-250-2-12	250	PN10	0.3		C	49.00
79-300-2-12	300	PN10	0.3		C	81.00
79-350-2-12	350	PN10	0.5		C	102.00
79-400-2-12	400	PN10	0.7		C	113.00
79-450-2-12	450	PN10	1.0		C	147.00
79-500-2-12	500	PN10	1.0		C	192.00
79-600-2-12	600	PN10	1.1		C	222.00
79-700-2-12	700	PN10	1.5		C	315.00
79-800-2-12	800	PN10	2.2		C	478.00

79-004

Flange gasket in drop-shaped KGS-S design
NBR rubber



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
79-050-2-43	50	PN 10/40	0.0		C	24.00
79-065-2-43	65	PN 10/40	0.0		C	25.00
79-080-2-43	80	PN 10/40	0.1		C	26.00
79-100-2-23	100	PN 10/16	0.1		C	32.00
79-125-2-23	125	PN 10/16	0.1		C	37.00
79-150-2-23	150	PN 10/16	0.1		C	43.00
79-200-2-23	200	PN 10/16	0.2		C	54.00
79-250-2-13	250	PN10	0.3		C	54.00
79-300-2-13	300	PN10	0.3		C	83.00
79-350-2-13	350	PN10	0.5		C	105.00
79-400-2-13	400	PN10	0.7		C	116.00
79-450-2-13	450	PN10	1.0		C	151.00
79-500-2-13	500	PN10	1.0		C	201.00
79-600-2-13	600	PN10	1.1		C	230.00
79-700-2-13	700	PN10	1.5		C	328.00
79-800-2-13	800	PN10	2.2		C	496.00

02/70-103

Flanged gate valve according to GOST

Face-to-face dimension according to EN 558 Table 2
Basic Series 15

Ductile Iron

NBR rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
02-040-58-01337	40	PN10/16	11	24	B	470.00
02-050-58-01337	50	PN10/16	12	20	B	484.00
02-065-58-01337	65	PN10/16	15	17	B	587.00
02-080-58-01337	80	PN10/16	19	14	B	615.00
02-100-58-01337	100	PN10/16	25	12	B	662.00
02-125-58-01337	125	PN10/16	33	9	B	1,027.00
02-150-58-01337	150	PN10/16	49	8	B	1,152.00
02-200-58-00337	200	PN10	70	6	B	1,672.00
02-200-58-01337	200	PN16	70	6	B	1,672.00
02-250-58-00337	250	PN10	110	4	C	2,460.00
02-250-58-01337	250	PN16	110	4	B	2,460.00
02-300-58-00337	300	PN10	160	2	C	3,600.00
02-300-58-01337	300	PN16	160	2	B	3,600.00
02-350-58-00337	350	PN10	320	2	B	6,795.00
02-350-58-01337	350	PN16	320	2	B	6,795.00
02-400-58-00337	400	PN10	342	2	B	8,179.00
02-400-58-01337	400	PN16	342	2	B	8,179.00
02-500-58-00337	500	PN10	417	1	B	10,184.00
02-500-58-01337	500	PN16	417	1	B	10,184.00



06/70-103

Flanged gate valve according to GOST

Face-to-face dimension according to EN 558 Table 2 Basic Series 14

Ductile Iron

NBR rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
06-040-58-01337	40	PN10/16	10	30	B	405.00
06-050-58-01337	50	PN10/16	12	30	B	419.00
06-065-58-01337	65	PN10/16	15	25	B	498.00
06-080-58-01337	80	PN10/16	19	20	B	575.00
06-100-58-01337	100	PN10/16	21	20	B	651.00
06-150-58-01337	150	PN10/16	36	10	B	1,052.00
06-200-58-00337	200	PN10	52	10	B	1,494.00
06-200-58-01337	200	PN16	52	10	B	1,494.00
06-250-58-00337	250	PN10	79	8	B	2,367.00
06-250-58-01337	250	PN16	79	8	B	2,367.00
06-300-58-00337	300	PN10	116	6	B	3,567.00
06-300-58-01337	300	PN16	116	6	B	3,567.00
06-350-58-00337	350	PN10	220	2	B	6,372.00
06-350-58-01337	350	PN16	220	2	B	6,372.00
06-400-58-00337	400	PN10	240	2	B	9,508.00
06-400-58-01337	400	PN16	240	2	B	9,508.00
06-450-58-00337	450	PN10	487		C	14,283.00
06-450-58-01337	450	PN16	487		C	17,012.00
06-500-58-00337	500	PN10	559		C	16,629.00
06-500-58-01337	500	PN16	559		C	16,629.00
06-600-58-00337	600	PN10	762		C	20,204.00
06-600-58-01337	600	PN16	762		C	20,204.00

15/78-103

Flanged gate valve prepared for actuator according to GOST

Face-to-face dimension according to EN 558 Table 2 Basic Series 14

Ductile Iron

NBR rubber wedge

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Actuator Flange	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
15-050-58-01337	50	PN10/16	F10	13		B	1,880.00
15-065-58-01337	65	PN10/16	F10	14		C	1,998.00
15-080-58-01337	80	PN10/16	F10	20		C	903.00
15-100-58-01337	100	PN10/16	F10	26		C	1,010.00
15-125-58-01337	125	PN10/16	F10	40		C	1,431.00
15-150-58-01337	150	PN10/16	F10	50		C	1,638.00
15-200-58-00337	200	PN10	F10	71		C	2,051.00
15-200-58-01337	200	PN16	F10	71		C	2,051.00
15-250-58-00337	250	PN10	F14	112		C	3,125.00
15-250-58-01337	250	PN16	F14	112		C	3,125.00
15-300-58-00337	300	PN10	F14	162		C	4,837.00
15-300-58-01337	300	PN16	F14	162		C	4,837.00
15-350-58-00337	350	PN10	F14	223		C	7,238.00
15-350-58-01337	350	PN16	F14	223		C	7,238.00
15-400-58-00337	400	PN10	F14	243		C	7,872.00
15-400-58-01337	400	PN16	F14	243		C	7,707.00

15/78-110

Flanged gate valve prepared for actuator according to GOST

Face-to-face dimension according to EN 558 Table 2 Basic Series 14

Ductile Iron

NBR rubber wedge

With external PUR coating

Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Actuator Flange	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
15-050-58-01384	50	PN10/16	F10	13		C	1,996.00
15-065-58-01384	65	PN10/16	F10	14		C	2,114.00
15-080-58-01384	80	PN10/16	F10	20		C	1,158.00
15-100-58-01384	100	PN10/16	F10	26		C	1,265.00
15-125-58-01384	125	PN10/16	F10	40		C	1,687.00
15-150-58-01384	150	PN10/16	F10	50		C	1,932.00
15-200-58-00384	200	PN10	F10	71		C	2,401.00
15-200-58-01384	200	PN16	F10	71		C	2,401.00
15-250-58-00384	250	PN10	F14	112		C	3,499.00
15-250-58-01384	250	PN16	F14	112		C	3,499.00
15-300-58-00384	300	PN10	F14	162		C	5,303.00
15-300-58-01384	300	PN16	F14	162		C	5,303.00
15-350-58-00384	350	PN10	F14	223		C	8,480.00
15-350-58-01384	350	PN16	F14	223		C	8,480.00
15-400-58-00384	400	PN10	F14	243		C	9,116.00
15-400-58-01384	400	PN16	F14	243		C	9,116.00

**36/90-270**

Gate valve with PE100/PE100
-RC PN10 SDR11 pipes acc.
to EN 1555-2 according to
GOST



Ductile Iron

NBR rubber

Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901

Clockwise to Close

AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
36-075-88-703037	65	75	PN10	15		C	902.00
36-090-88-703037	80	90	PN10	20		C	930.00
36-110-88-703037	100	110	PN10	27		C	1,172.00
36-125-88-703037	125	125	PN10	39		C	1,540.00
36-160-88-703037	150	160	PN10	52		C	1,886.00
36-180-88-703037	150	180	PN10	58		C	2,067.00
36-200-88-703037	200	200	PN10	88		C	2,893.00
36-225-88-703037	200	225	PN10	91		C	3,318.00
36-250-88-703037	250	250	PN10	118		C	4,865.00
36-280-88-703037	250	280	PN10	126		C	5,441.00
36-315-88-703037	300	315	PN10	140		B	6,984.00
36-355-88-703037	300	355	PN10	270		C	9,578.00
36-400-88-703037	400	400	PN10	376		C	15,614.00

36/90-285

Gate valve with PE100/PE100
-RC PN10 SDR11 pipes
according to GOST, with
external PUR



Ductile Iron

NBR rubber

With external PUR coating

Clockwise to Close

AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
36-075-88-701084	65	75	PN10	15		C	1,191.00
36-090-88-701084	80	90	PN10	20		B	1,243.00
36-110-88-701084	100	110	PN10	27		A	1,324.00
36-125-88-701084	125	125	PN10	39		B	1,957.00
36-160-88-701084	150	160	PN10	52		A	2,216.00
36-180-88-701084	150	180	PN10	58		B	2,585.00
36-200-88-701084	200	200	PN10	88		B	5,460.00
36-225-88-701084	200	225	PN10	91		B	4,731.00
36-250-88-701084	250	250	PN10	118		B	9,045.00
36-280-88-701084	250	280	PN10	126		C	9,232.00
36-315-88-701084	300	315	PN10	140		B	9,457.00
36-355-88-701084	300	355	PN10	270		B	9,570.00
36-400-88-701084	400	400	PN10	376		B	16,848.00

36/78-103

Gate valve prepared for
actuator with
PE100 PN10 SDR11
machined to PN10 SDR111
pipes according to GOST



Ductile Iron

NBR rubber

Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901

Clockwise to Close

AVK ref. no.	DN mm	Dd mm	Product PN Class	Actuator Flange	Units/ pallet	Deliv. code	Gross Price EUR
36-090-48-703037	80	90	PN10	F10		C	1,620.00
36-110-48-703037	100	110	PN10	F10		C	1,989.00
36-125-48-703037	125	125	PN10	F10		C	2,593.00
36-160-48-703037	150	160	PN10	F10		C	3,152.00
36-180-48-703037	150	180	PN10	F10		C	3,452.00
36-200-48-703037	200	200	PN10	F10		C	4,591.00
36-225-48-703037	200	225	PN10	F10		C	5,161.00
36-250-48-703037	250	250	PN10	F14		C	7,673.00
36-280-48-703037	250	280	PN10	F14		C	8,379.00
36-315-48-703037	300	315	PN10	F14		C	10,854.00
36-355-48-703037	300	355	PN10	F14		C	14,326.00
36-400-48-703037	400	400	PN10	F14		C	23,267.00

36/78-110

Gate valve prepared for
actuator with
PE100 PN10 SDR11
machined to PN10 SDR111
pipes according to GOST



Ductile Iron

NBR rubber

With external PUR coating

Clockwise to Close

AVK ref. no.	DN mm	Dd mm	Product PN Class	Actuator Flange	Units/ pallet	Deliv. code	Gross Price EUR
36-090-48-701084	80	90	PN10	F10		B	1,964.00
36-110-48-701084	100	110	PN10	F10		B	2,332.00
36-125-48-701084	125	125	PN10	F10		C	2,936.00
36-160-48-701084	150	160	PN10	F10		B	3,629.00
36-180-48-701084	150	180	PN10	F10		C	3,970.00
36-200-48-701084	200	200	PN10	F10		C	5,065.00
36-225-48-701084	200	225	PN10	F10		B	5,664.00
36-250-48-701084	250	250	PN10	F14		C	8,177.00
36-280-48-701084	250	280	PN10	F14		C	8,902.00
36-315-48-701084	300	315	PN10	F14		B	11,378.00
36-355-48-701084	300	355	PN10	F14		C	14,946.00
36-400-48-701084	400	400	PN10	F14		B	24,926.00



46/70-110

Gate valve with long spigot ends according to GOST
Cast steel
NBR rubber
With external PUR coating
Clockwise to Close








AVK ref. no.	DN mm	D mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
46-080-51-01384	80	89	PN16	15		A	2,086.00
46-100-50-01384	100	108	PN16	26		A	2,323.00
46-150-50-01384	150	159	PN16	40		A	3,730.00
46-200-51-01384	200	219	PN16	72		A	5,255.00
46-250-51-01384	250	273	PN16	93		A	7,709.00
46-300-51-01384	300	324	PN16	130		A	10,337.00
46-400-50-01384	400	426	PN16	179		A	20,539.00
46-500-50-01384	500	530	PN16	520		A	34,255.00

46/78-110

Gate valve with long spigot ends prepared for actuator according to GOST
Cast steel
NBR rubber
With external PUR coating
Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Actuator Flange	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
46-080-88-01384	80	PN16	F10	17		B	2,652.00
46-200-88-01384	200	PN16	F10	63		C	5,446.00
46-250-88-01384	250	PN16	F14	88		C	10,248.00
46-300-88-01384	300	PN16	F14	128		B	13,782.00

<p>Type</p> <p>Series 95</p> <p>Factory certificate 3.1 according to EN 10204 <u>with</u> attachment</p> 	<p>AVK ref. nos.</p> <p>9523110</p> <p>Nett. price per valve Euro 9</p>
<p>Series 95</p> <p>Factory certificate 3.1 according to EN 10204 <u>without</u> attachment</p> 	<p>9523100</p> <p>Nett. price per valve Euro 6</p>
<p>Series 95</p> <p>Factory certificate 2.2 according to EN 10204 <u>without</u> attachment</p> 	<p>9522200</p> <p>Nett. price per order Euro 60</p>
<p>Series 95</p> <p>Factory certificate 2.2 according to EN 10204 <u>without</u> attachment</p> 	<p>9532200</p> <p>Nett. price per order Euro 60</p>
<p>Series 95</p> <p>Certificate of conformity</p> 	<p>9540000</p> <p>Nett. price per order Euro 60</p> <p style="text-align: center;">NOTE: PRICES FOR CERTIFICATES ARE NETT. PRICES</p>

**06/35-013**

Flanged gate valve with position indicator
Face-to-face dimension according to EN 558 Table 2 Basic Series 14
Ductile Iron
EPDM rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901
Clockwise to close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
06-050-35-01420	50	PN10/16	13		A	486.00
06-065-35-01420	65	PN10/16	16	40	A	684.00
06-080-35-01420	80	PN10/16	20	18	A	684.00
06-100-35-01420	100	PN10/16	27	16	A	816.00
06-125-35-01420	125	PN10/16	36	15	B	1,377.00
06-150-35-01420	150	PN10/16	51	5	A	1,377.00
06-200-35-00620	200	PN10	71	3	A	2,427.00
06-200-35-01620	200	PN16	71	3	A	2,522.00
06-250-35-00620 ⁽¹⁾	250	PN10	108	2	B	3,932.00
06-250-35-01620 ⁽¹⁾	250	PN16	108	2	A	4,082.00
06-300-35-00620 ⁽¹⁾	300	PN10	116	2	C	5,495.00
06-300-35-01620 ⁽¹⁾	300	PN16	116	2	B	5,791.00
06-350-35-00620 ⁽¹⁾	350	PN10	203	1	B	12,336.00
06-350-35-01620 ⁽¹⁾	350	PN16	203	1	B	12,972.00
06-400-35-00620 ⁽¹⁾	400	PN10	240	1	C	15,697.00
06-400-35-01620 ⁽¹⁾	400	PN16	240	1	B	16,072.00

⁽¹⁾ Not approved to VdS

06/37-003

Gate valve with grooved ends (AWWA C 606) and position indicator
Ductile Iron
EPDM rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901
Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
06-050-37-09620	50	PN16	10	28	B	512.00
06-080-37-09620	80	PN16	15	20	A	684.00
06-100-37-09620	100	PN16	22	16	A	816.00
06-150-37-09620	150	PN16	44	5	A	1,377.00
06-200-37-09620	200	PN16	61	2	A	2,522.00
06-250-37-09620 ⁽¹⁾	250	PN16	94	2	B	4,082.00
06-300-37-09620 ⁽¹⁾	300	PN16	126	2	C	5,791.00

⁽¹⁾ Not approved to VdS

145/40-001

Flanged gate valve with wrench nut
UL/FM approved
Slim design
Face-to-face dimension according to ANSI B16.10
Ductile Iron
EPDM rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
145-065-40-02396100	65	CL. 150	13			1,058.00
145-080-40-02396100	80	CL. 150	17			1,229.00
145-100-40-02396100	100	CL. 150	22			1,901.00
145-150-40-02396100	150	CL. 150	43			2,833.00
145-200-40-02396100	200	CL. 150	76		C	4,024.00

145/46-001

Flanged gate valve with rising stem, OS&Y, UL/FM approved
Slim design
Face-to-face dimension according to ANSI B16.10
Ductile Iron
EPDM rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
145-065-46-02366120	65	CL. 150	14			1,257.00
145-080-46-02366120	80	CL. 150	18		C	1,457.00
145-100-46-02366120	100	CL. 150	26	6	A	1,893.00
145-150-46-02366120	150	CL. 150	51	10	C	2,562.00
145-200-46-02366120	200	CL. 150	90	2	C	4,343.00

**145/50-001**

Flanged gate valve with wrench nut
UL/FM approved
Slim design
Face-to-face dimension according to ANSI B16.10
Ductile Iron
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
145-065-50-01396100	65	PN10/16	13		A	1,058.00
145-080-50-01396100	80	PN10/16	17	10	C	1,229.00
145-100-50-01396100	100	PN10/16	22		A	1,901.00
145-150-50-01396100	150	PN10/16	43	10	A	2,833.00
145-200-50-00396100	200	PN10	76		C	4,024.00
145-200-50-01396100	200	PN16	76	5	A	4,024.00

145/56-001

Flanged gate valve with rising stem, OS&Y
UL/FM approved
Slim design
Face-to-face dimension according to ANSI B16.10
Ductile Iron
EPDM rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901
Clockwise to close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
145-065-56-01366120	65	PN10/16	14		A	1,257.00
145-080-56-01366120	80	PN10/16	18	8	A	1,457.00
145-100-56-01366120	100	PN10/16	26	6	A	1,893.00
145-150-56-01366120	150	PN10/16	51	3	A	2,562.00
145-200-56-00366120	200	PN10	90	2	A	4,343.00
145-200-56-01366120	200	PN16	90	2	A	4,343.00

45/56-001

Flanged gate valve with rising stem OS&Y
UL/FM approved
Face-to-face dimension according to ANSI B16.10
Ductile Iron
EPDM rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901
Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
45-050-56-01614020	50	PN16	PN10/16	19		A	1,259.00
45-250-56-006B4020	250	PN16	PN10	158		C	7,280.00
45-250-56-016B4020	250	PN16	PN16	158		C	7,280.00
45-300-5C-006B4020 ⁽¹⁾	300	PN16	PN10	239		C	9,575.00
45-300-5C-016B4020 ⁽¹⁾	300	PN16	PN16	239		C	9,575.00
45-350-5C-016B4020 ⁽¹⁾	350	PN16	PN16	290			12,813.00
45-400-5C-006B4020 ⁽¹⁾	400	PN16	PN10	310		C	16,132.00
45-400-5C-016B4020 ⁽¹⁾	400	PN16	PN16	310			16,249.00

⁽¹⁾ Stem in aluminium bronze. 200 PSI/14 bar

45/59-010

Flanged gate valve with post indicator flange
UL/ULC listed and FM approved
Face-to-face dimension according to ANSI B16.10
Ductile Iron
EPDM rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901
Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
45-050-59-016041	50	PN16	PN10/16	25			1,170.00
45-065-59-016141	65	PN16	PN10/16	29		C	1,187.00
45-080-59-016141	80	PN16	PN10/16	32	6	C	1,368.00
45-100-59-016141	100	PN16	PN10/16	36	4	B	1,976.00
45-150-59-016141	150	PN16	PN10/16	51	6	A	2,993.00
45-200-59-006141	200	PN16	PN10	77	6	C	4,207.00
45-200-59-016141	200	PN16	PN16	77	4	C	4,207.00
45-250-59-006B41	250	PN16	PN10	130		C	6,088.00
45-250-59-016B41	250	PN16	PN16	130		C	6,088.00
45-300-59-006141	300	PN16	PN10	193	1	C	8,572.00
45-300-59-016B41	300	PN16	PN16	198		C	8,572.00
45-350-5D-016B41 ⁽¹⁾	350	PN16	PN16	350		C	9,850.00
45-400-5D-006B41 ⁽¹⁾	400	PN16	PN10	376			12,543.00
45-400-5D-016B41 ⁽¹⁾	400	PN16	PN16	376			12,543.00

⁽¹⁾ Stem in aluminium bronze. 200 PSI/14 bar



45/59-020

Flanged gate valve with wrench nut
UL/FM approved
Face-to-face dimension according to ANSI B16.10
Ductile Iron
EPDM rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901
Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
45-050-59-01614	50	PN16	PN10/16	23	1	A	1,187.00
45-250-59-016B4	250	PN16	PN16	130			5,850.00
45-300-59-00614	300	PN16	PN10	193	1	A	8,323.00
45-300-59-01614	300	PN16	PN16	193	1	B	8,096.00
45-300-59-016B4	300	PN16	PN16	194			8,323.00
45-350-5D-016B4 ⁽¹⁾	350	PN16	PN16	342	1		11,464.00
45-400-5D-006B4 ⁽¹⁾	400	PN16	PN10	369			12,872.00
45-400-5D-016B4 ⁽¹⁾	400	PN16	PN16	369			12,872.00

⁽¹⁾ Stem in aluminium bronze. 200 PSI/14 bar

36/00-116

Gate valve with post indicator flange and PE pipe ends
Ductile Iron
EPDM rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901
Clockwise to Close



AVK ref. no.	DN mm	D mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
36-090-00-163	80	90	20	6	C	1,399.00
36-110-00-163	100	110	30	5	C	1,615.00
36-180-00-163	150	180	58	2	C	3,364.00
36-200-00-163	200	200	88		C	4,913.00
36-250-00-163	250	250	118	2	C	7,864.00
36-315-00-163	300	315	189		C	13,059.00

55/26-003

Flanged resilient seat gate valve with rising stem and handwheel
AISI316 stainless steel stem
Face-to-face dimension according to ASME B16.10, table 1, class 125
Ductile Iron
EPDM rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
55-450-26-02620001	450	ANSI 150	728			23,873.00
55-500-26-02620001	500	ANSI 150	783			25,046.00
55-600-26-02620001	600	ANSI 150	1049			38,698.00

Notice: ANSI 150 flange drilling

55/26-004

Flanged resilient seat gate valve with rising stem and handwheel
AISI316 stainless steel stem
Face-to-face dimension according to ASME B16.10, table 1, class 125
Ductile Iron
EPDM rubber
Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved
Clockwise to Close



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
55-450-26-01620001	450	PN16	728			25,302.00
55-500-26-01620001	500	PN16	783			26,475.00
55-600-26-01620001	600	PN16	1049			40,127.00

Notice: PN16 flange drilling

**55/2P-003**

Flanged resilient seat gate valve with rising stem and handwheel

Alu-bronze stem

Face-to-face dimension according to ASME B16.10, table 1, class 125

Ductile Iron

EPDM rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close

Notice: ANSI 150 flange drilling



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
55-450-2P-02620001	450	ANSI 150	728			25,874.00
55-500-2P-02620001	500	ANSI 150	783			27,047.00
55-600-2P-02620001	600	ANSI 150	1049			40,699.00

55/2P-004

Flanged resilient seat gate valve with rising stem and handwheel

Alu-bronze stem

Face-to-face dimension according to ASME B16.10, table 1, class 125

Ductile Iron

EPDM rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close

Notice: PN16 flange drilling



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
55-450-2P-01620001	450	PN16	728			27,304.00
55-500-2P-01620001	500	PN16	783			28,476.00
55-600-2P-01620001	600	PN16	1049			42,128.00

55/2H-003

Flanged resilient seat gate valve with non-rising stem AISI316 stainless steel stem

Face-to-face dimension according to ASME B16.10, table 1, class 125

Ductile Iron

EPDM rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901

Clockwise to Close

Notice: ANSI 150 flange drilling



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
55-450-2H-026640F1	450	ANSI 150	644			20,013.00
55-500-2H-026640F1	500	ANSI 150	699			21,057.00
55-600-2H-026640F1	600	ANSI 150	959			27,505.00

55/2H-004

Flanged resilient seat gate valve with non-rising stem AISI316 stainless steel stem

Face-to-face dimension according to ASME B16.10, table 1, class 125

Ductile Iron

EPDM rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901

Clockwise to Close

Notice: PN16 flange drilling



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
55-450-2H-016640F1	450	PN16	644			21,443.00
55-500-2H-016640F1	500	PN16	699			22,458.00
55-600-2H-016640F1	600	PN16	959			28,905.00

**55/23-003**

Flanged resilient seat gate valve with non-rising stem
Alu-bronze stem

Face-to-face dimension according to ASME B16.10, table 1, class 125

Ductile Iron
EPDM rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close

Notice: ANSI 150 flange drilling



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
55-450-23-026640F1	450	ANSI 150	644			21,443.00
55-500-23-026640F1	500	ANSI 150	699			22,486.00
55-600-23-026640F1	600	ANSI 150	959			28,934.00

55/23-004

Flanged resilient seat gate valve with non-rising stem
Alu-bronze stem

Face-to-face dimension according to ASME B16.10, table 1, class 125

Ductile Iron
EPDM rubber

AWWA C550

Clockwise to Close

Notice: PN16 flange drilling



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
55-450-23-016640F1	450	PN16	644			22,873.00
55-500-23-016640F1	500	PN16	699			23,888.00
55-600-23-016640F1	600	PN16	959			30,334.00

55/2A-004

Flanged resilient seat gate valve with post indicator flange

AISI316 stainless steel stem

Face-to-face dimension according to ASME B16.10, table 1, class 125

Ductile Iron
EPDM rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close

Notice: ANSI 150 flange drilling



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
55-450-2A-026640F1	450	ANSI 150	648			20,299.00
55-500-2A-026640F1	500	ANSI 150	703			21,343.00
55-600-2A-026640F1	600	ANSI 150	963			27,790.00

55/2A-011

Flanged resilient seat gate valve with post indicator flange

AISI316 stainless steel stem

Face-to-face dimension according to ASME B16.10, table 1, class 125

Ductile Iron
EPDM rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close

Notice: PN16 flange drilling



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
55-450-2A-016640F1	450	PN16	648			21,700.00
55-500-2A-016640F1	500	PN16	703			22,744.00
55-600-2A-016640F1	600	PN16	963			29,191.00

**55/2Q-003**

Flanged resilient seat gate valve with post indicator flange

Alu-bronze stem

Face-to-face dimension according to ASME B16.10, table 1, class 125

Ductile Iron

EPDM rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close

Notice: ANSI 150 flange drilling



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
55-450-2Q-026640F1	450	ANSI 150	648			21,729.00
55-500-2Q-026640F1	500	ANSI 150	703			22,773.00
55-600-2Q-026640F1	600	ANSI 150	963			29,219.00

55/2Q-004

Flanged resilient seat gate valve with post indicator flange

Alu-bronze stem

Face-to-face dimension according to ASME B16.10, table 1, class 125

Ductile Iron

EPDM rubber

Fusion bonded epoxy coating in compliance with DIN 3476 part 1 and EN 14901, GSK approved

Clockwise to Close

Notice: PN16 flange drilling



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
55-450-2Q-016640F1	450	PN16	648			23,130.00
55-500-2Q-016640F1	500	PN16	703			24,173.00
55-600-2Q-016640F1	600	PN16	963			30,621.00

75/20-023

Centric butterfly valve with fixed liner

Double flanged short

Duplex disc

FM approved

Face-to-face dimension according to EN 558 table 4 basic series 13

Ductile Iron

NBR rubber

Epoxy coating



AVK ref. no.	DN mm	Flange drilling	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
75-0050-20-213002600204 ⁽¹⁾	50	PN16	8.0		C	3,044.00
75-0065-20-213002600204 ⁽¹⁾	65	PN16	9.0		C	3,164.00
75-0080-20-213002600204 ⁽¹⁾	80	PN16	11		C	3,245.00
75-0100-20-213002600204 ⁽¹⁾	100	PN16	13		C	3,659.00
75-0125-20-213002600204 ⁽¹⁾	125	PN16	17		C	3,903.00
75-0150-20-213002600204 ⁽¹⁾	150	PN16	23		C	4,469.00
75-0200-20-213001300204 ⁽¹⁾	200	PN10	32		C	5,317.00
75-0200-20-213002600204 ⁽¹⁾	200	PN16	32		C	8,214.00
75-0250-20-213001300204 ⁽¹⁾	250	PN10	50		C	9,490.00
75-0250-20-213002600204 ⁽¹⁾	250	PN16	50		C	11,863.00
75-0300-20-213001300204 ⁽¹⁾	300	PN10	65		C	19,825.00
75-0300-20-213002600204 ⁽¹⁾	300	PN16	65		C	19,428.00

⁽¹⁾ Disc material in duplex

75/31-023

Centric butterfly valve with fixed liner

Semi lug

FM approved

Stainless steel disc

Face-to-face dimension according to EN 558 table 5 basic series 20

Ductile Iron

NBR rubber

Epoxy coating



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
75-0050-30-214202600204	50	PN16	2.8		C	704.00
75-0065-30-214202600204	65	PN16	3.6		C	728.00
75-0080-30-214202600204	80	PN16	3.9		C	728.00
75-0100-30-214202600204	100	PN16	5.1		C	819.00
75-0125-30-214202600204	125	PN16	7.0		C	967.00
75-0150-30-214202600204	150	PN16	9.5		C	1,271.00
75-0200-30-214202600204	200	PN16	14		C	1,849.00
75-0250-30-214201300204	250	PN10	24		C	3,044.00
75-0250-30-214202600204	250	PN16	24		C	3,044.00
75-0300-30-214201300204	300	PN10	36		C	3,759.00
75-0300-30-214202600204	300	PN16	36		C	3,759.00



815/40-001

Concentric butterfly valve with grooved ends and worm gear/handwheel
UL/FM approved
Ductile Iron
EPDM rubber
AVK coating standard
Clockwise to Close



AVK ref. no.	DN Inch	DN mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
815-0065-40-49AB10	2,5"	65	4.5			518.00
815-0076-40-49AB10 ⁽¹⁾	2,5"	65	4.7		C	540.00
815-0080-40-49AB10	3"	80	5.0			540.00
815-0100-40-49AB10	4"	100	9.0			600.00
815-0125-40-49AB10	5"	125	11		C	857.00
815-0139-40-49AB10 ⁽¹⁾	5"	125	11		C	857.00
815-0150-40-49AB10	6"	150	13			857.00
815-0200-40-49AB10	8"	200	20			1,546.00

⁽¹⁾ Grooves not to IPS

5190/00-001

Flanged swing check valve
PN10/16
UL/UIC approved
Ductile Iron



AVK ref. no.	DN mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
5190-050-00-100	50	6.3			238.00
5190-065-00-100	65	9.2			357.00
5190-080-00-100	80	12			408.00
5190-100-00-100	100	19			583.00
5190-125-00-100	125	26			835.00
5190-150-00-100	150	32			1,031.00
5190-200-00-000	200	54			1,463.00
5190-200-00-100	200	54			1,463.00

5190/00-002

Flanged swing check valve
ANSI class 150
UL/UIC approved
Ductile Iron



AVK ref. no.	DN mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
5190-050-00-200	50	6.3		C	238.00
5190-065-00-200	65	9.2			357.00
5190-080-00-200	80	12		C	408.00
5190-100-00-200	100	19		C	583.00
5190-125-00-200	125	26			835.00
5190-150-00-200	150	32		C	1,031.00
5190-200-00-200	200	54			1,463.00

5190/10-001

IPS grooved end swing check valve
UL/UIC & FM
Standard IPS grooved ends to AWWA C606
Ductile Iron



AVK ref. no.	DN mm	Dd mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
5190-050-10-900	50	60,3	2.5			192.00
5190-065-10-900	65	73,0	4.0			209.00
5190-076-10-900	65	76,1	4.0			209.00
5190-080-10-900	80	88,9	6.0		C	227.00
5190-100-10-900	100	114,3	9.0		C	288.00
5190-125-10-900	125	141,3	15			498.00
5190-139-10-900	125	139,7	15			498.00
5190-150-10-900	150	168,3	19		C	576.00
5190-200-10-900	200	219,1	35			874.00

5190/20-001

Grooved end riser (shotgun) swing check valve
UL/UIC/FM
Standard IPS grooved ends to AWWA C606
Ductile Iron



AVK ref. no.	DN mm	Dd mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
5190-050-20-900	50	60,3	2.5			215.00
5190-065-20-900	65	73,0	4.0			233.00
5190-076-20-900	65	76,1	4.0			233.00
5190-080-20-900	80	88,9	6.0			250.00
5190-100-20-900	100	114,3	9.0			312.00
5190-125-20-900	125	141,3	15			537.00
5190-139-20-900	125	139,7	15			537.00
5190-150-20-900	150	168,3	19			616.00
5190-200-20-900	200	219,1	35			914.00

**27/00-001**

Dry barrel hydrant
Modern type to AWWA C502
UL listed & FM approved
Ductile Iron
EPDM fire hydrant main valve
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved, polyester top
coating



Clockwise to Close

AVK ref. no.	DN mm	Flange drilling	H5 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
27-00-00204-00008-CP	150	ANSI B16.1	914	154	1	C	9,872.00
27-00-00205-00008-CP	150	ANSI B16.1	1067	163	4	C	10,187.00
27-00-00206-00008-CP	150	ANSI B16.1	1219	172	4	C	10,500.00
27-00-00207-00008-CP	150	ANSI B16.1	1372	181	4	C	10,707.00
27-00-00208-00008-CP	150	ANSI B16.1	1524	190	4	C	10,845.00
27-00-00209-00008-CP	150	ANSI B16.1	1677	199	4	C	11,899.00
27-00-00210-00008-CP	150	ANSI B16.1	1829	208	4	C	12,317.00

27/EI-010

Dry barrel hydrant
Modern type to AWWA C502
UL listed & FM approved
Stemrod AISI 316
Ductile Iron
EPDM fire hydrant main valve
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901, GSK
approved, polyester top
coating



AVK ref. no.	DN mm	Product PN Class	H5 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
27-EI-U0204-00008-CQ	150	ANSI CL150	914	154		C	11,297.00
27-EI-U0205-00008-CQ	150	ANSI CL150	1067	163		C	11,692.00
27-EI-U0206-00008-CQ	150	ANSI CL150	1219	172		C	12,839.00
27-EI-U0207-00008-CQ	150	ANSI CL150	1372	181		C	12,818.00
27-EI-U0208-00008-CQ	150	ANSI CL150	1524	190		C	13,410.00
27-EI-U0209-00008-CQ	150	ANSI CL150	1677	199		C	14,729.00
27-EI-U0210-00008-CQ	150	ANSI CL150	1829	208		C	14,841.00

27/70-001

Extension kit for dry barrel
hydrants



AVK ref. no.	L Inch	L mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
27-150-70-000	6"	152,4	9.0			1,331.00
27-150-70-100	12"	304,8	18			1,813.00
27-150-70-200	18"	457,2	27			2,179.00
27-150-70-300	24"	609,6	36			3,001.00
27-150-70-400	30"	762,0	45			3,323.00
27-150-70-500	36"	914,4	54			3,683.00

27/00-002

6" base with PE 100 PN 16
connection
Ductile Iron
AVK coating standard



AVK ref. no.	DN/Ø mm	Units/ pallet	Deliv. code	Gross Price EUR
27-150-690080	150 - 180	5	C	1,103.00

27/00-003

Monitor elbow for series 27
hydrant
Ductile Iron
AWWA C550



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
27-080-89-12	80	PN16	35		C	1,286.00
27-100-89-12	100	PN16	40		C	1,282.00

27/00-004

Traffic repair kit for series 27
hydrant
Ductile Iron
AVK coating standard



AVK ref. no.	DN mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
27-150-75-1001 ⁽¹⁾	150	5.0		C	2,285.00
27-150-75-2001 ⁽²⁾	150	5.0		C	2,810.00

(1) Bolts & nuts in galvanized steel grade 8.8

(2) Bolts & nuts in stainless steel

**27/C4-005**

Operating and seat wrench for series 27 dry barrel hydrant
Ductile Iron
AWWA C550



AVK ref. no.	DN mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
27-150-30-1001 ⁽¹⁾	150	2.7		C	1,045.00
27-150-30-4001 ⁽²⁾	150	2.3	50	A	120.00

(1) Seat wrench
(2) Operating wrench

24/10-001

Wet barrel hydrant with monitor flange 4" cl. 150
UL/FM approved
Ductile Iron
EPDM rubber
Epoxy coating / UV-resistant polyester
Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
24-150-10-00000001	150	PN16	71		C	9,904.00

24/70-001

Wet barrel hydrant with 1x2½" + 1x4/4½" outlets
UL/FM approved
Ductile Iron
EPDM rubber
Epoxy coating / UV-resistant polyester
Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
24-150-70-00000001	150	PN16	62		C	4,170.00
24-150-70-00002901 ⁽¹⁾	150	PN16	62		C	4,170.00

(1) 4" BS 336 thread outlet

24/96-001

Wet barrel hydrant with 2x2½" + 1x4/4½" outlets to AWWA C 503
UL/FM approved
Ductile Iron
EPDM rubber
Epoxy coating / UV-resistant polyester
Clockwise to Close



AVK ref. no.	DN mm	Product PN Class	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
24-150-96-00000001	150	PN16	65			9,667.00
24-150-96-00002901 ⁽¹⁾	150	AWWA C503	186			9,902.00

(1) 4" BS 336 thread outlet

04/74-001

Universal surface box for AVK telescopic ext. spindles - Inscription "Fire"
Ductile Iron
AVK coating standard



AVK ref. no.	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
04-003-74-200	11		B	237.00

08/A-011

Handwheel assembled with bolt and washer
Cast iron
AVK coating standard



AVK ref. no.	DN/DN	D mm	F mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
08-050-01-200	40 - 50	180	14	1.5		C	48.00
08-100-01-200	100 - 100	280	19	3.5		C	97.00
08-150-02-200	125 - 150	320	19	4.5		C	123.00
08-200-01-200	200 - 200	320	24	6.0		B	189.00
08-250-02-200	250 - 300	500	27	11		B	203.00

**34/00-001**

Post indicator
Telescopic
Above ground
UL/ULC Listed & FM approved
Steel
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901
Clockwise to Close



AVK ref. no.	DN mm	T mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
34-050-00-00010010 ⁽¹⁾	50	505 - 1090	72		C	2,245.00
34-065-00-00010010 ⁽¹⁾	65	505 - 1090	72		C	2,712.00
34-080-00-00010010 ⁽¹⁾	80	505 - 1090	72		C	2,712.00
34-080-00-02010010 ⁽¹⁾	80	1625 - 2210	100			2,510.00
34-100-00-00010010	100	505 - 1090	72		C	2,788.00
34-100-00-01010010	100	1065 - 1660	86		C	2,691.00
34-100-00-02010010	100	1626 - 2210	100		C	2,573.00
34-150-00-00010010	150	505 - 1090	72		A	2,712.00
34-150-00-01010010	150	1065 - 1660	86		C	2,691.00
34-150-00-02010010	150	1625 - 2210	100		C	3,005.00
34-200-00-00010010	200	505 - 1090	72		C	2,788.00
34-200-00-01010010	200	1065 - 1660	86		B	2,762.00
34-200-00-02010010	200	1625 - 2210	100		C	3,005.00
34-250-00-00010010	250	505 - 1090	72		A	2,712.00
34-250-00-01010010	250	1065 - 1660	86		C	2,762.00
34-250-00-02010010	250	1625 - 2210	100		C	2,826.00
34-300-00-00010010	300	505 - 1090	72		C	2,751.00
34-300-00-01010010	300	1065 - 1660	86		B	2,801.00
34-300-00-02010010	300	1625 - 2210	100		C	2,866.00
34-350-00-00010010	350	505 - 1090	72		C	2,751.00
34-350-00-01010010	350	1065 - 1660	86		C	2,911.00
34-350-00-02010010	350	1625 - 2210	100		C	2,538.00
34-400-00-00010010	400	505 - 1090	72		C	2,910.00
34-400-00-01010010	400	1065 - 1660	86		B	3,323.00
34-400-00-02010010	400	1625 - 2210	100		C	3,726.00
34-450-00-00010010	450	505 - 1090	72		C	3,721.00
34-450-00-01010010	450	1065 - 1660	86		C	3,721.00
34-450-00-02010010	450	1625 - 2210	100		C	3,721.00
34-500-00-00010010	500	505 - 1090	72		C	3,721.00
34-500-00-01010010	500	1065 - 1660	86		C	3,721.00
34-500-00-02010010	500	1625 - 2210	100		C	3,721.00
34-600-00-00010010	600	505 - 1090	72		C	3,773.00
34-600-00-01010010	600	1065 - 1660	86		C	3,773.00
34-600-00-02010010	600	1625 - 2210	100		C	3,773.00

⁽¹⁾ Not UL/ULC and FM approved**34/80-001**

Post indicator
Wall type
UL/ULC Listed & FM approved
Ductile Iron
Fusion bonded epoxy coating
in compliance with DIN 3476
part 1 and EN 14901




AVK ref. no.	DN mm	Stem length mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
34-050-80-00010010 ⁽¹⁾	50	250	29		C	1,869.00
34-065-80-00010010 ⁽¹⁾	65	250	29		C	1,869.00
34-080-80-00010010 ⁽¹⁾	80	250	29		C	1,869.00
34-100-80-00010010	100	250	29		C	1,760.00
34-100-80-01010010	100	750	32		C	1,869.00
34-100-80-02010010	100	1250	34		C	1,869.00
34-150-80-00010010	150	250	29		C	1,760.00
34-150-80-01010010	150	750	32		C	1,868.00
34-150-80-02010010	150	1250	34		C	1,868.00
34-200-80-00010010	200	250	29		C	1,869.00
34-200-80-01010010	200	750	32		C	1,868.00
34-200-80-02010010	200	1250	34		C	1,868.00
34-250-80-00010010	250	250	29		C	1,760.00
34-250-80-01010010	250	750	32		C	1,869.00
34-250-80-02010010	250	1250	34		C	1,869.00
34-300-80-00010010	300	250	29		C	1,785.00
34-300-80-01010010	300	750	32		C	1,896.00
34-300-80-02010010	300	1250	34		C	1,896.00
34-350-80-01010010	350	750	32		C	1,844.00
34-350-80-02010010	350	1250	34		C	1,844.00
34-400-80-00000010 ⁽²⁾	400	250	29		C	1,844.00
34-400-80-00020010 ⁽²⁾	400	1250	34		C	1,844.00
34-400-80-01010010 ⁽²⁾	400	750	32		C	1,844.00

⁽¹⁾ Not UL/ULC and FM approved⁽²⁾ Only UL/ULC listed



04/15-001

T-key for gate valves
Steel
AVK coating standard
Clockwise to Close or
Clockwise to Open



AVK ref. no.	Valve DN mm	F mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
04-050-2000 ⁽¹⁾	25 - 50	20	2.2	50	A	307.00
04-050-2100 ⁽²⁾	40 - 600	28	2.7	50	A	311.00

(1) For service connection valve with stem cap or extension spindle with key adaptor # 14-22
(2) For gate valves with stem cap or extension spindle with key adaptor # 23-32

04/04-002

Telescopic extension spindle
for gate valves
Key adaptor #23-32,
Spindle adaptor #51
L8 = Actual length
Polyethylene (PE)



AVK ref. no.	DN/DN	F3 mm	L8 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
04-200-4-00020001	50 - 400	23 - 32	450 - 700	3.9		C	183.00
04-200-4-05020001	50 - 400	23 - 32	650 - 1100	3.9	33	C	204.00
04-200-4-10020001	50 - 400	23 - 32	1050 - 1750	3.9	44	A	254.00
04-200-4-15020001	50 - 400	23 - 32	1700 - 2900	3.9	40	C	362.00

04/F-010

Extension spindle for gate
valves
Fixed length
Key adaptor #23-32
Polyethylene (PE)



AVK ref. no.	DN/DN	Pipe cover mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
04-200-3-50020001	50 - 400	800	1.3		C	169.00
04-200-3-55020001	50 - 400	1000	1.3		C	192.00
04-200-3-60020001	50 - 400	1250	1.3		C	267.00
04-200-3-65020001	50 - 400	1500	1.3		C	267.00
04-200-3-75020001	50 - 400	2000	1.3		C	354.00
04-200-3-80020001	50 - 400	3000	1.3		C	534.00

20/908-001

Mounting kit for micro switch
(NRS valves)
Ductile Iron



AVK ref. no.	DN mm	Units/ pallet	Deliv. code	Gross Price EUR
20-065-90-800	50-65		A	90.00
20-080-90-800	80		A	90.00
20-100-90-800	100		A	90.00
20-125-90-800	125		A	90.00
20-150-90-800	150		A	90.00
20-200-90-800	200		A	90.00
20-250-90-800	250		A	90.00
20-300-90-800	300		A	94.00
20-400-90-800	350-400		A	31.00

96/00-001

Micro switch with bracket for
OS&Y valves
Valve size DN 50-400
UL listed / FM approved



AVK ref. no.	Units/ pallet	Deliv. code	Gross Price EUR
96-400-00001		A	672.00

96/00-002

Limit switch IN62 and BI 2 for
AVK position indicator gate
valves - UL listed



AVK ref. no.	Units/ pallet	Deliv. code	Gross Price EUR
96-400-00003 ⁽¹⁾		C	128.00
96-400-00011 ⁽²⁾		A	125.00

(1) IN62
(2) "BI 2"

**96/00-005**

Nozzles for series 27



AVK ref. no.	Units/ pallet	Deliv. code	Gross Price EUR
96-450-00096 (1)		C	11,630.00
96-450-00097 (2)		C	5,895.00
96-450-00098 (3)		C	1,037.00

- (1) Style 825-BC
 (2) Style 889-BC
 (3) Drum pick-up kit for style 889 nozzle

96/00-006

Compact monitor for series 27



AVK ref. no.	Units/ pallet	Deliv. code	Gross Price EUR
96-450-00093 (1)		C	7,310.00
96-450-00094 (2)		C	10,585.00
96-450-00095 (3)		C	14,241.00

- (1) Style 649 monitor excl. nozzle
 (2) Style 649 monitor incl. Style 825-BC nozzle
 (3) Style 649 monitor incl. Style 889-BC self educting nozzle plus drum pick up kit

96/00-007

Switch for post indicator series 34 and OS&Y gate valve series 145




AVK ref. no.	Units/ pallet	Deliv. code	Gross Price EUR
96-400-00002		A	643.00



04/15-001

T-key for gate valves
Steel
AVK coating standard
Clockwise to Close or
Clockwise to Open



AVK ref. no.	Valve DN mm	F mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
04-050-2000 ⁽¹⁾	25 - 50	20	2.2	50	A	307.00
04-050-2100 ⁽²⁾	40 - 600	28	2.7	50	A	311.00

⁽¹⁾ For service connection valve with stem cap or extension spindle with key adaptor # 14-22
⁽²⁾ For gate valves with stem cap or extension spindle with key adaptor # 23-32

04/04-002

Telescopic extension spindle
for gate valves
Key adaptor #23-32,
Spindle adaptor #51
L8 = Actual length
Polyethylene (PE)



AVK ref. no.	DN/DN	F3 mm	L8 mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
04-200-4-00020001	50 - 400	23 - 32	450 - 700	3.9		C	183.00
04-200-4-05020001	50 - 400	23 - 32	650 - 1100	3.9	33	C	204.00
04-200-4-10020001	50 - 400	23 - 32	1050 - 1750	3.9	44	A	254.00
04-200-4-15020001	50 - 400	23 - 32	1700 - 2900	3.9	40	C	362.00

04/F-010

Extension spindle for gate
valves
Fixed length
Key adaptor #23-32
Polyethylene (PE)



AVK ref. no.	DN/DN	Pipe cover mm	Theoretical weight/kg	Units/ pallet	Deliv. code	Gross Price EUR
04-200-3-50020001	50 - 400	800	1.3		C	169.00
04-200-3-55020001	50 - 400	1000	1.3		C	192.00
04-200-3-60020001	50 - 400	1250	1.3		C	267.00
04-200-3-65020001	50 - 400	1500	1.3		C	267.00
04-200-3-75020001	50 - 400	2000	1.3		C	354.00
04-200-3-80020001	50 - 400	3000	1.3		C	534.00

20/908-001

Mounting kit for micro switch
(NRS valves)
Ductile Iron



AVK ref. no.	DN mm	Units/ pallet	Deliv. code	Gross Price EUR
20-065-90-800	50-65		A	90.00
20-080-90-800	80		A	90.00
20-100-90-800	100		A	90.00
20-125-90-800	125		A	90.00
20-150-90-800	150		A	90.00
20-200-90-800	200		A	90.00
20-250-90-800	250		A	90.00
20-300-90-800	300		A	94.00
20-400-90-800	350-400		A	31.00

96/00-001

Micro switch with bracket for
OS&Y valves
Valve size DN 50-400
UL listed / FM approved



AVK ref. no.	Units/ pallet	Deliv. code	Gross Price EUR
96-400-00001		A	672.00

96/00-002

Limit switch IN62 and BI 2 for
AVK position indicator gate
valves - UL listed



AVK ref. no.	Units/ pallet	Deliv. code	Gross Price EUR
96-400-00003 ⁽¹⁾		C	128.00
96-400-00011 ⁽²⁾		A	125.00

⁽¹⁾ IN62
⁽²⁾ "BI 2"



AVK International A/S

Bizonvej 1
8464 Galten
Denmark

Tele: +45 8754 2100
E-mail: sales@avk.dk
Internet: www.avkvalves.eu

©2021 AVK Group A/S
V4-10-2021

Expect... **AVK**