



Gruppo di pressione con 2 pompe verticali multistadio acciaio inox completo di basamento con antivibranti, collettore di aspirazione e di mandata, valvola a sfera, valvola di non ritorno, con o senza 2 serbatoi a membrana.

Quadro elettrico completo di:

- Interruttore generale
- Interruttore magnetotermico

Circuito ausiliario in bassa tensione completo di trasformatore e fusibili di protezione.

**Impieghi:** Per l'approvvigionamento d'acqua con aspirazione da pozzi.

Per aumentare la pressione disponibile da una rete di distribuzione.


*Pressure group with 2 multi multistage stainless steel vertical pumps complete with basement with antivibration device, suction and delivery manifold, ball valve and non-return valve, available with or without 2 membrane tanks.*

*Electric box complete with:*



- general switch
- thermic switch

*Low tension ancillary circuit complete with transformer and protecting cut-outs.*

**Application:** For water supply from wells and to increase pressure from a water system.











Monofase Single-phase	Trifase Three-phase	Potenza nominale Nominal power		Portata Capacity	Misura Size	Collettori Collector		Dimensioni (mm) - Dimensions (mm)								
		kW	HP			DNA	DNM	B1	B2	H	H1	H2	L	L1	L2	
230V ~ 50Hz	230/400V ~ 50Hz			l/min	bar											
<b>VSM 2-7</b>	<b>VS 2-7</b>	0,75+0,75	1+1	50+50	2,5÷4	G 1" 1/2	G 1" 1/2	800	340	990	160	260	650	495	820	
<b>VSM 2-11</b>	<b>VS 2-11</b>	1,1+1,1	1,5+1,5	60+60	3,5÷5	G 1" 1/2	G 1" 1/2	800	340	990	160	260	650	495	820	
<b>VSM 4-6</b>	<b>VS 4-6</b>	1,1+1,1	1,5+1,5	80+80	2,5÷4	G 2"	G 2"	800	340	990	160	260	670	495	840	
<b>VSM 4-8</b>	<b>VS 4-8</b>	1,5+1,5	2+2	100+100	3,5÷5	G 2"	G 2"	800	340	990	160	260	670	495	840	
	<b>VS 4-12</b>	2,2+2,2	3+3	120+120	4÷6	G 2"	G 2"	800	340	990	160	260	670	495	840	
	<b>VS 8-6</b>	2,2+2,2	3+3	120+120	3,5÷5	G 2" 1/2	G 2" 1/2	1100	500	1040	240	350	740	495	900	
	<b>VS 8-8</b>	3+3	4+4	140+140	4÷6	G 2" 1/2	G 2" 1/2	1100	500	1040	240	350	740	495	900	
	<b>VS 8-10</b>	4+4	5,5+5,5	150+150	5÷7	G 2" 1/2	G 2" 1/2	1100	500	1040	240	350	740	495	900	
	<b>VS 8-15</b>	5,5+5,5	7,5+7,5	160+160	6,5÷8	G 2" 1/2	G 2" 1/2	1100	500	1040	240	350	740	495	900	
	<b>VS 8-19</b>	7,5+7,5	10+10	200+200	6,5÷8	G 2" 1/2	G 2" 1/2	1100	500	1040	240	350	740	495	900	



# GRUPPI CON POMPE VERTICALI MULTISTADIO ACCIAIO INOX PRESSURE SYSTEM WITH MULTISTAGE STAINLESS STEEL VERTICAL PUMPS

# VS





Gruppo di pressione con 2 pompe verticali multistadio acciaio inox completo di basamento con antivibranti, collettore di aspirazione e di mandata, valvola a sfera, valvola di non ritorno, con o senza 2 serbatoi a membrana.

Quadro elettrico completo di:

- Interruttore generale
- Interruttore magnetotermico

Circuito ausiliario in bassa tensione completo di trasformatore e fusibili di protezione.

**Impieghi:** Per l'approvvigionamento d'acqua con aspirazione da pozzi.

Per aumentare la pressione disponibile da una rete di distribuzione.


*Pressure group with 2 multi multistage stainless steel vertical pumps complete with basement with antivibration device, suction and delivery manifold, ball valve and non-return valve, available with or without 2 membrane tanks.*

*Electric box complete with:*



- general switch
- thermic switch

*Low tension ancillary circuit complete with transformer and protecting cut-outs.*

**Application:** For water supply from wells and to increase pressure from a water system.



Trifase Three-phase	Potenza nominale Nominal power		Portata Capacity	Misura Size	Collettori Collector		Dimensioni (mm) - Dimensions (mm)								
	kW	HP			DNA	DNM	B1	B2	H	H1	H2	L	L1	L2	
230/400V ~ 50Hz			l/min	bar											
<b>VS 16-4</b>	4+4	5,5+5,5	140+140	2,5÷4	G 3"	G 2"1/2	1100	500	1040	250	360	760	495	920	
<b>VS 16-6</b>	5,5+5,5	7,5+7,5	160+160	3,5÷5	G 3"	G 2"1/2	1100	500	1040	250	360	760	495	920	
<b>VS 16-8</b>	7,5+7,5	10+10	200+200	4÷6	G 3"	G 2"1/2	1100	500	1040	250	360	760	495	920	
<b>VS 20-5</b>	5,5+5,5	7,5+7,5	300+300	3,5÷5	G 3"	G 2"1/2	1100	500	1040	250	360	760	495	920	
<b>VS 20-7</b>	7,5+7,5	10+10	300+300	4÷6	G 3"	G 2"1/2	1100	500	1040	250	360	760	495	920	
<b>VS 20-10</b>	11+11	15+15	350+350	6,5÷8	G 3"	G 2"1/2	1100	500	1040	250	360	760	495	920	
<b>VS 32-4</b>	7,5+7,5	10+10	250+250	4÷6	G 4"	G 4"	1100	500	1040	280	390	800	495	960	
<b>VS 32-5</b>	11+11	15+15	300+300	5÷7	G 4"	G 4"	1100	500	1040	280	390	800	495	960	
<b>VS 32-6</b>	11+11	15+15	350+350	6,5÷8	G 4"	G 4"	1100	500	1040	280	390	800	495	960	
<b>VS 42-3</b>	11+11	15+15	400+400	5÷7	G 6"	G 6"	1100	500	1040	320	430	850	495	1010	



# GRUPPI CON POMPE VERTICALI MULTISTADIO ACCIAIO INOX PRESSURE SYSTEM WITH MULTISTAGE STAINLESS STEEL VERTICAL PUMPS

VS

